



STIHL

BAR AND CHAIN CATALOG

04/2024



1 PREAMBLE

SEITE 4

2 TABLE OF TYPES

SEITE 5

3 GUIDE BAR AND SAW CHAIN SELECTION GUIDE

SEITE 8

4 GUIDE BAR AND SAW CHAIN SELECTION GUIDE FOR COMPETITOR PRODUCTS

SEITE 117

5 ACCESSORIES


SEITE 151






STIHL SAW CHAINS AND GUIDE BARS

This catalog contains a wide range of combinations of chainsaws, saw chains and guide bars. Some of these combinations are intended exclusively for special applications and specially trained users. These combinations may, for example, have an increased risk due to kickback[®] and/or top-heavy balance[®]. For normal applications and uses, STIHL recommends the combinations specified in the instruction manual for the respective product.


- ① In the event of a kickback, the saw is suddenly and uncontrollably thrown towards the user. Kickback can lead to fatal cutting injuries.
- ② Longer guide bars shift the center of gravity towards the bar tip (altered balance), so that the chainsaw tends to tip down with the bar tip.







	INCH	MM	MM	MM
7	1/4" P	6,35	0,45	3,2
1	1/4"	6,35	0,65	4,0
2	.325"	8,25	0,65	4,8
6	3/8" P	9,32	0,65	4,0
3	3/8"	9,32	0,65	5,2
	RD, RDR		0,65	-
4	.404	10,26	0,80	5,5



	INCH	MM
1	.043	1,1
3	.050	1,3
5	.058	1,5
6	.063	1,6
0	.080	2,0

MS 150 C **71 PM3 64** → **3670 005 0064**
MS 661 C **33 RS3 105** → **3624 005 0105**

			1/4"	1/4" P	.325"			3/8"			3/8" P		.404"			
				1,3 mm	1,1 mm	1,3 mm	1,5 mm	1,6 mm	1,3 mm	1,5 mm	1,6 mm	1,1 mm	1,3 mm	1,5 mm	1,6 mm	2,0 mm



COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4" P	1,1	56	3005 008 3403	71 PM3 56 3670 000 0056	
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	1/4" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4" P	1,1	56	3005 008 3403	71 PM3 56	
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64	
35	1/4" P	1,1	72	3005 008 3409	71 PM3 72	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4"	1146 640 2004	8	—	—	—
3/8" P	1146 640 2006	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56 3670 000 0056	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1146 640 2004	8	—	—	—
⅜" P	1146 640 2006	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4" P	1,1	56	3005 008 3403	71 PM3 56 3670 000 0056	
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	1/4" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4" P	1,1	56	3005 008 3403	71 PM3 56	
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64	
35	1/4" P	1,1	72	3005 008 3409	71 PM3 72	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4"	1146 640 2004	8	—	—	—
3/8" P	1146 640 2006	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56 3670 000 0056	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1146 640 2004	8	—	—	—
⅜" P	1146 640 2006	6	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro Mini 3	Picco Super 3	Picco Super	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Micro X	Picco Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3/8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04												
30	3/8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3/8" P	1,3	61	3005 000 4817	—	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3/8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E MINI LIGHT 01												
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 008 3909	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
40	3/8" P	1,1	55	3005 008 3913	61 PMM3 55	61 PS3 55	—	—	—	—	—	—
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3/8" P	1,1	44	3005 000 7605	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 7609	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
STIHL ROLLOMATIC MINI LIGHT 01												
30	3/8" P	1,1	44	3005 008 3905	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 003 3909	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
TIMBERSPORTS WM 2023 LIGHT 04												
35	3/8" P	1,3	50	3005 829 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4"	1123 640 2007	8	—	—	0
3/8" P	1148 640 2000 1148 640 2001	0	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)					Picco Micro Mini 3				
Pitch (")									
Drive link gauge / groove width (mm)									
Drive link count									
Guide bar part number									
STIHL ROLLOMATIC E MINI LIGHT 01									
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44 3610 000 0044				

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS								
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal	
STIHL LIGHT 04 LIGHT 04													
30	3⁄8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—	
35	3⁄8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—	
STIHL ROLLOMATIC E LIGHT 04													
30	3⁄8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44	
35	3⁄8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50	
40	3⁄8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55	
STIHL ROLLOMATIC E LIGHT LIGHT P04													
30	3⁄8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44	
35	3⁄8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50	
40	3⁄8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55	
STIHL ROLLOMATIC E MINI LIGHT 01													
30	3⁄8" P	1,1	44	3005 000 3905	61 PMM3 44	—	—	—	—	—	—	—	
35	3⁄8" P	1,1	50	3005 008 3909	61 PMM3 50	—	—	—	—	—	—	—	
40	3⁄8" P	1,1	55	3005 008 3913	61 PMM3 55	—	—	—	—	—	—	—	
STIHL ROLLOMATIC E MINI L LIGHT P01													
30	3⁄8" P	1,1	44	3005 000 7605	61 PMM3 44	—	—	—	—	—	—	—	
35	3⁄8" P	1,1	50	3005 000 7609	61 PMM3 50	—	—	—	—	—	—	—	
STIHL ROLLOMATIC MINI LIGHT 01													
30	3⁄8" P	1,1	44	3005 008 3905	61 PMM3 44	—	—	—	—	—	—	—	
35	3⁄8" P	1,1	50	3005 003 3909	61 PMM3 50	—	—	—	—	—	—	—	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1123 640 2003	0	—	—	—
1⁄4"	1123 640 2007	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS					
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number							Pico Micro Mini 3
STIHL ROLLOMATIC E MINI LIGHT 01											
30	3⁄8" P	1,1	44	3005 000 3905		61 PMM3 44	3610 000 0044				
35	3⁄8" P	1,1	50	3005 008 3909		61 PMM3 50	3610 000 0050				
STIHL ROLLOMATIC MINI LIGHT 01											
35	3⁄8" P	1,1	50	3005 003 3909		61 PMM3 50	3610 000 0050				

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3⁄8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	–	–	–	–	–	–
35	3⁄8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	–	–	–	–	–
STIHL ROLLOMATIC E LIGHT 04												
30	3⁄8" P	1,3	44	3005 000 4805	–	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 4809	–	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 4813	–	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3⁄8" P	1,3	61	3005 000 4817	–	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	–
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3⁄8" P	1,3	44	3005 000 7405	–	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 7409	–	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 7413	–	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E MINI LIGHT 01												
30	3⁄8" P	1,1	44	3005 000 3905	61 PMM3 44	–	–	–	–	–	–	–
35	3⁄8" P	1,1	50	3005 008 3909	61 PMM3 50	–	–	–	–	–	–	–
40	3⁄8" P	1,1	55	3005 008 3913	61 PMM3 55	–	–	–	–	–	–	–
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3⁄8" P	1,1	44	3005 000 7605	61 PMM3 44	–	–	–	–	–	–	–
35	3⁄8" P	1,1	50	3005 000 7609	61 PMM3 50	–	–	–	–	–	–	–
STIHL ROLLOMATIC MINI LIGHT 01												
35	3⁄8" P	1,1	50	3005 003 3909	61 PMM3 50	–	–	–	–	–	–	–
TIMBERSPORTS WM 2023 LIGHT 04												
35	3⁄8" P	1,3	50	3005 829 4809	–	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1⁄4"	1123 640 2007	8	–	–	–
3⁄8" P	1123 640 2073	6	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3/8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04												
30	3/8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3/8" P	1,3	61	3005 000 4817	—	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3/8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E MINI LIGHT 01												
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 008 3909	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
40	3/8" P	1,1	55	3005 008 3913	61 PMM3 55	61 PS3 55	—	—	—	—	—	—
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3/8" P	1,1	44	3005 000 7605	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 7609	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
STIHL ROLLOMATIC MINI LIGHT 01												
30	3/8" P	1,1	44	3005 008 3905	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 003 3909	61 PMM3 50	61 PS3 50	—	—	—	—	—	—
TIMBERSPORTS WM 2023 LIGHT 04												
35	3/8" P	1,3	50	3005 829 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/2"	1123 640 2007	8	—	—	0
3/8" P	1148 640 2000 1148 640 2001	0	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number										
35	3/8" P	1,3	50	3005 000 4809	Pico Micro 3									
					63 PM3 50 3636 000 0050									

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal		
STIHL LIGHT O4 LIGHT O4														
30	3/8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—		
35	3/8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—		
STIHL ROLLOMATIC E LIGHT O4														
30	3/8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44		
35	3/8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50		
40	3/8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55		
STIHL ROLLOMATIC E LIGHT LIGHT PO4														
30	3/8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44		
35	3/8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50		
40	3/8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55		
STIHL ROLLOMATIC E MINI LIGHT O1														
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44	—	—	—	—	—	—	—		
35	3/8" P	1,1	50	3005 008 3909	61 PMM3 50	—	—	—	—	—	—	—		
40	3/8" P	1,1	55	3005 008 3913	61 PMM3 55	—	—	—	—	—	—	—		
STIHL ROLLOMATIC E MINI L LIGHT PO1														
30	3/8" P	1,1	44	3005 000 7605	61 PMM3 44	—	—	—	—	—	—	—		
35	3/8" P	1,1	50	3005 000 7609	61 PMM3 50	—	—	—	—	—	—	—		
STIHL ROLLOMATIC MINI LIGHT O1														
30	3/8" P	1,1	44	3005 008 3905	61 PMM3 44	—	—	—	—	—	—	—		
35	3/8" P	1,1	50	3005 003 3909	61 PMM3 50	—	—	—	—	—	—	—		

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1123 640 2003	0	—	—	—
1/4"	1123 640 2007	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	
STIHL ROLLOMATIC E LIGHT 04						
30	3⁄8" P	1,3	44	3005 000 4805	63 PM3 44 3636 000 0044	
35	3⁄8" P	1,3	50	3005 000 4809	63 PM3 50 3636 000 0050	
40	3⁄8" P	1,3	55	3005 000 4813	63 PM3 55 3636 000 0055	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3⁄8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3⁄8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04												
30	3⁄8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3⁄8" P	1,3	61	3005 000 4817	—	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3⁄8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E MINI LIGHT 01												
30	3⁄8" P	1,1	44	3005 000 3905	61 PMM3 44	—	—	—	—	—	—	—
35	3⁄8" P	1,1	50	3005 008 3909	61 PMM3 50	—	—	—	—	—	—	—
40	3⁄8" P	1,1	55	3005 008 3913	61 PMM3 55	—	—	—	—	—	—	—
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3⁄8" P	1,1	44	3005 000 7605	61 PMM3 44	—	—	—	—	—	—	—
35	3⁄8" P	1,1	50	3005 000 7609	61 PMM3 50	—	—	—	—	—	—	—
STIHL ROLLOMATIC MINI LIGHT 01												
35	3⁄8" P	1,1	50	3005 003 3909	61 PMM3 50	—	—	—	—	—	—	—
TIMBERSPORTS WM 2023 LIGHT 04												
35	3⁄8" P	1,3	50	3005 829 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1⁄4"	1123 640 2007	8	—	—	—
3⁄8" P	1123 640 2073	6	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro Mini 3	Picco Super 3	Picco Super	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Micro X	Picco Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3/8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04												
30	3/8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3/8" P	1,3	61	3005 000 4817	—	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3/8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
TIMBERSPORTS WM 2023 LIGHT 04												
35	3/8" P	1,3	50	3005 829 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4"	1123 640 2007	8	—	—	0
3/8" P	1148 640 2000 1148 640 2001	0	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS					
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Super 3	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Super	Picco Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4										
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	—
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	—
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	—
45	3⁄8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PD3 61	63 PM 61	63 PS 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04										
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	—
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	—
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	—
STIHL ROLLOMATIC E MINI LIGHT O1										
30	3⁄8" P	1,1	44	3005 000 3905	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 008 3909	—	—	—	—	—	61 PMM3 50
35	3⁄8" P	1,1	51	3005 008 3909	—	—	—	—	—	61 PMM3 51
40	3⁄8" P	1,1	55	3005 008 3913	—	—	—	—	—	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01										
30	3⁄8" P	1,1	44	3005 000 7605	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 000 7609	—	—	—	—	—	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1137 640 2005	6	—	—	—
	1137 640 2007	7			
1⁄4"	1137 640 2006	8	—	—	—
	1137 640 2009				
1⁄4" P	1137 640 2008	8	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS					
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Super 3	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Super	Picco Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4										
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	—
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	—
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	—
STIHL ROLLOMATIC E LIGHT LIGHT P04										
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	—
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	—
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	—
STIHL ROLLOMATIC E MINI LIGHT O1										
30	3/8" P	1,1	44	3005 000 3905	—	—	—	—	—	61 PMM3 44
35	3/8" P	1,1	50	3005 008 3909	—	—	—	—	—	61 PMM3 50
35	3/8" P	1,1	51	3005 008 3909	—	—	—	—	—	61 PMM3 51
40	3/8" P	1,1	55	3005 008 3913	—	—	—	—	—	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01										
30	3/8" P	1,1	44	3005 000 7605	—	—	—	—	—	61 PMM3 44
35	3/8" P	1,1	50	3005 000 7609	—	—	—	—	—	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1137 640 2005	6	—	—	—
	1137 640 2007	7			
1/4"	1137 640 2006 1137 640 2009	8	—	—	—
1/4" P	1137 640 2008	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3
STIHL ROLLOMATIC E LIGHT O4					
30	3/8" P	1,3	44	3005 000 4805	63 PM3 44 3636 000 0044
STIHL ROLLOMATIC E LIGHT LIGHT P04					
35	3/8" P	1,3	50	3005 000 7409	63 PM3 50 3636 000 0050

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4												
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—
45	3⁄8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PD3 61	63 PM 61	63 PS 61	63 PMX 61	—	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—
STIHL ROLLOMATIC E MINI LIGHT O1												
30	3⁄8" P	1,1	44	3005 000 3905	—	—	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 008 3909	—	—	—	—	—	—	—	61 PMM3 50
40	3⁄8" P	1,1	55	3005 008 3913	—	—	—	—	—	—	—	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3⁄8" P	1,1	44	3005 000 7605	—	—	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 000 7609	—	—	—	—	—	—	—	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1137 640 2005	6	—	—	—
	1137 640 2007	7			
1⁄4"	1137 640 2006	8	—	—	—
1⁄4" P	1137 640 2008	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number								Pico Micro 3
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3/8" P	1,3	44	3005 000 7405								63 PM3 44 3636 000 0044
35	3/8" P	1,3	50	3005 000 7409								63 PM3 50 3636 000 0050

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS							
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT 04													
30	3/8" P	1,3	44	3005 000 4805		63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	–
35	3/8" P	1,3	50	3005 000 4809		63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	–
40	3/8" P	1,3	55	3005 000 4813		63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	–
STIHL ROLLOMATIC E LIGHT LIGHT P04													
30	3/8" P	1,3	44	3005 000 7405		63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	–
35	3/8" P	1,3	50	3005 000 7409		63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	–
40	3/8" P	1,3	55	3005 000 7413		63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	–
STIHL ROLLOMATIC E MINI LIGHT 01													
30	3/8" P	1,1	44	3005 000 3905		–	–	–	–	–	–	–	61 PMM3 44
35	3/8" P	1,1	50	3005 008 3909		–	–	–	–	–	–	–	61 PMM3 50
40	3/8" P	1,1	55	3005 008 3913		–	–	–	–	–	–	–	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01													
30	3/8" P	1,1	44	3005 000 7605		–	–	–	–	–	–	–	61 PMM3 44
35	3/8" P	1,1	50	3005 000 7609		–	–	–	–	–	–	–	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1137 640 2005 1137 640 2007	6 7	–	–	–
1/4"	1137 640 2006	8	–	–	–
1/4" P	1137 640 2008	8	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01					Pico Micro 3	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72 3670 000 0072	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING					Pico Micro 3	
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1137 640 2006	8	–	–	–
⅜" P	1137 640 2007	7	–	–	–
½" P	1137 640 2008	8	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Micro	Pico Duro 3	Pico Super
STIHL ROLLOMATIC E LIGHT O4									
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PM 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PM 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PM 55	63 PD3 55	63 PS 55
45	3/8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PM 61	63 PD3 61	63 PS 61
STIHL ROLLOMATIC E LIGHT LIGHT P04									
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PM 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PM 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PM 55	63 PD3 55	63 PS 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1129 640 2000	6	—	—	—
.325"	1129 640 2004	7	—	—	—
3/8"	1129 640 2050	7	—	—	—
1/4"	1129 640 2051	8	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Micro	Pico Duro 3	Pico Super
STIHL ROLLOMATIC E LIGHT O4									
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PM 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PM 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PM 55	63 PD3 55	63 PS 55
45	3/8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PM 61	63 PD3 61	63 PS 61
STIHL ROLLOMATIC E LIGHT LIGHT P04									
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PM 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PM 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PM 55	63 PD3 55	63 PS 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1129 640 2000	6	—	—	—
3/8"	1129 640 2050	7	—	—	—
1/4"	1129 640 2051	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Super 3	
STIHL ROLLOMATIC E LIGHT O4						
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44 3616 000 0044	
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50 3616 000 0050	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT O4 LIGHT O4											
30	3⁄8" P	1,1	44	3005 000 4405	61 PS3 44	–	–	–	–	–	–
35	3⁄8" P	1,1	50	3005 000 4409	61 PS3 50	61 PS 50	–	–	–	–	–
STIHL ROLLOMATIC E LIGHT O4											
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1145 640 2010	6	–	–	–
1⁄4"	1145 640 2011 1145 640 2051	8	–	–	–
3⁄8"	1145 640 2050	7	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	
STIHL ROLLOMATIC E LIGHT 04						
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44 3616 000 0044	
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50 3616 000 0050	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT 04 LIGHT 04											
30	3/8" P	1,1	44	3005 000 4405	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PS3 50	—	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04											
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1145 640 2010	6	—	—	—
3/8"	1145 640 2050	7	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal
STIHL ROLLOMATIC E LIGHT O4											
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55
45	3⁄8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PD3 61	63 PM 61	63 PS 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1123 640 2074	7	—	0000 642 1234	8
	1123 640 2076	8		0000 642 1236	7
				1123 007 1031	
3⁄8"	—	—	—	0000 642 1240	7
3⁄8" P	1123 640 2072	7	—	1123 007 1030	7
	1123 640 2073	6			
1⁄4"	1123 640 2077	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number					
					Pico Micro 3				
					Pico Duro 3				
STIHL ROLLOMATIC E LIGHT O4									
35	3/8" P	1,3	50	3005 000 4809	63 PM3 50 3636 000 0050			63 PD3 50 3612 000 0050	
40	3/8" P	1,3	55	3005 000 4813	63 PM3 55 3636 000 0055			63 PD3 55 3612 000 0055	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT O4 LIGHT O4											
30	3/8" P	1,1	44	3005 000 4405	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT O4											
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
40	3/8" P	1,3	56	3005 000 4813	63 PS3 56	63 PS 56	63 PM3 56	63 PD3 56	63 PM 56	—	—
45	3/8" P	1,3	61	3005 000 4817	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
TIMBERSPORTS WM 2023 LIGHT O4											
35	3/8" P	1,3	50	3005 829 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	—	—	—	0000 642 1240	7
3/8" P	1123 640 2072 1123 640 2073	7 6	—	1123 007 1030	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro Mini 3	Picco Super 3	Picco Super	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Micro X	Picco Micro longitudinal
STIHL LIGHT 04 LIGHT 04												
30	3/8" P	1,1	44	3005 000 4405	61 PMM3 44	61 PS3 44	—	—	—	—	—	—
35	3/8" P	1,1	50	3005 000 4409	61 PMM3 50	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04												
30	3/8" P	1,3	44	3005 000 4805	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
45	3/8" P	1,3	61	3005 000 4817	—	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3/8" P	1,3	44	3005 000 7405	—	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	—	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
TIMBERSPORTS WM 2023 LIGHT 04												
35	3/8" P	1,3	50	3005 829 4809	—	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4"	1123 640 2007	8	—	—	0
3/8" P	1148 640 2000 1148 640 2001	0	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Super 3	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Super	Picco Micro X	Picco Micro longitudinal
STIHL ROLLOMATIC E LIGHT O4											
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55
45	3/8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PD3 61	63 PM 61	63 PS 61	63 PMX 61	—
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1123 640 2076	8	—	0000 642 1234 0000 642 1236 1123 007 1031 1123 007 1032	8 7
3/8"	—	—	—	0000 642 1240	7
3/8" P	1123 640 2072 1123 640 2073	7 6	—	1123 007 1030	7
1/2"	1123 640 2077	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
					Rapid Micro	Picco Micro 3
STIHL ROLLOMATIC E LIGHT O4						
35	.325"	1,6	56	3005 000 4709	26 RM 56 3686 000 0056	—
35	⅜" P	1,3	50	3005 000 4809	—	63 PM3 50 3636 000 0050
40	.325"	1,6	62	3005 000 4713	26 RM 62 3686 000 0062	—
40	⅜" P	1,3	55	3005 000 4813	—	63 PM3 55 3636 000 0055
45	.325"	1,6	68	3005 008 4717	26 RM 68 3686 000 0068	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL LIGHT O4 LIGHT O4																
30	⅜" P	1,1	44	3005 000 4405	61 PS3 44	—	—	—	—	—	—	—	—	—	—	—
35	⅜" P	1,1	50	3005 000 4409	61 PS3 50	61 PS 50	—	—	—	—	—	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT O4																
30	⅜" P	1,3	44	3005 000 4805	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44	—	—	—	—	—
30	⅜" P	1,3	45	3005 000 4805	63 PS3 45	—	63 PM3 45	63 PD3 45	—	—	—	—	—	—	—	—
35	.325"	1,6	56	3005 000 4709	—	—	—	—	—	—	—	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	—
35	⅜" P	1,3	50	3005 000 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50	—	—	—	—	—
35	⅜" P	1,3	51	3005 000 4809	63 PS3 51	—	63 PM3 51	63 PD3 51	—	—	—	—	—	—	—	—
40	.325"	1,3	62	3005 000 7013	—	—	—	—	—	—	—	23 RS 62	23 RM 62	—	23 RM3 62	23 RS3 62
40	.325"	1,6	62	3005 000 4713	—	—	—	—	—	—	—	26 RS 62	26 RM 62	26 RD3 62	26 RM3 62	—
40	⅜" P	1,3	55	3005 000 4813	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55	—	—	—	—	—
40	⅜" P	1,3	56	3005 000 4813	63 PS3 56	—	63 PM3 56	63 PD3 56	—	—	—	—	—	—	—	—
45	.325"	1,3	68	3005 008 7017	—	—	—	—	—	—	—	23 RS 68	23 RM 68	—	23 RM3 68	23 RS3 68
45	.325"	1,6	68	3005 008 4717	—	—	—	—	—	—	—	26 RS 68	26 RM 68	26 RD3 68	26 RM3 68	—
45	⅜" P	1,3	61	3005 000 4817	63 PS3 61	63 PS 61	63 PM3 61	63 PD3 61	63 PM 61	63 PMX 61	—	—	—	—	—	—
45	⅜" P	1,3	62	3005 000 4817	63 PS3 62	—	63 PM3 62	63 PD3 62	—	—	—	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT LIGHT P04																
30	⅜" P	1,3	44	3005 000 7405	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44	—	—	—	—	—
35	⅜" P	1,3	50	3005 000 7409	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50	—	—	—	—	—
40	⅜" P	1,3	55	3005 000 7413	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55	—	—	—	—	—
TIMBERSPORTS WM 2023 LIGHT O4																
35	⅜" P	1,3	50	3005 829 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50	—	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1143 640 2002	7	—	0000 642 1234	8
				0000 642 1236	7
				1143 007 1003	
				1143 007 1004	
3⁄8"	—	—	—	0000 642 1240	7
1⁄4"	1123 640 2007	8	—	—	—
3⁄8" P	1143 640 2000	6	—	1143 007 1002	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL DUOMATIC E STRONG S									
40	.325"	1,3	67	3003 000 8613	—	—	—	—	—
40	.325"	1,6	67	3003 000 9213	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	—
45	.325"	1,6	74	3003 000 9217	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	—
50	.325"	1,6	81	3003 000 9221	26 RS 81	26 RM 81	26 RD3 81	—	—
STIHL LIGHT O4 LIGHT O4									
35	.325"	1,3	60	3003 000 3309	23 RS 60	23 RM 60	—	23 RM3 60	23 RS3 60
40	.325"	1,3	67	3003 000 3313	23 RS 67	23 RM 67	—	23 RM3 67	23 RS3 67
45	.325"	1,3	74	3003 008 3317	23 RS 74	23 RM 74	—	23 RM3 74	23 RS3 74
50	.325"	1,3	81	3003 008 3321	23 RS 81	23 RM 81	—	23 RM3 81	23 RS3 81
STIHL ROLLOMATIC E LIGHT O4									
32	.325"	1,6	56	3003 000 5306	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	—
40	.325"	1,6	67	3003 008 6813	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	—
45	.325"	1,6	74	3003 008 6817	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	—
50	.325"	1,6	81	3003 008 6821	26 RS 81	26 RM 81	26 RD3 81	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	—	—	—	0000 642 1231 0000 642 1240 1121 007 1035	7
.325"	1121 640 2000 1121 640 2001 1121 640 2005	7 8	—	0000 642 1234 0000 642 1236 1121 007 1001 1121 007 1002	8 7
3/8" P	—	—	—	1121 007 1004	7

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS		
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	
STIHL ROLLOMATIC E LIGHT 04							
35	.325"	1,6	56	3005 000 4709	26 RS 56 3639 000 0056	-	
40	.325"	1,6	62	3005 000 4713	26 RS 62 3639 000 0062	-	
45	.325"	1,6	68	3005 008 4717	26 RS 68 3639 000 0068	26 RM3 68 3689 000 0068	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL ROLLOMATIC E LIGHT 04									
35	.325"	1,6	56	3005 000 4709	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	-
40	.325"	1,3	62	3005 000 7013	23 RS 62	23 RM 62	-	23 RM3 62	23 RS3 62
40	.325"	1,6	62	3005 000 4713	26 RS 62	26 RM 62	26 RD3 62	26 RM3 62	-
45	.325"	1,3	68	3005 008 7017	23 RS 68	23 RM 68	-	23 RM3 68	23 RS3 68
45	.325"	1,6	68	3005 008 4717	26 RS 68	26 RM 68	26 RD3 68	26 RM3 68	-

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1143 640 2002	7	-	0000 642 1234 0000 642 1236 1143 007 1003 1143 007 1004	8 7
3⁄8"	-	-	-	0000 642 1240	7
1⁄4"	1123 640 2007	8	-	-	-
3⁄8" P	1143 640 2000	6	-	1143 007 1002	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL ROLLOMATIC E LIGHT 04									
35	.325"	1,6	56	3005 000 4709	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	—
40	.325"	1,3	62	3005 000 7013	23 RS 62	23 RM 62	—	23 RM3 62	23 RS3 62
40	.325"	1,6	62	3005 000 4713	26 RS 62	26 RM 62	26 RD3 62	26 RM3 62	—
45	.325"	1,3	68	3005 008 7017	23 RS 68	23 RM 68	—	23 RM3 68	23 RS3 68
45	.325"	1,6	68	3005 008 4717	26 RS 68	26 RM 68	26 RD3 68	26 RM3 68	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1123 640 2074 1123 640 2076	7	—	0000 642 1234	8
		8		0000 642 1236	7
				1123 007 1031	
				1123 007 1032	
3⁄8"	—	—	—	0000 642 1240	7
3⁄8" P	1123 640 2072	7	—	1123 007 1030	7
	1123 640 2073	6			
1⁄4"	1123 640 2077	8	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL DUROMATIC E STRONG S									
40	.325°	1,3	67	3003 000 8613	–	–	–	–	–
40	.325°	1,6	67	3003 000 9213	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	–
45	.325°	1,6	74	3003 000 9217	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	–
50	.325°	1,6	81	3003 000 9221	26 RS 81	26 RM 81	26 RD3 81	–	–
STIHL LIGHT O4 LIGHT O4									
35	.325°	1,3	60	3003 000 3309	23 RS 60	23 RM 60	–	23 RM3 60	23 RS3 60
40	.325°	1,3	67	3003 000 3313	23 RS 67	23 RM 67	–	23 RM3 67	23 RS3 67
45	.325°	1,3	74	3003 008 3317	23 RS 74	23 RM 74	–	23 RM3 74	23 RS3 74
50	.325°	1,3	81	3003 008 3321	23 RS 81	23 RM 81	–	23 RM3 81	23 RS3 81
STIHL ROLLOMATIC E LIGHT O4									
32	.325°	1,6	56	3003 000 5306	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	–
40	.325°	1,6	67	3003 008 6813	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	–
45	.325°	1,6	74	3003 008 6817	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	–
50	.325°	1,6	81	3003 008 6821	26 RS 81	26 RM 81	26 RD3 81	–	–

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1121 640 2004	7	—	0000 642 1234	8
	1121 640 2005			0000 642 1236	
	1121 640 2000			1121 007 1001	
	1121 640 2001			1121 007 1002	
				1121 007 1037	
3⁄8"	—	—	—	1121 007 1038	7
				0000 642 1240	
				1121 007 1035	
				1121 007 1041	
3⁄8" P	—	—	—	1121 007 1039	7

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	
STIHL LIGHT 04 LIGHT 04						
35	.325"	1,3	60	3003 000 3309		23 RS 60 3690 000 0060
40	.325"	1,3	67	3003 000 3313		23 RS 67 3690 000 0067
45	.325"	1,3	74	3003 008 3317		23 RS 74 3690 000 0074
STIHL ROLLOMATIC E LIGHT 04						
32	.325"	1,6	56	3003 000 5306	26 RS 56 3639 000 0056	
37	.325"	1,6	62	3003 008 6811	26 RS 62 3639 000 0062	
45	.325"	1,6	74	3003 008 6817	26 RS 74 3639 000 0074	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Duro 3	Rapid Super 3	Rapid Micro
STIHL DUROMATIC E STRONG S									
40	.325"	1,3	67	3003 000 8613	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67
40	.325"	1,6	67	3003 000 9213	26 RS 67	26 RM3 67	26 RD3 67	—	26 RM 67
45	.325"	1,6	66	3003 000 9217	—	—	—	—	26 RM 66
45	.325"	1,6	74	3003 000 9217	26 RS 74	26 RM3 74	26 RD3 74	—	26 RM 74
50	.325"	1,3	81	3003 000 8621	23 RS 81	23 RM3 81	23 RD3 81	23 RS3 81	23 RM 81
50	.325"	1,6	81	3003 000 9221	26 RS 81	—	26 RD3 81	—	26 RM 81
STIHL LIGHT 04 LIGHT 04									
35	.325"	1,3	60	3003 000 3309	23 RS 60	23 RM3 60	23 RD3 60	23 RS3 60	23 RM 60
40	.325"	1,3	67	3003 000 3313	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67
40	.325"	1,3	67	3003 829 3313	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67
45	.325"	1,3	74	3003 008 3317	23 RS 74	23 RM3 74	23 RD3 74	23 RS3 74	23 RM 74
50	.325"	1,3	81	3003 008 3321	23 RS 81	23 RM3 81	23 RD3 81	23 RS3 81	23 RM 81
STIHL ROLLOMATIC E LIGHT 04									
32	.325"	1,6	56	3003 000 5306	26 RS 56	26 RM3 56	26 RD3 56	—	26 RM 56
37	.325"	1,5	62	3003 008 5011	25 RS 62	25 RM3 62	25 RD3 62	—	25 RM 62
37	.325"	1,6	62	3003 008 6811	26 RS 62	26 RM3 62	26 RD3 62	—	26 RM 62
40	.325"	1,6	67	3003 008 6813	26 RS 67	26 RM3 67	26 RD3 67	—	26 RM 67
45	.325"	1,6	74	3003 008 6817	26 RS 74	26 RM3 74	26 RD3 74	—	26 RM 74
50	.325"	1,6	81	3003 008 6821	26 RS 81	—	26 RD3 81	—	26 RM 81

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	1141 640 2003	7	—	0000 642 1231 0000 642 1240 1141 007 1001	7
.325"	—	—	—	0000 642 1234 0000 642 1236 1141 007 1002	8 7
0	1141 640 2001	7	—	1141 007 1003	8
$\frac{3}{8}$ " P	—	—	—	1141 007 1007	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS		
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3
STIHL DUROMATIC E STRONG S							
40	.325"	1,3	67	3003 000 8613	—	—	—
STIHL ROLLOMATIC E LIGHT O4							
40	.325"	1,6	67	3003 008 6813	26 RS 67	26 RM 67	26 RD3 67

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1121 640 2004 1121 640 2005	7	—	0000 642 1234	8
		8		0000 642 1236	7
				1121 007 1037	
				1121 007 1038	
3⁄8"	—	—	—	0000 642 1231 1121 007 1041	7

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Micro 3	Rapid Micro
STIHL LIGHT 04 LIGHT 04						
35	.325"	1,3	60	3003 000 3309	23 RM3 60 3695 000 0060	—
40	.325"	1,3	67	3003 000 3313	23 RM3 67 3695 000 0067	—
45	.325"	1,3	74	3003 008 3317	23 RM3 74 3695 000 0074	—
STIHL ROLLOMATIC E LIGHT 04						
40	.325"	1,6	67	3003 008 6813	—	26 RM 67 3686 000 0067
45	.325"	1,6	74	3003 008 6817	—	26 RM 74 3686 000 0074

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS												
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Duro 3	Rapid Super 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Duro Rescue	Rapid Super L Full Skip	
STIHL DUROMATIC E STRONG S																
40	.325°	1,3	67	3003 000 8613	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67	—	—	—	—	—	—	
40	.325°	1,6	67	3003 000 9213	26 RS 67	26 RM3 67	26 RD3 67	—	26 RM 67	—	—	—	—	—	—	
40	¾°	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RD3 60	33 RS3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—	
40	¾°	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RD3 60	36 RS3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	.325°	1,6	74	3003 000 9217	26 RS 74	26 RM3 74	26 RD3 74	—	26 RM 74	—	—	—	—	—	—	
45	¾°	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RD3 66	36 RS3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
50	.325°	1,3	81	3003 000 8621	23 RS 81	23 RM3 81	23 RD3 81	23 RS3 81	23 RM 81	—	—	—	—	—	—	
50	.325°	1,6	81	3003 000 9221	26 RS 81	—	26 RD3 81	—	26 RM 81	—	—	—	—	—	—	
STIHL LIGHT 04 LIGHT 04																
35	.325°	1,3	60	3003 000 3309	23 RS 60	23 RM3 60	23 RD3 60	23 RS3 60	23 RM 60	—	—	—	—	—	—	
40	.325°	1,3	67	3003 000 3313	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67	—	—	—	—	—	—	
40	.325°	1,3	67	3003 829 3313	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67	—	—	—	—	—	—	
40	¾°	1,6	60	3003 000 7713	36 RS 60	36 RM3 60	36 RD3 60	36 RS3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	.325°	1,3	74	3003 008 3317	23 RS 74	23 RM3 74	23 RD3 74	23 RS3 74	23 RM 74	—	—	—	—	—	—	
45	¾°	1,6	66	3003 008 7717	36 RS 66	36 RM3 66	36 RD3 66	36 RS3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
50	.325°	1,3	81	3003 008 3321	23 RS 81	23 RM3 81	23 RD3 81	23 RS3 81	23 RM 81	—	—	—	—	—	—	
50	¾°	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RD3 72	36 RS3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	
STIHL ROLLOMATIC E LIGHT 04																
32	.325°	1,6	56	3003 000 5306	26 RS 56	26 RM3 56	26 RD3 56	—	26 RM 56	—	—	—	—	—	—	
37	.325°	1,5	62	3003 008 5011	25 RS 62	25 RM3 62	25 RD3 62	—	25 RM 62	—	—	—	—	—	—	
37	.325°	1,6	62	3003 008 6811	26 RS 62	26 RM3 62	26 RD3 62	—	26 RM 62	—	—	—	—	—	—	
40	.325°	1,6	67	3003 008 6813	26 RS 67	26 RM3 67	26 RD3 67	—	26 RM 67	—	—	—	—	—	—	
45	.325°	1,6	74	3003 008 6817	26 RS 74	26 RM3 74	26 RD3 74	—	26 RM 74	—	—	—	—	—	—	
50	.325°	1,6	81	3003 008 6821	26 RS 81	—	26 RD3 81	—	26 RM 81	—	—	—	—	—	—	
STIHL ROLLOMATIC E LIGHT 06																
37	¾°	1,6	56	3003 000 5211	36 RS 56	—	36 RD3 56	36 RS3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—	—	
40	¾°	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RD3 60	36 RS3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	¾°	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RD3 66	36 RS3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
STIHL ROLLOMATIC ES STRONG X																
40	¾°	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RD3 60	33 RS3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—	
40	¾°	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RD3 60	36 RS3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	¾°	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RD3 66	36 RS3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
0	1141 640 2001	7	–	–	–
3/8"	1141 640 2003	7	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Classic	Rapid Micro X
STIHL DUROMATIC E STRONG S											
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
63	3⁄8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	36 RSK 85	—
STIHL ROLLOMATIC E LIGHT 06											
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
STIHL ROLLOMATIC ES STRONG X											
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3⁄8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	36 RSK 76	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	36 RMX 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1125 640 2004	7	—	0000 642 1231 1125 007 1002	7
.325"	1125 640 2005	7	—	0000 642 1234 0000 642 1236 1125 007 1000 1125 007 1001	8 7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS								
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super L	Rapid Super Classic	Rapid Micro X	Rapid Super L Full Skip
STIHL DUOMATIC E STRONG S													
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	36 RMX 66	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	—	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	36 RMX 84	36 RSLF 84
STIHL LIGHT O4 LIGHT O4													
40	3/8"	1,6	60	3003 000 7713	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3/8"	1,6	66	3003 008 7717	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	36 RMX 66	—
50	3/8"	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
STIHL ROLLOMATIC E LIGHT O6													
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	36 RSL 56	36 RSK 56	36 RMX 56	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	36 RMX 66	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	36 RMX 84	36 RSLF 84
STIHL ROLLOMATIC ES STRONG X													
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	36 RMX 66	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	36 RMX 84	36 RSLF 84
STIHL ROLLOMATIC ES LIGHT LIGHT X													
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	36 RMX 84	36 RSLF 84

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	1125 640 2004	7	—	0000 642 1231 1125 007 1002	7
.325"	1125 640 2005	7	—	0000 642 1234 0000 642 1236 1125 007 1000 1125 007 1001	8 7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS													
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip	Rapid Duro Rescue
STIHL DUROMATIC E STRONG S																	
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	60	3003 000 9217	—	—	—	—	—	36 RM 60	—	—	—	—	—	—	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RH 72	33 RSK 72	—	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RSLF 84	—
STIHL LIGHT O4 LIGHT O4																	
40	3/8"	1,6	60	3003 000 7713	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 008 7717	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	36 RDR 72
STIHL ROLLOMATIC E LIGHT O4																	
37	3/8"	1,6	56	3003 008 6111	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3/8"	1,6	60	3003 008 6113	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
STIHL ROLLOMATIC E LIGHT O6																	
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RSLF 84	—
STIHL ROLLOMATIC ES STRONG X																	
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	—	36 RH 76	36 RSK 76	—	—	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RSLF 84	—
STIHL ROLLOMATIC ES LIGHT LIGHT X																	
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1140 640 2000	7	—	0000 642 1231 1125 007 1002	7
.325"	—	—	—	0000 642 1234 0000 642 1236 1125 007 1000 1125 007 1001	8 7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Classic	Rapid Micro X
STIHL DUROMATIC E STRONG S											
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
63	3/8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	36 RSK 85	—
STIHL ROLLOMATIC E LIGHT O6											
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
STIHL ROLLOMATIC ES STRONG X											
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	36 RSK 76	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	36 RMX 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	1128 640 2000 1128 640 2005	7 8	—	0000 642 1223 1128 007 1000	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Strip	Rapid Super Classic
STIHL DUROMATIC E STRONG S											
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC E LIGHT O6											
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES STRONG X											
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1125 640 2006	7	—	0000 642 1223 1125 007 1041	7
.325"	—	—	—	0000 642 1239 1125 007 1003	9

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS
Guide bar length (cm)		Pitch (°)	Drive link gauge / groove width (mm)		
			Drive link count		
				Guide bar part number	
					Rapid Super
STIHL ROLLOMATIC E LIGHT O6					
50	3/8"	1,6	72	3003 000 5221	36 RS 72 3621 000 0072

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Classic	Rapid Micro X
STIHL DUROMATIC E STRONG S											
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—
40	3/8"	1,6	55	3003 000 9213	36 RS 55	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
40	3/8"	1,6	67	3003 000 9213	36 RS 67	36 RM3 67	36 RS3 67	36 RD3 67	36 RM 67	—	—
45	3/8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
45	3/8"	1,6	74	3003 000 9217	36 RS 74	—	—	36 RD3 74	36 RM 74	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	—	—
50	3/8"	1,6	66	3003 000 9221	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
63	3/8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	36 RSK 85	—
STIHL ROLLOMATIC E LIGHT O6											
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
STIHL ROLLOMATIC ES STRONG X											
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	36 RSK 76	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	36 RMX 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	—	—	—	0000 642 1216	8
				0000 642 1223	
				1128 007 1000	
				1128 007 1001	
$\frac{3}{8}$ "	—	—	—	1135 007 1002	7
				0000 642 1239	9
				1128 007 1011	

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super
STIHL LIGHT 04 LIGHT 04					
40	3⁄8"	1,6	60	3003 000 7713	
STIHL ROLLOMATIC E LIGHT 04					
40	3⁄8"	1,6	60	3003 008 6113	
STIHL ROLLOMATIC E LIGHT 06					
40	3⁄8"	1,6	60	3003 000 5213	
45	3⁄8"	1,6	66	3003 000 5217	
50	3⁄8"	1,6	72	3003 000 5221	
36 RS 60 3621 000 0060					
36 RS 60 3621 000 0060					
36 RS 60 3621 000 0060					
36 RS 66 3621 000 0066					
36 RS 72 3621 000 0072					

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS												
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duo 3	Rapid Micro	Rapid Super Full Skip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip	Rapid Duo Rescue
STIHL DUOMATIC E STRONG S																	
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RH 72	33 RSK 72	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RSLF 84	—
STIHL LIGHT 04 LIGHT 04																	
40	3⁄8"	1,6	60	3003 000 7713	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 008 7717	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	36 RDR 72
STIHL ROLLOMATIC E LIGHT 04																	
37	3⁄8"	1,6	56	3003 008 6111	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 008 6113	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
STIHL ROLLOMATIC E LIGHT 06																	
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—
STIHL ROLLOMATIC ES STRONG X																	
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 002 9421	36 RS 72	—	36 RS3 72	—	36 RD3 72	36 RM 72	—	—	—	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	—	36 RH 76	36 RSK 76	—	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RSLF 84	—
STIHL ROLLOMATIC ES LIGHT LIGHT X																	
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	—	—	—	0000 642 1216	8
				0000 642 1223	
				1128 007 1000	
				1128 007 1001	
				1135 007 1002	
.325"	—	—	—	1140 007 2500	9
				0000 642 1239	
				1128 007 1011	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Classic	Rapid Micro X
STIHL DUROMATIC E STRONG S											
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
63	3/8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	36 RSK 85	—
STIHL ROLLOMATIC E LIGHT O6											
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—
STIHL ROLLOMATIC ES STRONG X											
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	36 RSK 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	36 RSK 66	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	36 RSK 76	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	36 RMX 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RSK 72	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSK 84	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	1125 640 2004	7	—	0000 642 1231 1125 007 1002	7
.325"	1125 640 2005	7	—	0000 642 1234 0000 642 1236 1125 007 1000 1125 007 1001	8 7

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Micro	
STIHL LIGHT 04 LIGHT 04						
45	3/8"	1,6	66	3003 008 7717	36 RM 66 3652 000 0066	
50	3/8"	1,6	72	3003 008 7721	36 RM 72 3652 000 0072	
STIHL ROLLOMATIC E LIGHT 06						
50	3/8"	1,6	72	3003 000 5221	36 RM 72 3652 000 0072	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Hexa	Rapid Super L	Rapid Super Classic	Rapid Micro X	Rapid Super L Full Skip	Rapid Duro Rescue
STIHL DUOMATIC E STRONG S																
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RH 72	—	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	36 RSLF 84	—
STIHL LIGHT 04 LIGHT 04																
40	3⁄8"	1,6	60	3003 000 7713	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 008 7717	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72	36 RDR 72
STIHL ROLLOMATIC E LIGHT 04																
37	3⁄8"	1,6	56	3003 008 6111	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	ST RH 56	36 RSL 56	36 RSK 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 008 6113	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—
STIHL ROLLOMATIC E LIGHT 06																
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	ST RH 56	36 RSL 56	36 RSK 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	36 RSLF 84	—
STIHL ROLLOMATIC ES STRONG X																
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	36 RH 76	—	36 RSK 76	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	36 RSLF 84	—
STIHL ROLLOMATIC ES LIGHT LIGHT X																
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	36 RSLF 84	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	1140 640 2000	7	—	0000 642 1231	7
				1125 007 1002	
.325"	—	—	—	0000 642 1234	8
				0000 642 1236	
				1125 007 1000	7
				1125 007 1001	

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	
STIHL ROLLOMATIC E LIGHT O6						
40	3/8"	1,6	60	3003 000 5213	36 RS 60 3621 000 0060	
45	3/8"	1,6	66	3003 000 5217	36 RS 66 3621 000 0066	
STIHL ROLLOMATIC ES LIGHT LIGHT X						
50	3/8"	1,6	72	3003 000 2021	36 RS 72 3621 000 0072	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Hexa	Rapid Super L	Rapid Super Classic	Rapid Micro X	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S															
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RH 72	—	—	—	—
50	3⁄8"	1,6	66	3003 000 9221	—	—	—	36 RH3 66	—	—	—	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—
STIHL LIGHT O4 LIGHT O4															
40	3⁄8"	1,6	60	3003 000 7713	—	—	—	36 RH3 60	—	—	36 RH 60	—	—	—	—
45	3⁄8"	1,6	66	3003 008 7717	—	—	—	36 RH3 66	—	—	36 RH 66	—	—	—	—
50	3⁄8"	1,6	72	3003 008 7721	—	—	—	36 RH3 72	—	—	36 RH 72	—	—	—	—
STIHL ROLLOMATIC E LIGHT O4															
40	3⁄8"	1,6	60	3003 008 6113	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	—	36 RSK 60	—	—
STIHL ROLLOMATIC E LIGHT O6															
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	ST RH 56	36 RSL 56	36 RSK 56	36 RMX 56	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—
STIHL ROLLOMATIC ES STRONG X															
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	36 RH 76	—	36 RSK 76	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—
STIHL ROLLOMATIC ES LIGHT LIGHT X															
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RH 91	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	–	–	–	0000 642 1216	8
				0000 642 1223	7
				1140 007 2500	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS										
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Duro Rescue	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S															
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
75	3⁄8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—	—
90	3⁄8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114
STIHL ROLLOMATIC E LIGHT O6															
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
STIHL ROLLOMATIC ES STRONG X															
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—	—
90	3⁄8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114
STIHL ROLLOMATIC ES LIGHT LIGHT X															
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
80	3⁄8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—	—
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—	—
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1128 640 2005	8	—	0000 642 1216 0000 642 1223 1128 007 1000 1128 007 1001	8 7
.325"	—	—	—	0000 642 1239 1128 007 1011	9

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	
STIHL ROLLOMATIC E LIGHT O6						
40	3/8"	1,6	60	3003 000 5213	36 RS 60 3621 000 0060	
45	3/8"	1,6	66	3003 000 5217	36 RS 66 3621 000 0066	
50	3/8"	1,6	72	3003 000 5221	36 RS 72 3621 000 0072	
63	3/8"	1,6	84	3003 000 5231	36 RS 84 3621 000 0084	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS										
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid	Rapid Super L Full Skip
STIHL DUOMATIC E STRONG S															
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	33 RD 72	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	—	36 RSLF 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
75	3⁄8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—	—
STIHL ROLLOMATIC E LIGHT O6															
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	—	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
STIHL ROLLOMATIC ES STRONG X															
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	—	36 RSLF 72
50	3⁄8"	1,6	72	3003 002 9421	—	36 RM3 72	—	—	—	—	—	—	—	—	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—	—
STIHL ROLLOMATIC ES LIGHT LIGHT X															
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	—	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
80	3⁄8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	–	–	–	0000 642 1216	8
				0000 642 1223	
				1128 007 1000	
				1128 007 1001	
.325"	–	–	–	0000 642 1239	9
				1128 007 1011	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	1128 640 2000	7	—	0000 642 1216	8
	1128 640 2005	8		0000 642 1223	
				1128 007 1000	
				1128 007 1001	
.325"	—	—	—	0000 642 1239	9
				1128 007 1011	

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super				
					Rapid Duro Rescue				
STIHL ROLLOMATIC E LIGHT O6									
45	3/8"	1,6	66	3003 000 5217	36 RS 66 3621 000 0066				
50	3/8"	1,6	72	3003 000 5221	36 RS 72 3621 000 0072				
63	3/8"	1,6	84	3003 000 5231	36 RS 84 3621 000 0084				
STIHL ROLLOMATIC ES STRONG X									
50	3/8"	1,6	72	3003 002 9421	—				
					36 RDR 72 3944 000 0072				

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS												
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip	Rapid Duro Rescue	
STIHL DUROMATIC E STRONG S																
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—	
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—	
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	—	—	
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72	—	
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—	
75	3/8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—	—	
90	3/8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114	—	
STIHL ROLLOMATIC E LIGHT O6																
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—	—	
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72	—	
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—	
STIHL ROLLOMATIC ES STRONG X																
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—	
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—	
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—	
50	3/8"	1,6	72	3003 000 9421	36 RS 72	—	36 RS3 72	—	36 RM 72	—	—	—	—	—	36 RDR 72	
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72	36 RDR 72	
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—	—	
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—	
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91	—	
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—	—	
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—	—	
90	3/8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114	—	
STIHL ROLLOMATIC ES LIGHT LIGHT X																
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72	—	
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—	
71	3/8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—	—	
71	3/8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91	—	
80	3/8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—	—	
90	3/8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—	—	
90	3/8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114	—	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
$\frac{3}{8}$ "	1128 640 2003	7	—	0000 642 1216	8
	1128 640 2004	8		0000 642 1223	7
				1128 007 1017	
				1128 007 1018	
$.325$ "	—	—	—	0000 642 1239	9
				1128 007 1019	

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Duro Rescue
STIHL ROLLOMATIC E LIGHT O6						
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66 3621 000 0066	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72 3621 000 0072	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84 3621 000 0084	—
STIHL ROLLOMATIC ES STRONG X						
50	3⁄8"	1,6	72	3003 002 9421	—	36 RDR 72 3944 000 0072
STIHL ROLLOMATIC ES LIGHT LIGHT X						
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72 3621 000 0072	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84 3621 000 0084	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS															
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3		Rapid Micro	Rapid Super Full Skip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Duro Rescue	Rapid Super L Full Skip	Rapid Hexa Full Skip
STIHL DUOMATIC E STRONG S																			
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—	—	—
40	3/8"	1,6	67	3003 000 9213	—	—	—	—	36 RD3 67	—	—	—	—	—	—	—	—	—	—
45	3/8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	—	36 RD3 60	36 RM 60	—	—	—	—	—	—	—	—	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—	—	—
45	3/8"	1,6	74	3003 000 9217	36 RS 74	—	—	—	36 RD3 74	36 RM 74	—	—	—	—	—	—	—	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RH 72	33 RSK 72	—	—	—	—	—	—
50	3/8"	1,6	66	3003 000 9221	—	—	—	—	36 RD3 66	—	—	—	—	—	—	—	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RDR 84	—	—	—
63	3/8"	1,6	85	3003 001 5631	—	—	—	—	36 RD3 85	—	—	—	—	—	—	—	—	—	—
75	3/8"	1,6	96	3003 001 9241	36 RS 96	—	—	—	36 RD3 96	36 RM 96	—	—	—	—	36 RMX 96	—	—	—	—
STIHL LIGHT O4 LIGHT O4																			
50	3/8"	1,6	72	3003 008 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—	—
STIHL ROLLOMATIC E LIGHT O6																			
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—	—	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—	—	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—	—	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RDR 84	—	—	—
STIHL ROLLOMATIC ES STRONG X																			
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—	—	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—	—	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	—	36 RH 76	36 RSK 76	—	—	—	—	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RDR 84	—	—	—
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RSF 91	36 RH 91	—	—	36 RMX 91	—	36 RSLF 91	36 RHF 91	—
71	3/8"	1,6	92	3003 000 6038	—	—	—	—	36 RD3 92	—	—	—	—	—	—	—	—	—	—
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RH3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RH 98	36 RSK 98	—	36 RMX 98	—	—	—	—
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RH3 105	36 RD3 105	36 RM 105	—	36 RH 105	—	—	—	—	—	—	—

GUIDE BARS				SAW CHAINS														
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Duro Rescue	Rapid Super L Full Skip	Rapid Hexa Full Skip
STIHL ROLLOMATIC ES LIGHT LIGHT X																		
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	36 RDR 84	—	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RH3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RH 91	33 RSK 91	—	—	—	—	33 RHF 91
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RSF 91	36 RH 91	—	—	36 RMX 91	—	36 RSLF 91	36 RHF 91
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	—	ST RH 114	—	—	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	—	—	—	0000 642 1216 0000 642 1223 1128 007 1000 1128 007 1001	8 7

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)		Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super
STIHL ROLLOMATIC ES LIGHT LIGHT X						
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72 3621 000 0072	
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84 3621 000 0084	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS														
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Hexa	Rapid Super L	Rapid Super Classic	Rapid Micro X	Rapid	Rapid Duro Rescue	Rapid Super L Full Skip	Rapid Super Full Skip
STIHL DUROMATIC E STRONG S																		
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—	—	—	—
40	3⁄8"	1,6	55	3003 000 9213	36 RS 55	—	—	—	—	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—	—	—
40	3⁄8"	1,6	67	3003 000 9213	36 RS 67	36 RM3 67	36 RS3 67	—	36 RD3 67	36 RM 67	—	—	—	—	—	—	—	—
45	3⁄8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	—	36 RD3 60	36 RM 60	—	—	—	—	—	—	—	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—	—	—
45	3⁄8"	1,6	74	3003 000 9217	36 RS 74	—	—	—	36 RD3 74	36 RM 74	—	—	—	—	—	—	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	33 RH 72	—	—	—	33 R0 72	—	—	—
50	3⁄8"	1,6	66	3003 000 9221	36 RS 66	36 RM3 66	36 RS3 66	—	36 RD3 66	36 RM 66	—	—	—	—	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	—	36 RDR 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—	—	—	—
63	3⁄8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	—	36 RD3 85	36 RM 85	—	—	—	—	—	—	—	—
75	3⁄8"	1,6	88	3003 001 9241	36 RS 88	—	—	—	36 RD3 88	36 RM 88	—	—	—	—	—	—	—	—
75	3⁄8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	—	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—	—	—	—
STIHL ROLLOMATIC E LIGHT O6																		
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—	—	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—	—	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	—	36 RDR 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—	—	—	—
STIHL ROLLOMATIC ES STRONG X																		
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RH 60	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	36 RH 60	36 RSL 60	36 RSK 60	36 RMX 60	—	—	—	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	36 RH 66	—	36 RSK 66	36 RMX 66	—	—	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	—	36 RDR 72	36 RSLF 72	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	36 RH 76	—	36 RSK 76	—	—	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—	—	—	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RH 91	—	—	36 RMX 91	—	—	—	—
71	3⁄8"	1,6	92	3003 000 6038	36 RS 92	—	—	—	36 RD3 92	36 RM 92	—	—	—	—	—	—	—	—
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RH3 98	36 RD3 98	36 RM 98	36 RH 98	—	36 RSK 98	36 RMX 98	—	—	—	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RH3 105	36 RD3 105	36 RM 105	36 RH 105	—	—	—	—	—	—	—
90	3⁄8"	1,6	114	3003 000 6053	36 RS 114	36 RM3 114	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	ST RH 114	—	36 RSK 114	36 RMX 114	—	—	—	—
STIHL ROLLOMATIC ES LIGHT LIGHT X																		
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	36 RH 72	—	36 RSK 72	36 RMX 72	—	36 RDR 72	36 RSLF 72	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RH 84	—	36 RSK 84	36 RMX 84	—	—	—	—
71	3⁄8"	1,3	91	3003 000 2238	—	—	—	33 RH3 91	—	—	33 RH 91	—	—	—	—	—	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RH 91	—	—	36 RMX 91	—	—	—	—
80	3⁄8"	1,3	105	3003 000 2246	—	—	—	33 RH3 105	—	—	33 RH 105	—	—	—	—	—	—	33 RSF 105
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	—	—	33 RH3 114	—	—	33 RH 114	—	—	—	—	—	—	—

GUIDE BARS					SAW CHAINS													
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Hexa	Rapid Super L	Rapid Super Classic	Rapid Micro X	Rapid	Rapid Duro Rescue	Rapid Super L Full Skip	Rapid Super Full Skip
STIHL ROLLOMATIC ES LIGHT LIGHT X																		
90	3/8"	1,6	114	3003 000 2053	36 RS 114	36 RM3 114	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	STRH 114	—	36 RSK 114	36 RMX 114	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	—	—	—	0000 642 1223 1128 007 1017	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS								
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X
STIHL DUROMATIC E STRONG S													
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	33 RD3 67	—	—	—	—	—
40	3/8"	1,6	55	3003 000 9213	36 RS 55	—	—	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
40	3/8"	1,6	67	3003 000 9213	36 RS 67	36 RM3 67	36 RS3 67	36 RD3 67	36 RM 67	—	—	—	—
45	3/8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
45	3/8"	1,6	74	3003 000 9217	36 RS 74	—	—	36 RD3 74	36 RM 74	—	—	—	—
50	3/8"	1,6	66	3003 000 9221	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
50	3/8"	1,6	81	3003 000 9221	—	—	—	—	—	—	—	—	—
63	3/8"	1,6	77	3003 001 5631	—	—	—	—	—	—	—	—	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	—
63	3/8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	—	36 RSK 85	—	—
STIHL ROLLOMATIC E LIGHT O6													
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	—	—
STIHL ROLLOMATIC ES STRONG X													
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	—
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	—
71	3/8"	1,6	92	3003 000 6038	36 RS 92	—	—	36 RD3 92	36 RM 92	36 RSF 92	—	—	—
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	—	36 RSK 98	—	—
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—
90	3/8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	—
STIHL ROLLOMATIC ES LIGHT LIGHT X													
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	—	—
71	3/8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—
71	3/8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	—	—	—	—
80	3/8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—
90	3/8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—
90	3/8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207 1122 007 1002	7
3/8"	1122 640 2000 1122 640 2002	8 7	—	0000 642 1216 0000 642 1223 1122 007 1000 1122 007 1001	8 7
3/8" P	1122 640 2006	7	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S														
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
75	3⁄8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—
90	3⁄8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC E LIGHT 06														
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
STIHL ROLLOMATIC ES STRONG X														
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—
90	3⁄8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC ES LIGHT LIGHT X														
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
80	3⁄8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207 1122 007 1002	7
3⁄8"	1122 640 2000 1122 640 2002	8 7	—	0000 642 1216 0000 642 1223 1122 007 1000 1122 007 1001	8 7
3⁄8" P	1122 640 2006	7	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS									
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number											Rapid Super
STIHL ROLLOMATIC ES STRONG X															
50	3/8"	1,6	72	3003 000 9421											36 RS 72 3621 000 0072
63	3/8"	1,6	84	3003 000 9431											36 RS 84 3621 000 0084
75	3/8"	1,6	98	3003 000 6041											36 RS 98 3621 000 0098
90	3/8"	1,6	114	3003 000 6053											36 RS 114 3621 000 0114
STIHL ROLLOMATIC ES LIGHT LIGHT X															
71	3/8"	1,6	91	3003 000 2038											36 RS 91 3621 000 0091

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Slip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Slip
STIHL DUROMATIC E STRONG S																	
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RH3 72	33 RD3 72	33 RM 72	—	33 RH 72	—	—	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—
75	3/8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	—	36 RD3 96	36 RM 96	—	—	—	—	36 RMX 96	—	—
90	3/8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	—	ST RH 114	36 RSK 114	—	36 RMX 114	36 RSLF 114	—
STIHL LIGHT O4 LIGHT O4																	
50	3/8"	1,6	72	3003 000 7721	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
STIHL ROLLOMATIC E LIGHT O6																	
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RH3 56	36 RD3 56	36 RM 56	—	ST RH 56	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—
STIHL ROLLOMATIC ES STRONG X																	
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RH3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RH 60	33 RSK 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RH3 60	36 RD3 60	36 RM 60	—	36 RH 60	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RH3 66	36 RD3 66	36 RM 66	—	36 RH 66	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RH3 76	36 RD3 76	36 RM 76	—	36 RH 76	36 RSK 76	—	—	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RSF 91	36 RH 91	—	—	36 RMX 91	36 RSLF 91	—
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RH3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RH 98	36 RSK 98	—	36 RMX 98	—	—
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RH3 105	36 RD3 105	36 RM 105	—	36 RH 105	—	—	—	—	—
90	3/8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	—	ST RH 114	36 RSK 114	—	36 RMX 114	36 RSLF 114	—
STIHL ROLLOMATIC ES LIGHT LIGHT X																	
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RH3 72	36 RD3 72	36 RM 72	—	36 RH 72	36 RSK 72	—	36 RMX 72	36 RSLF 72	—
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RH3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RH 84	36 RSK 84	—	36 RMX 84	—	—
71	3/8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RH3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RH 91	33 RSK 91	—	—	—	—
71	3/8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RH3 91	36 RD3 91	36 RM 91	36 RSF 91	36 RH 91	—	—	36 RMX 91	36 RSLF 91	—
80	3/8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RH3 105	33 RD3 105	—	33 RSF 105	33 RH 105	33 RSK 105	—	—	—	—

GUIDE BARS					SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Hexa 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Hexa	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip
STIHL ROLLOMATIC ES LIGHT LIGHT X																
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RH3 114	33 RD3 114	—	—	33 RH 114	33 RSK 114	33 RSL 114	—	—
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RH3 114	36 RD3 114	36 RM 114	—	ST RH 114	36 RSK 114	—	36 RMX 114	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207 1122 007 1002	7
3⁄8"	1122 640 2000	8	—	0000 642 1216	8
	1122 640 2002	7		0000 642 1223	7
				1122 007 1000 1122 007 1001	
3⁄8" P	1122 640 2006	7	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number			Rapid Super
STIHL DUROMATIC E STRONG S							
120	.404"	1,6	138	3002 000 8064		46 RS 138 3946 000 0138	
STIHL ROLLOMATIC ES STRONG X							
63	.404"	1,6	80	3002 000 9731		46 RS 80 3946 000 0080	
75	.404"	1,6	91	3002 000 9741		46 RS 91 3946 000 0091	
90	.404"	1,6	108	3002 000 9753		46 RS 108 3946 000 0108	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Chipper	Rapid Micro	Rapid Super Full Skip	Rapid Micro X	Rapid Classic	Rapid Micro Harvester	Rapid Micro Classic	Rapid Super Classic	
STIHL DUROMATIC E STRONG S														
63	.404"	1,6	80	3002 000 9231	46 RS 80	46 RCX 80	46 RM 80	46 RSF 80	46 RMX 80	46 RCK 80	46 RMH 80	46 RMK 80	—	
75	.404"	1,6	91	3002 000 8041	46 RS 91	46 RC 91	46 RM 91	46 RSF 91	46 RMX 91	46 RCK 91	46 RMH 91	46 RMK 91	—	
90	.404"	1,6	104	3002 000 8052	46 RS 104	46 RCX 104	46 RM 104	46 RSF 104	46 RMX 104	46 RCK 104	—	46 RMK 104	46 RSK 104	
105	.404"	1,6	123	3002 000 8058	46 RS 123	46 RCX 123	46 RM 123	46 RSF 123	—	46 RCK 123	46 RMH 123	—	—	
STIHL ROLLOMATIC ES STRONG X														
63	.404"	1,6	80	3002 000 9731	46 RS 80	46 RCX 80	46 RM 80	46 RSF 80	46 RMX 80	46 RCK 80	46 RMH 80	46 RMK 80	—	
75	.404"	1,6	91	3002 000 9741	46 RS 91	46 RC 91	46 RM 91	46 RSF 91	46 RMX 91	46 RCK 91	46 RMH 91	46 RMK 91	—	
90	.404"	1,6	108	3002 000 9753	46 RS 108	46 RCX 108	46 RM 108	46 RSF 108	—	—	46 RMH 108	46 RMK 108	—	
105	.404"	1,6	123	3002 000 9757	46 RS 123	46 RCX 123	46 RM 123	46 RSF 123	—	46 RCK 123	46 RMH 123	—	—	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	1124 640 2005	7	—	0000 642 1207 1124 007 1024	7
3/8"	1124 640 2004	8	—	0000 642 1216 1124 007 1025	8

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	
STIHL DUOMATIC E STRONG S						
105	.404"	1,6	123	3002 000 8058	46 RS 123 3946 000 0123	
STIHL ROLLOMATIC ES STRONG X						
75	.404"	1,6	91	3002 000 9741	46 RS 91 3946 000 0091	
90	.404"	1,6	108	3002 000 9753	46 RS 108 3946 000 0108	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Chipper	Rapid Micro	Rapid Micro X	Rapid Classic	Rapid Micro Classic	Rapid Micro Harvester	Rapid Super Classic
STIHL DUOMATIC E STRONG S												
63	.404"	1,6	80	3002 000 9231	46 RS 80	46 RCX 80	46 RM 80	46 RMX 80	46 RCK 80	46 RMK 80	—	—
75	.404"	1,6	91	3002 000 8041	46 RS 91	46 RC 91	46 RM 91	—	46 RCK 91	46 RMK 91	46 RMH 91	—
90	.404"	1,6	104	3002 000 8052	46 RS 104	46 RCX 104	46 RM 104	46 RMX 104	46 RCK 104	46 RMK 104	—	46 RSK 104
90	.404"	1,6	114	3002 000 8052	—	—	46 RM 114	—	—	—	—	—
105	.404"	1,6	123	3002 000 8058	46 RS 123	46 RCX 123	46 RM 123	—	46 RCK 123	—	46 RMH 123	—
105	.404"	1,6	124	3002 000 8058	46 RS 124	—	46 RM 124	—	—	—	—	—
STIHL ROLLOMATIC ES STRONG X												
63	.404"	1,6	80	3002 000 9731	46 RS 80	46 RCX 80	46 RM 80	46 RMX 80	46 RCK 80	46 RMK 80	—	—
75	.404"	1,6	91	3002 000 9741	46 RS 91	46 RC 91	46 RM 91	—	46 RCK 91	46 RMK 91	46 RMH 91	—
90	.404"	1,6	108	3002 000 9753	46 RS 108	46 RCX 108	46 RM 108	—	—	46 RMK 108	—	—
105	.404"	1,6	123	3002 000 9757	46 RS 123	46 RCX 123	46 RM 123	—	46 RCK 123	—	46 RMH 123	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207 1124 007 2500	7
3⁄8"	1124 640 2002	8	—	0000 642 1216 1124 007 2501	8

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS									
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)		Drive link count	Guide bar part number	Picco Super 3	Picco Micro 3	Picco Duro 3	Picco Micro	Picco Super	Picco Micro X	Picco Micro longitudinal	Picco Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4													
30	⅜" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—	
35	⅜" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—	
40	⅜" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—	
STIHL ROLLOMATIC E LIGHT LIGHT P04													
30	⅜" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—	
35	⅜" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—	
40	⅜" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—	
STIHL ROLLOMATIC E MINI LIGHT O1													
30	⅜" P	1,1	44	3005 000 3905	—	—	—	—	—	—	—	61 PMM3 44	
35	⅜" P	1,1	50	3005 008 3909	—	—	—	—	—	—	—	61 PMM3 50	
40	⅜" P	1,1	55	3005 008 3913	—	—	—	—	—	—	—	61 PMM3 55	
STIHL ROLLOMATIC E MINI L LIGHT P01													
30	⅜" P	1,1	44	3005 000 7605	—	—	—	—	—	—	—	61 PMM3 44	
35	⅜" P	1,1	50	3005 000 7609	—	—	—	—	—	—	—	61 PMM3 50	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1123 640 2003	0	–	–	–
1/4"	1123 640 2007	8	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4												
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—
STIHL ROLLOMATIC E MINI LIGHT O1												
30	3⁄8" P	1,1	44	3005 000 3905	—	—	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 008 3909	—	—	—	—	—	—	—	61 PMM3 50
40	3⁄8" P	1,1	55	3005 008 3913	—	—	—	—	—	—	—	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3⁄8" P	1,1	44	3005 000 7605	—	—	—	—	—	—	—	61 PMM3 44
35	3⁄8" P	1,1	50	3005 000 7609	—	—	—	—	—	—	—	61 PMM3 50
STIHL ROLLOMATIC MINI LIGHT O1												
30	3⁄8" P	1,1	44	3005 008 3905	—	—	—	—	—	—	—	61 PMM3 44

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1123 640 2003	0	—	—	—
1⁄4"	1123 640 2007	8	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS						SAW CHAINS										
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro X	Pico Micro longitudinal	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL ROLLOMATIC E LIGHT O4																
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—	—	—	—	—
35	.325"	1,6	56	3005 000 4709	—	—	—	—	—	—	—	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	—
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—	—	—	—	—
40	.325"	1,3	62	3005 000 7013	—	—	—	—	—	—	—	23 RS 62	23 RM 62	—	23 RM3 62	23 RS3 62
40	.325"	1,6	62	3005 000 4713	—	—	—	—	—	—	—	26 RS 62	26 RM 62	26 RD3 62	26 RM3 62	—
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—	—	—	—	—
45	.325"	1,3	68	3005 008 7017	—	—	—	—	—	—	—	23 RS 68	23 RM 68	—	23 RM3 68	23 RS3 68
45	.325"	1,6	68	3005 008 4717	—	—	—	—	—	—	—	26 RS 68	26 RM 68	26 RD3 68	26 RM3 68	—
45	3/8" P	1,3	61	3005 000 4817	63 PS3 61	63 PM3 61	63 PD3 61	63 PM 61	63 PS 61	63 PMX 61	—	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT LIGHT P04																
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PM 44	63 PS 44	63 PMX 44	63 PMY 44	—	—	—	—	—
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PM 50	63 PS 50	63 PMX 50	63 PMY 50	—	—	—	—	—
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PM 55	63 PS 55	63 PMX 55	63 PMY 55	—	—	—	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	1123 640 2074	7	—	0000 642 1234	8
	1123 640 2076	8		0000 642 1236	
				1123 007 1031	
3/8" P			—	1123 007 1032	7
	—	—			
				0000 642 1240	
3/8" P	1123 640 2072	7	—	1123 007 1030	7
	1123 640 2073	6			
1/4"	1123 640 2077	8	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL DUROMATIC E STRONG S									
40	.325°	1,3	67	3003 000 8613	–	–	–	–	–
40	.325°	1,6	67	3003 000 9213	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	–
45	.325°	1,6	74	3003 000 9217	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	–
50	.325°	1,6	81	3003 000 9221	26 RS 81	26 RM 81	26 RD3 81	–	–
STIHL LIGHT O4 LIGHT O4									
35	.325°	1,3	60	3003 000 3309	23 RS 60	23 RM 60	–	23 RM3 60	23 RS3 60
40	.325°	1,3	67	3003 000 3313	23 RS 67	23 RM 67	–	23 RM3 67	23 RS3 67
45	.325°	1,3	74	3003 008 3317	23 RS 74	23 RM 74	–	23 RM3 74	23 RS3 74
50	.325°	1,3	81	3003 008 3321	23 RS 81	23 RM 81	–	23 RM3 81	23 RS3 81
STIHL ROLLOMATIC E LIGHT O4									
32	.325°	1,6	56	3003 000 5306	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	–
40	.325°	1,6	67	3003 008 6813	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	–
45	.325°	1,6	74	3003 008 6817	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	–
50	.325°	1,6	81	3003 008 6821	26 RS 81	26 RM 81	26 RD3 81	–	–

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	–	–	–	0000 642 1231 0000 642 1240 1121 007 1035	7
.325"	1121 640 2000 1121 640 2001 1121 640 2005	7 8	–	0000 642 1234 1121 007 1001 1121 007 1002 0000 642 1236	8 7
3⁄8" P	–	–	–	1121 007 1004	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Duro 3	Rapid Micro 3	Rapid Super 3
STIHL DUOMATIC E STRONG S									
40	.325"	1,3	67	3003 000 8613	—	—	—	—	—
40	.325"	1,6	67	3003 000 9213	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	—
45	.325"	1,6	74	3003 000 9217	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	—
50	.325"	1,6	81	3003 000 9221	26 RS 81	26 RM 81	26 RD3 81	—	—
STIHL LIGHT O4 LIGHT O4									
35	.325"	1,3	60	3003 000 3309	23 RS 60	23 RM 60	—	23 RM3 60	23 RS3 60
40	.325"	1,3	67	3003 000 3313	23 RS 67	23 RM 67	—	23 RM3 67	23 RS3 67
45	.325"	1,3	74	3003 008 3317	23 RS 74	23 RM 74	—	23 RM3 74	23 RS3 74
50	.325"	1,3	81	3003 008 3321	23 RS 81	23 RM 81	—	23 RM3 81	23 RS3 81
STIHL ROLLOMATIC E LIGHT O4									
32	.325"	1,6	56	3003 000 5306	26 RS 56	26 RM 56	26 RD3 56	26 RM3 56	—
40	.325"	1,6	67	3003 008 6813	26 RS 67	26 RM 67	26 RD3 67	26 RM3 67	—
45	.325"	1,6	74	3003 008 6817	26 RS 74	26 RM 74	26 RD3 74	26 RM3 74	—
50	.325"	1,6	81	3003 008 6821	26 RS 81	26 RM 81	26 RD3 81	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8"	—	—	—	0000 642 1231 0000 642 1240 1121 007 1035 1121 007 1041	7
.325"	1121 640 2000 1121 640 2001 1121 640 2004 1121 640 2005	7 8	—	0000 642 1234 0000 642 1236 1121 007 1001 1121 007 1002 1121 007 1037 1121 007 1038	8 7
3/8" P	—	—	—	1121 007 1004 1121 007 1039	7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS		
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Micro
STIHL DUROMATIC E STRONG S							
40	.325"	1,3	67	3003 000 8613	—	—	—
STIHL ROLLOMATIC E LIGHT O4							
40	.325"	1,6	67	3003 008 6813	26 RS 67	26 RM3 67	26 RM 67

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	—	—	—	0000 642 1231 1118 007 1007	7
.325"	1118 640 2001	7	—	0000 642 1234 0000 642 1236 1118 007 1003	8 7

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic
STIHL DUROMATIC E STRONG S											
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC E LIGHT O6											
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES STRONG X											
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1125 640 2004 1125 640 2006	7	—	0000 642 1223 0000 642 1231 1125 007 1002 1125 007 1041	7
.325"	1125 640 2005	7	—	0000 642 1234 0000 642 1236 0000 642 1239 1125 007 1000 1125 007 1001 1125 007 1003	8 7 9

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic
STIHL DUROMATIC E STRONG S											
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60
45	3⁄8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC E LIGHT 06											
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES STRONG X											
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66
50	3⁄8"	1,6	72	3003 002 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84
STIHL ROLLOMATIC ES LIGHT LIGHT X											
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RSK 84

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1125 640 2004 1125 640 2006	7	—	0000 642 1223	7
				0000 642 1231	
				1125 007 1002	
				1125 007 1041	
.325"	—	—	—	0000 642 1234	8
				0000 642 1236	
				0000 642 1239	
				1125 007 1000	
				1125 007 1001	
				1125 007 1003	9

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS											
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Duro Rescue	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S															
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
75	3/8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—	—
90	3/8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114
STIHL ROLLOMATIC E LIGHT O6															
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
STIHL ROLLOMATIC ES STRONG X															
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—	—
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—	—
90	3/8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114
STIHL ROLLOMATIC ES LIGHT LIGHT X															
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RDR 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—	—
71	3/8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—	—
71	3/8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	—	36 RSLF 91
80	3/8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—	—
90	3/8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—	—
90	3/8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	—	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1128 640 2000 1128 640 2005	7 8	—	0000 642 1216	8
				0000 642 1223	
				1128 007 1000	
				1128 007 1001	
.325"	—	—	—	0000 642 1239 1128 007 1011	9

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S														
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
75	3⁄8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—
90	3⁄8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC E LIGHT O6														
37	3⁄8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
STIHL ROLLOMATIC ES STRONG X														
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—
90	3⁄8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC ES LIGHT LIGHT X														
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
80	3⁄8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8"	1128 640 2000 1128 640 2005	7 8	—	0000 642 1216	8 7
				0000 642 1223	
				1128 007 1000	
				1128 007 1001	
325"	—	—	—	0000 642 1239 1128 007 1011	9

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS								
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X
STIHL DUROMATIC E STRONG S													
40	3⁄8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—
40	3⁄8"	1,3	67	3003 000 8613	33 RS 67	—	—	33 RD3 67	—	—	—	—	—
40	3⁄8"	1,6	55	3003 000 9213	36 RS 55	—	—	—	—	—	—	—	—
40	3⁄8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
40	3⁄8"	1,6	67	3003 000 9213	36 RS 67	36 RM3 67	36 RS3 67	36 RD3 67	36 RM 67	—	—	—	—
45	3⁄8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3⁄8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
45	3⁄8"	1,6	74	3003 000 9217	36 RS 74	—	—	36 RD3 74	36 RM 74	—	—	—	—
50	3⁄8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—
50	3⁄8"	1,3	81	3003 000 8621	33 RS 81	—	—	33 RD3 81	—	—	—	—	—
50	3⁄8"	1,6	66	3003 000 9221	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
50	3⁄8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
50	3⁄8"	1,6	81	3003 000 9221	—	—	—	—	—	—	—	—	—
63	3⁄8"	1,6	77	3003 001 5631	—	—	—	—	—	—	—	—	—
63	3⁄8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	—
63	3⁄8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	—	36 RSK 85	—	—
STIHL ROLLOMATIC E LIGHT O6													
40	3⁄8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3⁄8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66
50	3⁄8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
63	3⁄8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	—	—
STIHL ROLLOMATIC ES STRONG X													
40	3⁄8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—
40	3⁄8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—
45	3⁄8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—
50	3⁄8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
55	3⁄8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—
63	3⁄8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	—
71	3⁄8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	—
71	3⁄8"	1,6	92	3003 000 6038	36 RS 92	—	—	36 RD3 92	36 RM 92	36 RSF 92	—	—	—
75	3⁄8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	—	36 RSK 98	—	—
80	3⁄8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—
90	3⁄8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	—
STIHL ROLLOMATIC ES LIGHT LIGHT X													
50	3⁄8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	—
63	3⁄8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	—	36 RSK 84	—	—
71	3⁄8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—
71	3⁄8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	—	—	—	—
80	3⁄8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—
90	3⁄8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—
90	3⁄8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207 1122 007 1002	7
3⁄8"	1122 640 2000 1122 640 2002	8 7	—	0000 642 1216 0000 642 1223 1122 007 1000 1122 007 1001	8 7
3⁄8" P	1122 640 2006	7	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS									
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Super 3	Rapid Duro 3	Rapid Micro	Rapid Super Full Skip	Rapid Super Classic	Rapid Super L	Rapid Micro X	Rapid Super L Full Skip
STIHL DUROMATIC E STRONG S														
40	3/8"	1,3	60	3003 000 8613	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3/8"	1,3	67	3003 000 8613	33 RS 67	—	—	33 RD3 67	—	—	—	—	—	—
40	3/8"	1,6	55	3003 000 9213	36 RS 55	—	—	—	—	—	—	—	—	—
40	3/8"	1,6	60	3003 000 9213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
40	3/8"	1,6	67	3003 000 9213	36 RS 67	36 RM3 67	36 RS3 67	36 RD3 67	36 RM 67	—	—	—	—	—
45	3/8"	1,6	60	3003 000 9217	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	—	—
45	3/8"	1,6	66	3003 000 9217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
45	3/8"	1,6	74	3003 000 9217	36 RS 74	—	—	36 RD3 74	36 RM 74	—	—	—	—	—
50	3/8"	1,3	72	3003 000 8621	33 RS 72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RSF 72	33 RSK 72	—	—	—
50	3/8"	1,3	81	3003 000 8621	33 RS 81	—	—	33 RD3 81	—	—	—	—	—	—
50	3/8"	1,6	66	3003 000 9221	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	—	—
50	3/8"	1,6	72	3003 000 9221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
50	3/8"	1,6	81	3003 000 9221	—	—	—	—	—	—	—	—	—	—
63	3/8"	1,6	77	3003 001 5631	—	—	—	—	—	—	—	—	—	—
63	3/8"	1,6	84	3003 001 5631	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
63	3/8"	1,6	85	3003 001 5631	36 RS 85	36 RM3 85	36 RS3 85	36 RD3 85	36 RM 85	—	36 RSK 85	—	—	—
75	3/8"	1,6	96	3003 001 9241	36 RS 96	—	36 RS3 96	36 RD3 96	36 RM 96	—	—	—	36 RMX 96	—
90	3/8"	1,6	114	3003 000 8453	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC E LIGHT O6														
37	3/8"	1,6	56	3003 000 5211	36 RS 56	—	36 RS3 56	36 RD3 56	36 RM 56	—	36 RSK 56	36 RSL 56	36 RMX 56	—
40	3/8"	1,6	60	3003 000 5213	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3/8"	1,6	66	3003 000 5217	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3/8"	1,6	72	3003 000 5221	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 5231	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
STIHL ROLLOMATIC ES STRONG X														
40	3/8"	1,3	60	3003 000 8813	33 RS 60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RSF 60	33 RSK 60	—	—	—
40	3/8"	1,6	60	3003 000 9413	36 RS 60	36 RM3 60	36 RS3 60	36 RD3 60	36 RM 60	—	36 RSK 60	36 RSL 60	36 RMX 60	—
45	3/8"	1,6	66	3003 000 9417	36 RS 66	36 RM3 66	36 RS3 66	36 RD3 66	36 RM 66	—	36 RSK 66	—	36 RMX 66	—
50	3/8"	1,6	72	3003 002 9421	36 RS 72	—	36 RS3 72	—	36 RM 72	—	—	—	—	—
50	3/8"	1,6	72	3003 000 9421	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
55	3/8"	1,6	76	3003 000 9425	36 RS 76	36 RM3 76	36 RS3 76	36 RD3 76	36 RM 76	—	36 RSK 76	—	—	—
63	3/8"	1,6	84	3003 000 9431	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3/8"	1,6	91	3003 000 6038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
71	3/8"	1,6	92	3003 000 6038	36 RS 92	—	—	36 RD3 92	36 RM 92	36 RSF 92	—	—	—	—
75	3/8"	1,6	98	3003 000 6041	36 RS 98	36 RM3 98	36 RS3 98	36 RD3 98	36 RM 98	36 RSF 98	36 RSK 98	—	36 RMX 98	—
80	3/8"	1,6	105	3003 000 6046	36 RS 105	—	36 RS3 105	36 RD3 105	36 RM 105	—	—	—	—	—
90	3/8"	1,6	114	3003 000 6053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114
STIHL ROLLOMATIC ES LIGHT LIGHT X														
50	3/8"	1,6	72	3003 000 2021	36 RS 72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	—	36 RSK 72	—	36 RMX 72	36 RSLF 72
63	3/8"	1,6	84	3003 000 2031	36 RS 84	36 RM3 84	36 RS3 84	36 RD3 84	36 RM 84	36 RSF 84	36 RSK 84	—	36 RMX 84	—
71	3/8"	1,3	91	3003 000 2238	33 RS 91	—	33 RS3 91	33 RD3 91	33 RM 91	33 RSF 91	33 RSK 91	—	—	—
71	3/8"	1,6	91	3003 000 2038	36 RS 91	—	36 RS3 91	36 RD3 91	36 RM 91	36 RSF 91	—	—	36 RMX 91	36 RSLF 91
80	3/8"	1,3	105	3003 000 2246	33 RS 105	—	—	33 RD3 105	—	33 RSF 105	33 RSK 105	—	—	—
90	3/8"	1,3	114	3003 000 2253	33 RS 114	33 RM3 114	—	33 RD3 114	—	—	33 RSK 114	33 RSL 114	—	—
90	3/8"	1,6	114	3003 000 2053	36 RS 114	—	36 RS3 114	36 RD3 114	36 RM 114	—	36 RSK 114	—	36 RMX 114	36 RSLF 114

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	—	—	—	0000 642 1207	7
				1122 007 1002	
3/8"	1122 640 2000	8	—	0000 642 1216	8
	1122 640 2002	7		0000 642 1223	7
				1122 007 1000	
				1122 007 1001	
3/8" P	1122 640 2006	7	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro	Rapid Super Full Skip	Rapid Micro Harvester	Rapid Micro Classic
STIHL DUROMATIC E STRONG S									
63	.404"	1,6	80	3002 000 9231	46 RS 80	46 RM 80	46 RSF 80	46 RMH 80	46 RMK 80
75	.404"	1,6	91	3002 000 8041	46 RS 91	46 RM 91	46 RSF 91	46 RMH 91	46 RMK 91
90	.404"	1,6	104	3002 000 8052	46 RS 104	46 RM 104	46 RSF 104	—	46 RMK 104
90	.404"	1,6	114	3002 000 8052	—	46 RM 114	—	—	—
105	.404"	1,6	123	3002 000 8058	46 RS 123	46 RM 123	46 RSF 123	46 RMH 123	—
120	.404"	1,6	138	3002 000 8064	46 RS 138	46 RM 138	—	—	46 RMK 138
STIHL ROLLOMATIC ES STRONG X									
63	.404"	1,6	80	3002 000 9731	46 RS 80	46 RM 80	46 RSF 80	46 RMH 80	46 RMK 80
75	.404"	1,6	91	3002 000 9741	46 RS 91	46 RM 91	46 RSF 91	46 RMH 91	46 RMK 91
90	.404"	1,6	108	3002 000 9753	46 RS 108	46 RM 108	46 RSF 108	46 RMH 108	46 RMK 108
105	.404"	1,6	123	3002 000 9757	46 RS 123	46 RM 123	46 RSF 123	46 RMH 123	—
150	.404"	1,6	173	3002 000 9576	46 RS 173	46 RM 173	46 RSF 173	—	—

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.404"	1106 640 2015	7	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT O1						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1254 642 1200	6	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1254 642 1200	6	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Peco Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼" P	1252 642 1201	7	–	–	–
¼"	1254 642 1200	6	–	–	–

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Peco Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	1254 642 1200	6	–	–	–
¼" P	4857 642 1202	6	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)					
Pitch (°)					
Drive link gauge / groove width (mm)					
Drive link count					
Guide bar part number					
					Pico Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
					Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	1250 642 1200	7	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
30	1/4° P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	1/4° P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4° P	1,1	56	3005 008 3403	71 PM3 56	
30	1/4° P	1,1	64	3005 008 3405	71 PM3 64	
35	1/4° P	1,1	72	3005 008 3409	71 PM3 72	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4° P	1250 642 1200	7	—	—	—
	1251 642 1200	6			
3/8° P	1250 642 1201	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	57	3005 008 3403	71 PM3 57 3670 000 0057	
30	¼" P	1,1	65	3005 008 3405	71 PM3 65 3670 000 0065	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	¼" P	1,1	65	3005 000 3105	71 PM3 65	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	57	3005 008 3403	71 PM3 57	
30	¼" P	1,1	65	3005 008 3405	71 PM3 65	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼" P	1252 642 1202	10	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01					Pico Micro 3	
35	1/4° P	1,1	72	3005 008 3409	71 PM3 72 3670 000 0072	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING					Pico Micro 3	
30	1/4° P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4° P	1,1	56	3005 008 3403	71 PM3 56	
30	1/4° P	1,1	64	3005 008 3405	71 PM3 64	
35	1/4° P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4° P	1250 642 1200	7	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)					
Pitch (")					
Drive link gauge / groove width (mm)					
Drive link count					
Guide bar part number					
					Pico Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
35	1/4" P	1,1	72	3005 008 3409	71 PM3 72 3670 000 0072

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
					Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	1250 642 1200	7	—	—	—
	1251 642 1200	6			
3/8" P	1250 642 1201	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)					Picco Super 3				
Pitch (°)									
Drive link gauge / groove width (mm)									
Drive link count									
Guide bar part number									
STIHL LIGHT 04 LIGHT 04									
35	3/8" P	1,1	50	3005 000 4409	61 PS3 50 3699 000 0050				

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS						
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Super	Pico Micro 3	Pico Duro 3	Pico Micro	Pico Micro X	Pico Micro longitudinal
STIHL LIGHT 04 LIGHT 04											
30	3⁄8" P	1,1	44	3005 000 4405	61 PS3 44	—	—	—	—	—	—
35	3⁄8" P	1,1	50	3005 000 4409	61 PS3 50	61 PS 50	—	—	—	—	—
STIHL ROLLOMATIC E LIGHT 04											
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 4813	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55
STIHL ROLLOMATIC E LIGHT LIGHT P04											
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PS 44	63 PM3 44	63 PD3 44	63 PM 44	63 PMX 44	63 PMY 44
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PS 50	63 PM3 50	63 PD3 50	63 PM 50	63 PMX 50	63 PMY 50
40	3⁄8" P	1,3	55	3005 000 7413	63 PS3 55	63 PS 55	63 PM3 55	63 PD3 55	63 PM 55	63 PMX 55	63 PMY 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1251 642 1204	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS
Guide bar length (cm)					
Pitch (")					
Drive link gauge / groove width (mm)					
Drive link count					
Guide bar part number					
					Pico Super 3
STIHL ROLLOMATIC E LIGHT 04					
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50 3616 000 0050

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS			
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Duro 3	Pico Super
STIHL ROLLOMATIC E LIGHT 04								
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55	63 PD3 55	63 PS 55
STIHL ROLLOMATIC E LIGHT LIGHT P04								
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PD3 44	63 PS 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PD3 50	63 PS 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55	63 PD3 55	63 PS 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1251 642 1204	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	
STIHL ROLLOMATIC E LIGHT 04						
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44 3616 000 0044	
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50 3616 000 0050	
STIHL ROLLOMATIC E LIGHT LIGHT P04						
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44 3616 000 0044	
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50 3616 000 0050	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3
STIHL LIGHT 04 LIGHT 04						
30	3/8" P	1,1	44	3005 000 4405	61 PS3 44	—
35	3/8" P	1,1	50	3005 000 4409	61 PS3 50	—
STIHL ROLLOMATIC E LIGHT 04						
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50
40	3/8" P	1,3	55	3005 000 4813	63 PS3 55	63 PM3 55
STIHL ROLLOMATIC E LIGHT LIGHT P04						
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50
40	3/8" P	1,3	55	3005 000 7413	63 PS3 55	63 PM3 55

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	MA01 640 2001	0	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super				
STIHL LIGHT 04 LIGHT 04									
35	.325"	1,3	60	3003 000 3309	23 RS 60 3690 000 0060				
40	.325"	1,3	67	3003 000 3313	23 RS 67 3690 000 0067				
45	.325"	1,3	74	3003 008 3317	23 RS 74 3690 000 0074				

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Rapid Super	Rapid Micro 3	Rapid Duro 3	Rapid Super 3	Rapid Micro
STIHL DUROMATIC E STRONG S									
40	.325"	1,3	67	3003 000 8613	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67
STIHL LIGHT 04 LIGHT 04									
35	.325"	1,3	60	3003 000 3309	23 RS 60	23 RM3 60	23 RD3 60	23 RS3 60	23 RM 60
40	.325"	1,3	67	3003 000 3313	23 RS 67	23 RM3 67	23 RD3 67	23 RS3 67	23 RM 67
45	.325"	1,3	74	3003 008 3317	23 RS 74	23 RM3 74	23 RD3 74	23 RS3 74	23 RM 74
50	.325"	1,3	81	3003 008 3321	23 RS 81	23 RM3 81	23 RD3 81	23 RS3 81	23 RM 81

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
.325"	—	—	—	0000 642 1234 MA02 007 2500	8

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS			
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	Pico Duro 3	Pico Micro Mini 3	
STIHL ROLLOMATIC E LIGHT 04								
30	3⁄8" P	1,3	44	3005 000 4805	63 PM3 44 3636 000 0044	63 PD3 44 3612 000 0044	-	
35	3⁄8" P	1,3	50	3005 000 4809	63 PM3 50 3636 000 0050	63 PD3 50 3612 000 0050	-	
40	3⁄8" P	1,3	55	3005 000 4813	-	63 PD3 55 3612 000 0055	-	
40	3⁄8" P	1,3	56	3005 000 4813	63 PM3 56 3636 000 0056	-	-	
STIHL ROLLOMATIC E MINI LIGHT 01								
30	3⁄8" P	1,1	44	3005 000 3905	-	-	61 PMM3 44 3610 000 0044	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Micro	Pico Super	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT 04									
30	3⁄8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PM 44	63 PS 44	-
35	3⁄8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PM 50	63 PS 50	-
STIHL ROLLOMATIC E LIGHT LIGHT P04									
30	3⁄8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PM 44	63 PS 44	-
35	3⁄8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PM 50	63 PS 50	-
STIHL ROLLOMATIC E MINI LIGHT 01									
30	3⁄8" P	1,1	44	3005 000 3905	-	-	-	-	61 PMM3 44
35	3⁄8" P	1,1	50	3005 008 3909	-	-	-	-	61 PMM3 50
STIHL ROLLOMATIC E MINI L LIGHT P01									
30	3⁄8" P	1,1	44	3005 000 7605	-	-	-	-	61 PMM3 44
35	3⁄8" P	1,1	50	3005 000 7609	-	-	-	-	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3⁄8" P	1206 642 1301	7	-	-	-
1⁄2"	1208 642 1301	8	-	-	-

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	
		</			

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Super 3	Pico Micro 3	Pico Micro	Pico Super	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT 04									
30	3/8" P	1,3	44	3005 000 4805	63 PS3 44	63 PM3 44	63 PM 44	63 PS 44	—
35	3/8" P	1,3	50	3005 000 4809	63 PS3 50	63 PM3 50	63 PM 50	63 PS 50	—
STIHL ROLLOMATIC E LIGHT LIGHT P04									
30	3/8" P	1,3	44	3005 000 7405	63 PS3 44	63 PM3 44	63 PM 44	63 PS 44	—
35	3/8" P	1,3	50	3005 000 7409	63 PS3 50	63 PM3 50	63 PM 50	63 PS 50	—
STIHL ROLLOMATIC E MINI LIGHT 01									
30	3/8" P	1,1	44	3005 000 3905	—	—	—	—	61 PMM3 44
35	3/8" P	1,1	50	3005 008 3909	—	—	—	—	61 PMM3 50
40	3/8" P	1,1	55	3005 008 3913	—	—	—	—	61 PMM3 55
STIHL ROLLOMATIC E MINI L LIGHT P01									
30	3/8" P	1,1	44	3005 000 7605	—	—	—	—	61 PMM3 44
35	3/8" P	1,1	50	3005 000 7609	—	—	—	—	61 PMM3 50
STIHL ROLLOMATIC MINI LIGHT 01									
30	3/8" P	1,1	44	3005 008 3905	—	—	—	—	61 PMM3 44
35	3/8" P	1,1	50	3005 003 3909	—	—	—	—	61 PMM3 50

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	1206 642 1301	7	—	—	—
1/4"	1208 642 1301	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS				
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	Pico Duro 3	Pico Micro Mini 3		
STIHL ROLLOMATIC E LIGHT O4									
30	3⁄8" P	1,3	45	3005 000 4805	63 PM3 45 3636 000 0045	63 PD3 45 3612 000 0045	-		
35	3⁄8" P	1,3	51	3005 000 4809	63 PM3 51 3636 000 0051	63 PD3 51 3612 000 0051	-		
40	3⁄8" P	1,3	56	3005 000 4813	63 PM3 56 3636 000 0056	63 PD3 56 3612 000 0056	-		
STIHL ROLLOMATIC E MINI LIGHT O1									
30	3⁄8" P	1,1	44	3005 000 3905	-	-	61 PMM3 44 3610 000 0044		
30	3⁄8" P	1,1	45	3005 000 3905	-	-	61 PMM3 45 3610 000 0045		

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS							
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	Pico Super 3	Pico Duro 3	Pico Micro	Pico Super	Pico Micro longitudinal	Pico Micro X	Pico Micro Mini 3
STIHL ROLLOMATIC E LIGHT O4												
30	3⁄8" P	1,3	45	3005 000 4805	63 PM3 45	63 PS3 45	63 PD3 45	63 PM 45	63 PS 45	-	-	-
35	3⁄8" P	1,3	51	3005 000 4809	63 PM3 51	63 PS3 51	63 PD3 51	63 PM 51	63 PS 51	63 PMY 51	-	-
40	3⁄8" P	1,3	56	3005 000 4813	63 PM3 56	63 PS3 56	63 PD3 56	63 PM 56	63 PS 56	-	63 PMX 56	-
STIHL ROLLOMATIC E LIGHT LIGHT P04												
30	3⁄8" P	1,3	45	3005 000 7405	63 PM3 45	63 PS3 45	63 PD3 45	63 PM 45	63 PS 45	-	-	-
35	3⁄8" P	1,3	51	3005 000 7409	63 PM3 51	63 PS3 51	63 PD3 51	63 PM 51	63 PS 51	63 PMY 51	-	-
STIHL ROLLOMATIC E MINI LIGHT O1												
30	3⁄8" P	1,1	44	3005 000 3905	-	-	-	-	-	-	-	61 PMM3 44
30	3⁄8" P	1,1	45	3005 000 3905	-	-	-	-	-	-	-	61 PMM3 45
35	3⁄8" P	1,1	51	3005 008 3909	-	-	-	-	-	-	-	61 PMM3 51
STIHL ROLLOMATIC E MINI L LIGHT P01												
30	3⁄8" P	1,1	45	3005 000 7605	-	-	-	-	-	-	-	61 PMM3 45
35	3⁄8" P	1,1	51	3005 000 7609	-	-	-	-	-	-	-	61 PMM3 51
STIHL ROLLOMATIC MINI LIGHT O1												
30	3⁄8" P	1,1	45	3005 008 3905	-	-	-	-	-	-	-	61 PMM3 45
35	3⁄8" P	1,1	51	3005 003 3909	-	-	-	-	-	-	-	61 PMM3 51
TIMBERSPORTS WM 2023 LIGHT O4												
35	3⁄8" P	1,3	51	3005 829 4809	63 PM3 51	63 PS3 51	63 PD3 51	63 PM 51	63 PS 51	63 PMY 51	-	-

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1⁄4"	1208 642 1301	8	-	-	8
3⁄8" P	1209 642 1200 1206 642 1301	6 7	-	-	-

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL ROLLOMATIC E MINI LIGHT 01				
30	1/4" P	1,1	64	3005 008 3405

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL CARVING CARVING				
30	1/4" P	1,1	64	3005 000 3105
STIHL ROLLOMATIC E MINI LIGHT 01				
25	1/4" P	1,1	56	3005 008 3403
30	1/4" P	1,1	64	3005 008 3405
35	1/4" P	1,1	72	3005 008 3409

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	0000 640 2001	0	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
30	1/4° P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL CARVING CARVING						
30	1/4° P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	1/4° P	1,1	56	3005 008 3403	71 PM3 56	
30	1/4° P	1,1	64	3005 008 3405	71 PM3 64	
35	1/4° P	1,1	72	3005 008 3409	71 PM3 72	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4° P	0000 640 2001	0	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL ROLLOMATIC E MINI LIGHT 01				
30	3/8" P	1,1	44	3005 000 3905

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL ROLLOMATIC E MINI LIGHT 01				
30	3/8" P	1,1	44	3005 000 3905
35	3/8" P	1,1	50	3005 008 3909
40	3/8" P	1,1	55	3005 008 3913
STIHL ROLLOMATIC E MINI L LIGHT P01				
30	3/8" P	1,1	44	3005 000 7605
35	3/8" P	1,1	50	3005 000 7609

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	0000 640 2001	0	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL ROLLOMATIC E MINI LIGHT 01				
30	¼° P	1,1	64	3005 008 3405

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS		SAW CHAINS		
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number
STIHL CARVING CARVING				
30	¼° P	1,1	64	3005 000 3105
STIHL ROLLOMATIC E MINI LIGHT 01				
25	¼° P	1,1	56	3005 008 3403
30	¼° P	1,1	64	3005 008 3405
35	¼° P	1,1	72	3005 008 3409

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼° P	0000 640 2001	0	–	–	–

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	
					Pico Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
30	1/4" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro 3	
STIHL CARVING CARVING						
30	¼" P	1,1	64	3005 000 3105	71 PM3 64	
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
35	¼" P	1,1	72	3005 008 3409	71 PM3 72	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	0000 640 2001	0	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
25	¼" P	1,1	56	3005 008 3403	71 PM3 56
30	¼" P	1,1	64	3005 008 3405	71 PM3 64

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼"	LA02 642 1200	8	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	
					Pico Micro 3	

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	
					Pico Micro 3	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼" P	4857 642 1202	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)					
Pitch (°)					
Drive link gauge / groove width (mm)					
Drive link count					
Guide bar part number					
					Picco Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
25	¼" P	1,1	56	3005 008 3403	71 PM3 56 3670 000 0056

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
25	¼" P	1,1	56	3005 008 3403	71 PM3 56
30	¼" P	1,1	64	3005 008 3405	71 PM3 64

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼" P	4857 642 1202	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064	

Pico Micro 3

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number		
STIHL ROLLOMATIC E MINI LIGHT 01						
25	¼" P	1,1	56	3005 008 3403	71 PM3 56	
30	¼" P	1,1	64	3005 008 3405	71 PM3 64	

Pico Micro 3

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
¼" P	4857 642 1202	6	—	—	—

COMMON STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)					
Pitch (°)					
Drive link gauge / groove width (mm)					
Drive link count					
Guide bar part number					
					Picco Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
30	¼" P	1,1	64	3005 008 3405	71 PM3 64 3670 000 0064

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS				SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Picco Micro 3
STIHL ROLLOMATIC E MINI LIGHT 01					
25	¼" P	1,1	56	3005 008 3403	71 PM3 56
30	¼" P	1,1	64	3005 008 3405	71 PM3 64

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1/4" P	4857 642 1202	6	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (°)	Drive link gauge / groove width (mm)		Drive link count	Guide bar part number	Pico Micro Mini 3
STIHL ROLLOMATIC E MINI LIGHT 01						
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44	
35	3/8" P	1,1	50	3005 008 3909	61 PMM3 50	
40	3/8" P	1,1	55	3005 008 3913	61 PMM3 55	
STIHL ROLLOMATIC E MINI L LIGHT P01						
30	3/8" P	1,1	44	3005 000 7605	61 PMM3 44	
35	3/8" P	1,1	50	3005 000 7609	61 PMM3 50	
STIHL ROLLOMATIC MINI LIGHT 01						
30	3/8" P	1,1	44	3005 008 3905	61 PMM3 44	

CHAIN SPROCKETS

Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
3/8" P	0000 640 2003	0	—	—	—

OPTIONAL STIHL GUIDE BARS AND SAW CHAINS

GUIDE BARS					SAW CHAINS	
Guide bar length (cm)	Pitch (")	Drive link gauge / groove width (mm)	Drive link count	Guide bar part number	Pico Micro Mini 3	
STIHL ROLLOMATIC E MINI LIGHT 01						
30	3/8" P	1,1	44	3005 000 3905	61 PMM3 44	
35	3/8" P	1,1	50	3005 008 3909	61 PMM3 50	
40	3/8" P	1,1	55	3005 008 3913	61 PMM3 55	
STIHL ROLLOMATIC E MINI L LIGHT P01						
30	3/8" P	1,1	44	3005 000 7605	61 PMM3 44	
35	3/8" P	1,1	50	3005 000 7609	61 PMM3 50	
STIHL ROLLOMATIC MINI LIGHT 01						
30	3/8" P	1,1	44	3005 008 3905	61 PMM3 44	

CHAIN SPROCKETS


Chain Pitch	Spur Sprocket	Number of sprocket teeth	Rim sprocket kit	Rim sprocket	Number of sprocket teeth
1⁄4" P	0000 640 2001	0	—	—	—
3⁄8" P	0000 640 2003	0	—	—	—





																	
cm in.		mm in.			STIHL PICCO Micro 3	STIHL PICCO Super 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
CS-3916																	
35 14	3/8" P	1,3 .050	52		63 PM 3 52	63 PS 3 52	63 PD 3 52	—	—	—	63 PM 52	63 PS 52	—	—	—	—	—
40 16	3/8" P	1,3 .050	57		63 PM 3 57	63 PS 3 57	63 PD 3 57	—	—	—	63 PM 57	63 PS 57	—	—	—	—	—
			58		63 PM 3 58	63 PS 3 58	63 PD 3 58	—	—	—	63 PM 58	63 PS 58	—	—	—	—	—
45 18	3/8" P	1,3 .050	62		63 PM 3 62	63 PS 3 62	63 PD 3 62	—	—	—	63 PM 62	63 PS 62	—	—	—	—	—
CS-5018, CS-5220																	
40 16	.325	1,3 .050	44		—	—	—	23 RM 3 66	—	23 RD 3 66	—	—	23 RM 66	—	23 RS 66	—	—
45 18	.325	1,3 .050	72		—	—	—	23 RM 3 72	—	23 RD 3 72	—	—	23 RM 72	—	23 RS 72	—	—
50 20	.325	1,3 .050	78		—	—	—	23 RM 3 78	—	23 RD 3 78	—	—	23 RM 78	—	23 RS 78	—	—
CS-5720																	
40 16	3/8"	1,3 .050	60		—	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	33 RMF 60	33 RS 60	33 RSF 60	33 RSK 60
35 14	3/8" P	1,3 .050	50		—	—	—	33 RM 3 68	33 RS 3 68	33 RD 3 68	—	—	33 RM 68	33 RMF 68	33 RS 68	33 RSF 68	33 RSK 68
40 16	3/8" P	1,3 .050	55		—	—	—	23 RM 3 78	—	23 RD 3 78	—	—	23 RM 78	—	23 RS 78	—	—


																	
cm in.		mm in.			STIHL PICCO Micro 3	STIHL PICCO Super 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
CS-3916																	
35 14	3/8" P	1,3 .050	52		63 PM 3 52	63 PS 3 52	63 PD 3 52	—	—	—	63 PM 52	63 PS 52	—	—	—	—	—
40 16	3/8" P	1,3 .050	57		63 PM 3 57	63 PS 3 57	63 PD 3 57	—	—	—	63 PM 57	63 PS 57	—	—	—	—	—
			58		63 PM 3 58	63 PS 3 58	63 PD 3 58	—	—	—	63 PM 58	63 PS 58	—	—	—	—	—
45 18	3/8" P	1,3 .050	62		63 PM 3 62	63 PS 3 62	63 PD 3 62	—	—	—	63 PM 62	63 PS 62	—	—	—	—	—
CS-5018, CS-5220																	
40 16	.325	1,3 .050	44		—	—	—	23 RM 3 66	—	23 RD 3 66	—	—	23 RM 66	—	23 RS 66	—	—
45 18	.325	1,3 .050	72		—	—	—	23 RM 3 72	—	23 RD 3 72	—	—	23 RM 72	—	23 RS 72	—	—
50 20	.325	1,3 .050	78		—	—	—	23 RM 3 78	—	23 RD 3 78	—	—	23 RM 78	—	23 RS 78	—	—
CS-5720																	
40 16	3/8"	1,3 .050	60		—	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	33 RMF 60	33 RS 60	33 RSF 60	33 RSK 60
35 14	3/8" P	1,3 .050	50		—	—	—	33 RM 3 68	33 RS 3 68	33 RD 3 68	—	—	33 RM 68	33 RMF 68	33 RS 68	33 RSF 68	33 RSK 68
40 16	3/8" P	1,3 .050	55		—	—	—	23 RM 3 78	—	23 RD 3 78	—	—	23 RM 78	—	23 RS 78	—	—




																			
cm in.																			


														
 cm in.	 mm in.	 mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
91 36	3/8"	1.6 .063	119	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	36 RS 119	—	—
PS 6400, PS 7300, PS 7900, PS 9000, PS 9010 FL														
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	68	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
		1.6 .063	72	—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—
56 22	3/8"	1.3 .050	76	—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
		1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84	—	—	—	—	—	—	—	35 RM 84	35 RS 84	—	—
		1.6 .063	84	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	36 RS 84	—	—
71 28	3/8"	1.3 .050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	92	—	—	—	—	—	—	—	35 RM 92	35 RS 92	—	—
		1.6 .063	93	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	36 RS 93	—	—
76 30	3/8"	1.3 .050	98	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	36 RS 98	—	—
81 32	3/8"	1.3 .050	105	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	36 RS 105	—	—
84 33	3/8"	1.5 .058	110	—	—	—	—	—	—	—	35 RM 110	35 RS 110	—	—
86 34	3/8"	1.6 .063	110	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	36 RS 110	—	—
91 36	3/8"	1.6 .063	115	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	36 RS 115	—	—
94 37	3/8"	1.5 .058	119	—	—	—	—	—	—	—	35 RM 119	35 RS 119	—	—
PS 9000, PS 9010 FL														
50 20	.404	1.6 .063	65	—	—	—	—	—	—	—	46 RM 65	46 RS 65	46 RSF 65	—

															
	cm in.			mm in.											
					STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
CS-280, CS-290, CS-300, CS-300 EVL, CS-301, CS-302, CS-302 S, CS-305, CS-310, CS-315, CS-330, CS-330 T, CS-340, CS-341, CS-345, CS-346, CS-351, CS-360 T, CS-3000, CS-3400, CS-3450, ECS-2000, ECS-3000															
30 12	3/8" P	1.3 .050	45		63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—
			47		63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—
35 14	3/8" P	1.3 .050	52		63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
			56		63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—
40 16	3/8" P	1.3 .050	57		63 PM3 57	63 PD3 57	—	63 PS3 57	—	63 PM 57	63 PS 57	—	—	—	—
			58		63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	—
45 18	3/8" P	1.3 .050	62		63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—
CS-400, CS-440, CS-490 CS-510, CS-520, CS-3600, CS-3900, CS-4000, CS-4100, CS-4400, CS-4500, CS-4600, CS-5000															
33 13	.325	1.3 .050	56		—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
35 14	.325	1.3 .050	59		—	—	23 RM3 59	—	23 RD3 59	—	—	23 RM 59	23 RS 59	—	—
38 15	.325	1.3 .050	64		—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
40 16	.325	1.3 .050	66		—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
43 17	.325	1.3 .050	72		—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
50 20	.325	1.3 .050	78		—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
CS-501, CS-5500															
40 16	.325	1.3 .050	68		—	—	23 RM3 68	—	23 RD3 68	—	—	23 RM 68	23 RS 68	—	—
50 20	.325	1.3 .050	79		—	—	23 RM3 79	—	23 RD3 79	—	—	23 RM 79	23 RS 79	—	—
60 24	.325	1.3 .050	91		—	—	23 RM3 91	—	23 RD3 91	—	—	23 RM 91	23 RS 91	—	—
CS-60, CS-60 S, CS-451, CS-452, CS-500, CS-501 EVL, CS-510 EVL, CS-550, CS-601, CS-602, CST-610															
40 16	3/8"	1.3 .050	60		—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64		—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66		—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70		—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81		—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93		—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
CS-650, CS-660, CS-670, CS-701, CS-702, CS-750, CS-6700, CS-8000, CS-900, CS-1001															
40 16	3/8"	1.3 .050	60		—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64		—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66		—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70		—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81		—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93		—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
CS-900, CS-1001															
53 21	3/8"	1.6 .063	79		—	—	36 RM3 79	36 RS3 79	36 RD3 79	—	—	36 RM 79	36 RS 79	—	—
PPF-210, PPF-211, PPT-230, PPT-231, PPT-260, PPT-261															
30 12	3/8" P	1.3 .050	44		63 PM3 44	63 PD3 44	—	63 PS3 44	—	63 PM 44	63 PS 44	—	—	—	—



PS 6400, PS 7300, PS 7900, PS 9000, PS 9010 FL										
28 11	.325	1.5 .058	52	25 RM3 52	—	25 RD3 52	25 RM 52	25 RS 52	—	—
33 13	.325	1.3 .050	56	23 RM3 56	—	23 RD3 56	23 RM 56	23 RS 56	—	—
		1.5 .058	56	25 RM3 56	—	25 RD3 56	25 RM 56	25 RS 56	—	—
38 15	.325	1.3 .050	64	23 RM3 64	—	23 RD3 64	23 RM 64	23 RS 64	—	—
		1.5 .058	64	25 RM3 64	—	25 RD3 64	25 RM 64	25 RS 64	—	—
40 16	.325	1.3 .050	66	23 RM3 66	—	23 RD3 66	23 RM 66	23 RS 66	—	—
		1.5 .058	66	25 RM3 66	—	25 RD3 66	25 RM 66	25 RS 66	—	—
45 18	.325	1.3 .050	72	23 RM3 72	—	23 RD3 72	23 RM 72	23 RS 72	—	—
		1.5 .058	72	25 RM3 72	—	25 RD3 72	25 RM 72	25 RS 72	—	—
50 20	.325	1.3 .050	78	23 RM3 78	—	23 RD3 78	23 RM 78	23 RS 78	—	—
		1.5 .058	78	25 RM3 78	—	25 RD3 78	25 RM 78	25 RS 78	—	—
H 6200 B										
40 16	³ / ₈ "	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
H 6220 B, H 6310 C 1, H 6311 C 1										
30 12	³ / ₈ "	1.3 .050	49	33 RM3 49	33 RS3 49	33 RD3 49	33 RM 49	33 RS 49	33 RSF 49	33 RSK 49
HCS 816, HCS 820, HCS 824										
40 16	³ / ₈ "	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	35 RM 60	35 RS 60	—	—
45 18	³ / ₈ "	1.3 .050	68	33 RM3 68	33 RS3 68	33 RD3 68	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	35 RM 68	35 RS 68	—	—
50 20	³ / ₈ "	1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	35 RM 72	35 RS 72	—	—
56 22	³ / ₈ "	1.5 .058	77	—	—	—	35 RM 77	35 RS 77	—	—
60 24	³ / ₈ "	1.3 .050	84	33 RM3 84	33 RS3 84	33 RD3 84	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	35 RM 84	35 RS 84	—	—

								
 cm in.	 mm in.	 mm in.		STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL RAPID Micro	STIHL RAPID Super
F-35, FB-35, MARK I								
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	63 PS3 45	63 PM 45	63 PS 45
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	63 PS3 52	63 PM 52	63 PS 52
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	63 PS3 56	63 PM 56	63 PS 56
60 24	3/8"	1.3 .050	84	33 RM3 84	33 RS3 84	33 RD3 84	33 RM 84	33 RS 84
		1.5 .058	84	—	—	—	35 RM 84	35 RS 84




					STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
180 SERIES, 190, 192, BANDIT, CLASSIC 192, ELECTRIC 200, 240, 40 SL, 245, LITTLE RED, LX-30, SUPER 2, SUPER 2 CC, VI SUPER 2, XEL-14, XEL ELECTRIC, XL, XL 2, XL-2 CC, XL-10, XL-14, XL-16																	
30 12	3/8" P	1.3 0.050	47	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—	—	—	—
			48	63 PM3 48	63 PD3 48	—	63 PS3 48	—	63 PM 48	63 PS 48	—	—	—	—	—	—	—
35 14	3/8" P	1.3 0.050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—	—
			53	63 PM3 53	63 PD3 53	—	63 PS3 53	—	63 PM 53	63 PS 53	—	—	—	—	—	—	—
40 16	3/8" P	1.3 0.050	59	63 PM3 59	63 PD3 59	—	63 PS3 59	—	63 PM 59	63 PS 59	—	—	—	—	—	—	—
			64	63 PM3 64	63 PD3 64	—	63 PS3 64	—	63 PM 64	63 PS 64	—	—	—	—	—	—	—
45 18	3/8" P	1.3 0.050	62	70 PM3 62	70 PD3 62	—	70 PS3 62	—	70 PM 62	70 PS 62	—	—	—	—	—	—	—
20, 20 AV, 23 AV, 27, 3300, 3350, 3550, 3800, 3850, 4500, 4550, CS-40, D 3300, D 3350 B, I 3350 B, D 3850, D 3850 B, Z 3850, PS 33, RANGER, T 10901, UT 10901 A, UT 10926, UT 10947 A, UT 10974 A																	
30 12	3/8" P	1.3 0.050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—	—
35 14	3/8" P	1.3 0.050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—	—
40 16	3/8" P	1.3 0.050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—	—
45 18	3/8" P	1.3 0.050	62	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—	—	—	—
25, 27, 4100, 4150, 4500, 4550, D 4550 B, I 3850 B, I 4150 B, I 4550 B, UPER 240, TIMBERMAN, UT 10896, UT 10910, UT 10927 A, UT 10942 A, T 10946 A																	
40 16	.325	1.3 0.050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—	—
45 18	.325	1.3 0.050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—	—
50 20	.325	1.3 0.050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—	—
25 SL, 240, 240 SL, 245																	
30 12	.325	1.3 0.050	53	—	—	23 RM3 53	—	23 RD3 53	—	—	23 RM 53	—	—	23 RS 53	—	—	—
35 14	.325	1.3 0.050	59	—	—	23 RM3 59	—	23 RD3 59	—	—	23 RM 59	—	—	23 RS 59	—	—	—
40 16	.325	1.3 0.050	67	—	—	23 RM3 67	—	23 RD3 67	—	—	23 RM 67	—	—	23 RS 67	—	—	—
30, 130, 150, 150 AO, 250, 252, 290, 340, BIG RED, CS-50, EZ 250, MINI SL, SUPER EZ AO, XL-76, XL 100 SERIES																	
40 16	3/8" P	1.3 0.050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	—	—	33 RS 59	33 RSF 59	33 RSK 59	—
45 18	3/8" P	1.3 0.050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	—
50 20	3/8" P	1.3 0.050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
35 SL, 330, 350, 360, SUPER XL, SUPER XL-AO, XL-12, XL-15																	
40 16	3/8" P	1.3 0.050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	—	—	33 RS 59	33 RSF 59	33 RSK 59	—
			60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8" P	1.3 0.050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	—
			66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8" P	1.3 0.050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
60 24	3/8" P	1.3 0.050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81	—
69 27	3/8" P	1.3 0.050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93	—
400, 410, 450, 460, 540, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, SUPER XL 925, V-955, XL 400, XL 700 SERIES, XL 800 SERIES, XL 900 SERIES																	
40 16	3/8" P	1.3 0.050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	—	—	33 RS 59	33 RSF 59	33 RSK 59	—
			60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8" P	1.3 0.050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	—
			66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8" P	1.3 0.050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
53 21	3/8" P	1.6 0.063	79	—	—	36 RM3 79	36 RS3 79	36 RD3 79	—	—	36 RM 79	—	—	36 RS 79	—	—	—
60 24	3/8" P	1.3 0.050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81	—
69 27	3/8" P	1.3 0.050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93	—
81 32	3/8" P	1.6 0.063	105	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	—	—	36 RS 105	—	—	—




 cm in.																
 mm in.				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
91 36	.404	1.6 .063	106	—	—	—	—	—	—	—	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	—
	3/8"	1.6 .063	117	—	—	36 RM3 117	36 RS3 117	36 RD3 117	—	—	36 RM 117	—	—	36 RS 117	—	—
C SERIES, SP 1000, SUPER 1050, WIZ, WIZ 66, XP 1000, XP 1020, XP 2000, XP 2100, ZIP																
53 21	.404	1.6 .063	71	—	—	—	—	—	—	—	46 RM 71	46 RMH 71	46 RMK 71	46 RS 71	46 RSF 71	—
CS-50																
40 16	.325	1.3 .050	67	—	—	23 RM3 67	—	23 RD3 67	—	—	23 RM 67	—	—	23 RS 67	—	—
45 18	.325	1.3 .050	73	—	—	23 RM3 73	—	23 RD3 73	—	—	23 RM 73	—	—	23 RS 73	—	—
50 20	.325	1.3 .050	79	—	—	23 RM3 79	—	23 RD3 79	—	—	23 RM 79	—	—	23 RS 79	—	—
EL-12, EL-14, EL-16																
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—
35 14	3/8" P	1.3 .050	50	63 PM3 50	63 PD3 50	—	63 PS3 50	—	63 PM 50	63 PS 50	—	—	—	—	—	—
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—



				cm in.		mm in.		STIHL PICCO Micro 3		STIHL PICCO Duro 3		STIHL RAPID Micro 3		STIHL RAPID Super 3		STIHL RAPID Duro 3		STIHL PICCO Micro		STIHL PICCO Super		STIHL RAPID Micro		STIHL RAPID Micro F		STIHL RAPID Micro H		STIHL RAPID Micro K		STIHL RAPID Super		STIHL RAPID Super F		STIHL RAPID Super K	
262, 262 XP, 362, 362 XP																																			
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	—	—	33 RS 60	33 RSF 60	33 RSK 60																	
		1.5 .058	60	—	—	—	—	—	—	—	35 RM 60	—	—	—	—	35 RS 60	—	—																	
45 18	3/8"	1.3 .050	68	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	—	—	—	—	33 RS 68	33 RSF 68	33 RSK 68																	
		1.5 .058	68	—	—	—	—	—	—	—	35 RM 68	—	—	—	—	35 RS 68	—	—																	
50 20	3/8"	1.3 .050	72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	—	—	33 RS 72	33 RSF 72	33 RSK 72																	
		1.5 .058	72	—	—	—	—	—	—	—	35 RM 72	—	—	—	—	35 RS 72	—	—																	
56 22	3/8"	1.5 .058	77	—	—	—	—	—	—	—	35 RM 77	—	—	—	—	35 RS 77	—	—																	
		1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	—	—	33 RS 84	33 RSF 84	33 RSK 84																	
60 24	3/8"	1.5 .058	84	—	—	—	—	—	—	—	35 RM 84	—	—	—	—	35 RS 84	—	—																	
		1.3 .050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	—	—	33 RS 93	33 RSF 93	33 RSK 93																	
71 28	3/8"	1.5 .058	93	—	—	—	—	—	—	—	35 RM 93	—	—	—	—	35 RS 93	—	—																	
325 P 4 (12" ONLY), 325 P 5 X, 326 P 4, 326 P 5 X, 334 T, 335, 335 XPT, 338 XPT, 1400, 1600																																			
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—	—	—																	
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—	—	—																	
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—	—	—																	
33, 36, 38, 40, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 136, 137, 140, 140 S, 141, 142, 154, 234, 238, 240, 242, 242 XP, 243, 246, 254, 254 XP, 257, 261, 340, 3 5, 346, 346 XP, 350, 351, 357 XP, 357 XPG, 359, 360, 444, 455 RANCHER																																			
28 11	.325	1.5 .058	52	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	—	—	—	—	25 RS 52	—	—																	
33 13	.325	1.5 .058	56	—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	—	—	—	—	25 RS 56	—	—																	
38 15	.325	1.5 .058	64	—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	—	—	—	—	25 RS 64	—	—																	
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	—	—	23 RS 66	—	—																	
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	—	—	25 RS 66	—	—																	
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	—	—	23 RS 72	—	—																	
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	—	—	25 RS 72	—	—																	
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	—	—	23 RS 78	—	—																	
		1.5 .058	78	—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	—	—	—	—	25 RS 78	—	—																	
34, 35, 37, 335, 338 XPT																																			
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—	—	—																	
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—	—	—																	
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—	—	—																	
36, 40, 41, 42, 45, 49, 51, 55, 55 RANCHER, 136, 140, 141, 242, 246, 254, 257, 261, 262, 262 XP, 336, 339 XP, 340, 345, 346, 350, 351, 353, 357 XP, 359																																			
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	—	—	23 RS 56	—	—																	
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	—	—	23 RS 64	—	—																	
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	—	—	23 RS 66	—	—																	
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	—	—	23 RS 72	—	—																	
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	—	—	23 RS 78	—	—																	
36, 41, 136, 141, 243																																			
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	—	—	23 RS 56	—	—																	
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	—	—	23 RS 64	—	—																	
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	—	—	23 RS 66	—	—																	
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	—	—	25 RS 66	—	—																	
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	—	—	23 RS 72	—	—																	
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	—	—	25 RS 72	—	—																	
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	—	—	23 RS 78	—	—																	
55 RANCHER, 257, 261, 357 XP, 357 XPG, 359, 455																																			
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	—	—	33 RS 60	33 RSF 60	33 RSK 60																	
45 18	3/8"	1.3 .050	68	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	—	—	—	—	33 RS 68	33 RSF 68	33 RSK 68																	



 cm in.				 mm in.				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
50 20	3/8"	1.3 .050	72					—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	—	33 RS 72	33 RSF 72	33 RSK 72
60 24	3/8"	1.3 .050	84					—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	—	33 RS 84	33 RSF 84	33 RSK 84
61, 160, 162, 260																					
33 13	3/8"	1.5 .058	52					—	—	—	—	—	—	—	35 RM 52	—	—	—	35 RS 52	—	—
38 15	3/8"	1.5 .058	56					—	—	—	—	—	—	—	35 RM 56	—	—	—	35 RS 56	—	—
40 16	3/8"	1.3 .050	60					—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60					—	—	—	—	—	—	—	35 RM 60	—	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	68					—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	—	—	—	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68					—	—	—	—	—	—	—	35 RM 68	—	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	72					—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	—	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72					—	—	—	—	—	—	—	35 RM 72	—	—	—	35 RS 72	—	—
		1.6 .063	72					—	—	—	—	—	—	—	36 RM 72	—	—	—	36 RS 72	—	—
56 22	3/8"	1.3 .050	76					—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	—	—	—	33 RS 76	33 RSF 76	33 RSK 76
		1.3 .050	84					—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	—	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84					—	—	—	—	—	—	—	35 RM 84	—	—	—	35 RS 84	—	—
		1.6 .063	84					—	—	—	—	—	—	—	36 RM 84	—	—	—	36 RS 84	—	—
		1.3 .050	93					—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	—	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	92					—	—	—	—	—	—	—	35 RM 92	—	—	—	35 RS 92	—	—
L SERIES, 65, 66, 70, 77, 181, 185, 266, 268, 272, 281, 285, 288, 288 XP LITE, 298, 365, 371, 372, 372 XP, 372 XPG, 372 XPW, 380, 385, 385 XP, 385 XPG, 385 XPW, 394, 394 XP, 395, 395 XP, 395 XPG, 395 XPW, 480, 570, 575 XP, 1100, 2100, 2101, 3120, 3120 XP, JUNGLE 3120																					
33 13	3/8"	1.3 .050	52					—	—	—	—	—	—	—	35 RM 52	—	—	—	35 RS 52	—	—
38 15	3/8"	1.3 .050	56					—	—	—	—	—	—	—	35 RM 56	—	—	—	35 RS 56	—	—
40 16	3/8"	1.3 .050	60					—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60					—	—	—	—	—	—	—	35 RM 60	—	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	68					—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	—	—	—	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68					—	—	—	—	—	—	—	35 RM 68	—	—	—	35 RS 68	—	—
50 20	3/8"	.404	1.6 .063	65				—	—	—	—	—	—	—	46 RM 65	46 RMF 65	46 RMH 65	46 RMK 65	46 RS 65	46 RSF 65	—
			1.3 .050	72				—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	—	33 RS 72	33 RSF 72	33 RSK 72
			1.5 .058	72				—	—	—	—	—	—	—	35 RM 72	—	—	—	35 RS 72	—	—
			1.6 .063	72				—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	—	—	—	36 RS 72	—	—
56 22	3/8"	1.3 .050	76					—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	—	—	—	33 RS 76	33 RSF 76	33 RSK 76
			1.3 .050	84				—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	—	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84					—	—	—	—	—	—	—	35 RM 84	—	—	—	35 RS 84	—	—
			1.6 .063	84				—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	—	—	—	36 RS 84	—	—
			1.3 .050	93				—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	—	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	93					—	—	—	—	—	—	—	35 RM 93	—	—	—	35 RS 93	—	—
			1.6 .063	93				—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	—	—	—	36 RS 93	—	—
		.404	1.6 .063	92				—	—	—	—	—	—	—	46 RM 92	46 RMF 92	46 RMH 92	46 RMK 92	46 RS 92	46 RSF 92	—
76 30	3/8"	1.3 .050	98					—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	—	—	—	33 RS 98	33 RSF 98	33 RSK 98
			1.6 .063	98				—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	—	—	—	36 RS 98	—	—
81 32	3/8"	.404	1.6 .063	95				—	—	—	—	—	—	—	46 RM 95	46 RMF 95	46 RMH 95	46 RMK 95	46 RS 95	46 RSF 95	—
			1.3 .050	105				—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	—	—	—	33 RS 105	33 RSF 105	33 RSK 105
			1.6 .063	105				—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	—	—	—	36 RS 105	—	—
84 33	3/8"	1.5 .058	110					—	—	—	—	—	—	—	35 RM 110	—	—	—	35 RS 110	—	—
86 34	3/8"	1.6 .063	110					—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	—	—	—	36 RS 110	—	—
91 36	3/8"	.404	1.6 .063	104				—	—	—	—	—	—	—	46 RM 104	46 RMF 104	46 RMH 104	46 RMK 104	46 RS 104	46 RSF 104	—
			1.6 .063	115				—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	—	—	—	36 RS 115	—	—
94 37	3/8"	1.5 .058	119					—	—	—	—	—	—	—	35 RM 119	—	—	—	35 RS 119	—	—
			1.6 .063	119				—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	—	—	—	36 RS 119	—	—
107 42	3/8"	1.6 .063	135					—	—	36 RM3 135	36 RS3 135	36 RD3 135	—	—	36 RM 135	—	—	—	36 RS 135	—	—

STIHL PICCO
Micro 3STIHL PICCO
Duro 3STIHL RAPID
Micro 3STIHL RAPID
Super 3STIHL RAPID
Duro 3STIHL PICCO
MicroSTIHL PICCO
SuperSTIHL RAPID
MicroSTIHL RAPID
Micro FSTIHL RAPID
Micro HSTIHL RAPID
Micro KSTIHL RAPID
Super**25 EV, 28 V, 28 V, 30 V, 30 V, 35 EV, 40 V, 200 CS, 230 CS, CS 36, CS 40, CS 40 V**

25 10	3/8" P	1.1 .043	40	61 PM3 40	—	—	—	—	—	—	—	—	—	—	—	—
30 12	3/8" P	1.1 .043	45	61 PM3 45	—	—	—	—	—	—	—	—	—	—	—	—
		1.3 .050	47	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—
		1.3 .050	48	—	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—	—
		1.3 .050	48	—	63 PM3 48	63 PD3 48	—	63 PS3 48	—	63 PM 48	63 PS 48	—	—	—	—	—
35 14	3/8" P	1.1 .043	52	61 PM3 52	—	—	—	—	—	—	—	—	—	—	—	—
40 16	3/8" P	1.1 .043	56	61 PM3 56	—	—	—	—	—	—	—	—	—	—	—	—
		1.3 .050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—
		1.3 .050	58	—	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	—	—
		1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—	—
45 18	3/8" P	1.3 .050	64	—	63 PM3 64	63 PD3 64	—	63 PS3 64	—	63 PM 64	63 PS 64	—	—	—	—	—

45 EV, 46 EV, 300 CS, 450 V

35 14	.325	1.3 .050	59	—	—	—	23 RM3 59	—	23 RD3 59	—	—	23 RM 59	23 RS 59	—	—	—
40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—	—
45 18	.325	1.3 .050	72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—	—
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—	—

50 AV, 50 V, 51 SV, 55 SV, 55 V, 60 V

40 16	3/8" P	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8" P	1.3 .050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	—
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8" P	1.3 .050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	—
60 24	3/8" P	1.3 .050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	—
69 27	3/8" P	1.3 .050	93	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93	—

65, 65 SV, 66 SV, 70 V, 80 EV, 800 V

40 16	3/8" P	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8" P	1.3 .050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	—
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8" P	1.3 .050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	—
60 24	3/8" P	1.3 .050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	—
69 27	3/8" P	1.3 .050	93	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93	—

CS 46, CS 52


40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—	—
45 18	.325	1.3 .050	67	—	—	—	23 RM3 67	—	23 RD3 67	—	—	23 RM 67	23 RS 67	—	—	—
			72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—	—

CS 56, CS 62

40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—	—
45 18	.325	1.3 .050	67	—	—	—	23 RM3 67	—	23 RD3 67	—	—	23 RM 67	23 RS 67	—	—	—
			72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—	—
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—	—



CS 62


40 16	3/8" P	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8" P	1.3 .050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	—
			70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	—
50 20	3/8" P	1.3 .050	72	—	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72	—




				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
2014, 2016, 2035, 2036, 2036 TURBO, 2040, 2040 TURBO, 2041, 2045, 2050, 2050 TURBO, 2054, 2137, 2138, 2150, CS 2135, CS 2137, CS 2138																
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—
			47	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—	—	—
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—
2036, 2036 TURBO, 2040, 2040 TURBO, 2041, 2045, 2050, 2050 TURBO																
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	23 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	23 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—
2116 E																
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—
36, 361, 365																
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—
45, 49, 50, 51, 52, 370, 410, 420, 425, 435, 450, 451, 455, 510, 521, 535, 2054, 2149, 2149 TURBO																
28 11	.325	1.5 .058	52	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	—	—	25 RS 52	—	—
33 13	.325	1.5 .058	56	—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	—	—	25 RS 56	—	—
38 15	.325	1.5 .058	64	—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	—	—	25 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	25 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	25 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—
45, 49, 50, 51, 52, 370, 410, 420, 425, 435, 450, 451, 455, 510, 521, 535, 2141, 2145, 2149, 2149 TURBO, 2150, 2152																
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	23 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	23 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—
490, 520 SP, 525, 535, 590, 2050, 2051, 2055, 2063, CS 2159, CS 2159 C, CS 2159 CWG, CS 2159 WH																
40 16	3/8"	1.3 .050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	—	—	33 RS 59	33 RSF 59	33 RSK 59
			60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	59	—	—	—	—	—	—	—	35 RM 59	—	—	35 RS 59	—	—
			60	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	64	—	—	—	—	—	—	—	35 RM 64	—	—	35 RS 64	—	—
			68	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
			72	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—
58 23	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81




				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
60 24	3/8"	1.3 .050	84	—	—	33 RM 3 84	33 RS 3 84	33 RD 3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	35 RM 84	—	—	35 RS 84	—	—
60, 61, 62, 621, 2350																
40 16	3/8"	1.3 .050	60	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	64	—	—	33 RM 3 64	33 RS 3 64	33 RD 3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64
		66	—	—	33 RM 3 66	33 RS 3 66	33 RD 3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	
		1.5 .058	68	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	70	—	—	33 RM 3 70	33 RS 3 70	33 RD 3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		72	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—	
53 21	3/8"	1.6 .063	79	—	—	36 RM 3 79	36 RS 3 79	36 RD 3 79	—	—	36 RM 79	—	—	36 RS 79	—	—
60 24	3/8"	1.3 .050	81	—	—	33 RM 3 81	33 RS 3 81	33 RD 3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	—	—	33 RM 3 93	33 RS 3 93	33 RD 3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
625, 630, 630 SUPER, 630 WEST COAST, 2065, 2071, 2077, 2163, 2165, 2171, CS 2163, CS 2163 WH, CS 2165, CS 2171, CS 2171 WH, CS 2186 WH																
33 13	3/8"	1.5 .058	52	—	—	—	—	—	—	—	35 RM 52	—	—	35 RS 52	—	—
38 15	3/8"	1.5 .058	56	—	—	—	—	—	—	—	35 RM 56	—	—	35 RS 56	—	—
40 16	3/8"	1.3 .050	60	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		60	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—	
45 18	3/8"	1.3 .050	68	—	—	33 RM 3 68	33 RS 3 68	33 RD 3 68	—	—	33 RM 68	—	—	33 RS 68	33 RSF 68	33 RSK 68
		68	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—	
50 20	3/8"	1.3 .050	72	—	—	33 RM 3 72	33 RS 3 72	33 RD 3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
		72	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—	
56 22	3/8"	1.3 .050	76	—	—	33 RM 3 76	33 RS 3 76	33 RD 3 76	—	—	33 RM 76	—	—	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	—	—	33 RM 3 84	33 RS 3 84	33 RD 3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84
		84	—	—	—	—	—	—	—	35 RM 84	—	—	35 RS 84	—	—	
71 28	3/8"	1.3 .050	93	—	—	33 RM 3 93	33 RS 3 93	33 RD 3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
		93	—	—	—	—	—	—	—	35 RM 93	—	—	35 RS 93	—	—	
66, 70, 75, 77, 80, 81, 90, 110, 111, 490, 601, 751, 801, 820, 830, 910, 920, 930, 939, 1020																
91 36	404	1.6 .063	106	—	—	—	—	—	—	—	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	—
66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 751, 801, 820, 830, 910, 920, 930, 939, 941, 1020																
40 16	3/8"	1.3 .050	60	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		60	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—	
45 18	3/8"	64	—	—	33 RM 3 64	33 RS 3 64	33 RD 3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	
		66	—	—	33 RM 3 66	33 RS 3 66	33 RD 3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	
		68	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—	
50 20	3/8"	1.3 .050	70	—	—	33 RM 3 70	33 RS 3 70	33 RD 3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		72	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—	
53 21	3/8"	1.6 .063	79	—	—	36 RM 3 79	36 RS 3 79	36 RD 3 79	—	—	36 RM 79	—	—	36 RS 79	—	—
60 24	3/8"	1.3 .050	81	—	—	33 RM 3 81	33 RS 3 81	33 RD 3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	—	—	33 RM 3 93	33 RS 3 93	33 RD 3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
81 32	3/8"	1.6 .063	105	—	—	36 RM 3 105	36 RS 3 105	36 RD 3 105	—	—	36 RM 105	—	—	36 RS 105	—	—
91 36	3/8"	1.6 .063	117	—	—	36 RM 3 117	36 RS 3 117	36 RD 3 117	—	—	36 RM 117	—	—	36 RS 117	—	—
670, 670 WEST COAST, 2065, 2071, 2077, 2083, 2083 II, 2094, 2095																
33 13	3/8"	1.3 .050	52	—	—	—	—	—	—	—	35 RM 52	—	—	35 RS 52	—	—
38 15	3/8"	1.3 .050	56	—	—	—	—	—	—	—	35 RM 56	—	—	35 RS 56	—	—
40 16	3/8"	1.3 .050	60	—	—	33 RM 3 60	33 RS 3 60	33 RD 3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		60	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—	
45 18	3/8"	1.3 .050	68	—	—	33 RM 3 68	33 RS 3 68	33 RD 3 68	—	—	33 RM 68	—	—	33 RS 68	33 RSF 68	33 RSK 68
		68	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—	
50 20	3/8"	1.3 .050	72	—	—	33 RM 3 72	33 RS 3 72	33 RD 3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
		72	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—	
		72	—	—	36 RM 3 72	36 RS 3 72	36 RD 3 72	—	—	36 RM 72	—	—	36 RS 72	—	—	
56 22	3/8"	1.3 .050	76	—	—	33 RM 3 76	33 RS 3 76	33 RD 3 76	—	—	33 RM 76	—	—	33 RS 76	33 RSF 76	33 RSK 76

																
 cm in.				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
60 24	3/8"	1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	35 RM 84	—	—	35 RS 84	—	—
		1.6 .063	84	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	—	—	36 RS 84	—	—
71 28	3/8"	1.3 .050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	93	—	—	—	—	—	—	—	35 RM 93	—	—	35 RS 93	—	—
		1.6 .063	93	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	—	—	36 RS 93	—	—
76 30	3/8"	1.3 .050	98	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	—	—	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	—	—	36 RS 98	—	—
81 32	3/8"	1.3 .050	105	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	—	—	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	—	—	36 RS 105	—	—
84 33	3/8"	1.5 .058	110	—	—	—	—	—	—	—	35 RM 110	—	—	35 RS 110	—	—
86 34	3/8"	1.6 .063	110	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	—	—	36 RS 110	—	—
91 36	3/8"	1.6 .063	115	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	—	—	36 RS 115	—	—
94 37	3/8"	1.5 .058	119	—	—	—	—	—	—	—	35 RM 119	—	—	35 RS 119	—	—
		1.6 .063	119	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	—	—	36 RS 119	—	—
107 42	3/8"	1.6 .063	135	—	—	36 RM3 135	36 RS3 135	36 RD3 135	—	—	36 RM 135	—	—	36 RS 135	—	—
CS 62																
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	23 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	23 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	25 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	25 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—



															
cm in.		mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
DCS 34, DCS 330 S, DCS 330 TH, DCS 340, DCS 341, DCS 390, DCS 390 S, DCS 400, DCS 401, 5012 B, 5014 NB, 5016 NB, UC 3500, UC 4000															
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	
			47	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—	
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	
			56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	
40 16	3/8" P	1.3 .050	58	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	—	
			62	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—	
DCS 430, DCS 431, DCS 520 I, DCS 540, DCS 5200 I															
28 11	.325	1.5 .058	52	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	25 RS 52	—	—	
		1.3 .050	45	—	—	23 RM3 45	—	23 RD3 45	—	—	23 RM 45	23 RS 45	—	—	
33 13	.325	1.5 .058	56	—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	25 RS 56	—	—	
		1.3 .050	47	—	—	23 RM3 47	—	23 RD3 47	—	—	23 RM 47	23 RS 47	—	—	
38 15	.325	1.5 .058	64	—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	25 RS 64	—	—	
		1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—	
40 16	.325	1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	25 RS 66	—	—	
		1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—	
45 18	.325	1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	25 RS 72	—	—	
		1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—	
50 20	.325	1.5 .058	78	—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	25 RS 78	—	—	
DCS 520 I, DCS 540, DCS 5200 I, DCS 6000 I															
40 16	3/8"	1.3 .050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59	
			60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
		1.5 .058	59	—	—	—	—	—	—	35 RM 59	35 RS 59	—	—		
			60	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—		
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
		1.5 .058	64	—	—	—	—	—	—	35 RM 64	35 RS 64	—	—		
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
			72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72	
58 23	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	
DCS 6401, DCS 7301, DCS 7901, DCS 9000, DCS 9010 FL															
33 13	3/8"	3/8"	52	—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—	
38 15	3/8"	3/8"	56	—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—	
40 16	3/8"	1.3 .050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59	
		1.5 .058	60	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—		
45 18	3/8"	1.3 .050	68	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68	
		1.5 .058	68	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—		
50 20	3/8"	1.3 .050	72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72	
		1.5 .058	72	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—		
60 24	3/8"	1.6 .063	72	—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—	
		1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84	
71 28	3/8"	1.5 .058	84	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	36 RS 84	—	—	
		1.6 .063	84	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	36 RS 84	—	—	
76 30	3/8"	1.3 .050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93	
		1.5 .058	93	—	—	—	—	—	—	35 RM 93	35 RS 93	—	—		
81 32	3/8"	1.6 .063	93	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	36 RS 93	—	—	
		1.3 .050	98	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98	
86 34	3/8"	1.5 .058	98	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	36 RS 98	—	—	
		1.6 .063	98	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	36 RS 98	—	—	
91 36	3/8"	1.3 .050	105	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105	
		1.6 .063	105	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	36 RS 105	—	—	
94 37	3/8"	1.5 .058	110	—	—	—	—	—	—	—	35 RM 110	35 RS 110	—	—	
		1.6 .063	110	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	36 RS 110	—	—	
99 39	3/8"	1.6 .063	115	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	36 RS 115	—	—	
		1.5 .058	119	—	—	—	—	—	—	—	35 RM 119	35 RS 119	—	—	
104 41	3/8"	1.6 .063	119	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	36 RS 119	—	—	


														
				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super-K
107 42	3/8"	1.6 .063	135	—	—	36 RM3 135	36 RS3 135	36 RD3 135	—	—	36 RM 135	36 RS 135	—	—
DCS 6800 I														
40 16	3/8"	1.3 .050	59	—	—	33 RM3 59	33 RS3 59	33 RD3 59	—	—	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59
			60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	59	—	—	—	—	—	—	—	35 RM 59	35 RS 59	—	—
			60	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	64	—	—	—	—	—	—	—	35 RM 64	35 RS 64	—	—
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
			72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
58 23	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
DCS 9000, DCS 9010 FL														
50 20	.404	1.6 .063	65	—	—	—	—	—	—	—	46 RM 65	46 RS 65	46 RSF 65	—



													
				STIHL PICCO Micro 3	STIHL PICCO Super 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super
MC-PL10, MC-S10													
25 10	3/8" P	1.3 .050	40	63 PM3 40	—	63 PD3 40	—	63 PS3 40	—	63 PM 40	63 PS 40	—	—
28 11	.325	1.5 .058	52	—	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	25 RS 52





cm in.				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
10 E, 12 E, 14 E, 16 E, MS 1425, MS 1630, MS 1640														
25 10	3/8" P	1.3 .050	39	63 PM3 39	63 PD3 39	—	63 PS3 39	—	63 PM 39	63 PS 39	—	—	—	—
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—
35 14	3/8" P	1.3 .050	50	63 PM3 50	63 PD3 50	—	63 PS3 50	—	63 PM 50	63 PS 50	—	—	—	—
40 16	3/8" P	1.3 .050	55	63 PM3 55	63 PD3 55	—	63 PS3 55	—	63 PM 55	63 PS 55	—	—	—	—
45 18	3/8" P	1.3 .050	60	63 PM3 60	63 PD3 60	—	63 PS3 60	—	63 PM 60	63 PS 60	—	—	—	—
1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 10-10, 10-10 A, 55, PRO MAC 55, 60, 555, 570, 605, CP-55, DOUBLE EAGLE 50, EAGER BEAVER 3.7, PM 605, PRO MAC 5700, SILVER EAGLE 3420, SILVER EAGLE 3720, SP-60, TIMBER BEAR, TIMBER BEAR 20, TITAN 50, TITAN 57														
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	92	—	—	33 RM3 92	33 RS3 92	33 RD3 92	—	—	33 RM 92	33 RS 92	33 RSF 92	33 RSK 92
14 A/S, EM 16														
35 14	3/8" P	1.3 .050	49	63 PM3 49	63 PD3 49	—	63 PS3 49	—	63 PM 49	63 PS 49	—	—	—	—
40 16	3/8" P	1.3 .050	54	63 PM3 54	63 PD3 54	—	63 PS3 54	—	63 PM 54	63 PS 54	—	—	—	—
45 18	3/8" P	1.3 .050	60	63 PM3 60	63 PD3 60	—	63 PS3 60	—	63 PM 60	63 PS 60	—	—	—	—
1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AV, MS 2046 AVCC, MS 2049, MS 2049 AV, MS 2049 AVCC, MS 2050, PM 1845 AV; PRO MAC: 40, 46; SILVER EAGLE: 2818, 3020														
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	25 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	25 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
		1.5 .058	78	—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	25 RS 78	—	—

															
cm in.		mm in.		STIHL PICCO Micro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
999															
53 21	.404	1.6 .063	68	—	—	—	—	—	—	46 RM 68	46 RMH 68	46 RMK 68	46 RS 68	46 RSF 68	—
25	.404	1.6 .063	80	—	—	—	—	—	—	46 RM 80	46 RMH 80	46 RMK 80	46 RS 80	46 RSF 80	—
240, 241, 244, 935, OLE 140 F, OLE 300															
35 14	3/8" P	1.3 .050	50	63 PM3 50	—	63 PS3 50	—	63 PM 50	63 PS 50	—	—	—	—	—	—
40 16	3/8" P	1.3 .050	55	63 PM3 55	—	63 PS3 55	—	63 PM 55	63 PS 55	—	—	—	—	—	—
250, 250 A, 251, 252, 254, 260, 261, 264, 355, 460 A SUPER															
40 16	3/8"	1.3 .050	60	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	64	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64
		1.3 .050	66	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66
		1.5 .058	68	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	70	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		1.3 .050	72	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—
53 21	3/8"	1.6 .063	79	—	36 RM3 79	36 RS3 79	36 RD3 79	—	—	36 RM 79	—	—	36 RS 79	—	—
58 23	3/8"	1.3 .050	81	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	93	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
481, 970, 980, SUPER 482															
40 16	3/8"	1.3 .050	60	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	64	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64
		1.3 .050	66	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66
		1.5 .058	68	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	70	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		1.3 .050	72	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—
53 21	3/8"	1.6 .063	72	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	—	—	36 RS 72	—	—
58 23	3/8"	1.3 .050	81	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	93	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
938, 940 C, 941, 945, 950, 951, 956, 962															
40 16	.325	1.5 .058	66	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	25 RS 66	—	—
45 18	.325	1.5 .058	72	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	25 RS 72	—	—
50 20	.325	1.3 .050	78	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—
		1.5 .058	78	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	—	—	25 RS 78	—	—




					STIHL PCCO Micro3	STIHL PCCO Duro3	STIHL RAPID Micro3	STIHL RAPID Super3	STIHL RAPID Duro3	STIHL PCCO Micro	STIHL PCCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID SuperF	STIHL RAPID SuperK
cm in.		mm in.													
365															
35 14	3/8" P	1.3 .050	52		63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
330, 350, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, MINI—P SERIES, SPARTAN															
30 12	3/8" P	1.3 .050	45		63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—
35 14	3/8" P	1.3 .050	52		63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
40 16	3/8" P	1.3 .050	56		63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—
410, 510, 540															
33 13	.325	1.3 .050	56		—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
38 15	.325	1.3 .050	64		—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
550, 1655, 2055, P—55, R—11, R—12, R—14, R—16, R—17, R—18, R—19, S—50, S—55, S—65															
33 13	3/8"	1.5 .058	52		—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—
38 15	3/8"	1.5 .058	56		—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—
40 16	3/8"	1.3 .050	60		—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	68		—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72		—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
		1.6 .063	72		—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—
650, 7000, P—65, P—70, P—85, P—100, R—20, R—21, R—22, R—23, R—30, R—35, R—40, R—416, R—420, R—421, R—435, R—440															
33 13	3/8"	1.5 .058	52		—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—
38 15	3/8"	1.5 .058	56		—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—
40 16	3/8"	1.3 .050	60		—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	68		—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72		—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
		1.6 .063	72		—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—
P—360, P—400, P—450, P—500, P—5000															
28 11	.325	1.5 .058	52		—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	25 RS 52	—	—
		1.3 .050	56		—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
33 13	.325	1.5 .058	56		—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	25 RS 56	—	—
		1.3 .050	64		—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
38 15	.325	1.5 .058	64		—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	25 RS 64	—	—
		1.3 .050	66		—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
40 16	.325	1.5 .058	66		—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	25 RS 66	—	—
		1.3 .050	72		—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
45 18	.325	1.5 .058	72		—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	25 RS 72	—	—
		1.3 .050	78		—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
50 20	.325	1.5 .058	78		—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	25 RS 78	—	—

										
	cm in.			STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
1074, P-21, P-26, P-28										
28 11	.325	1.5 .058	52	25 RM3 52	—	25 RD3 52	25 RM 52	25 RS 52	—	—
33 13	.325	1.3 .050	56	23 RM3 56	—	23 RD3 56	23 RM 56	23 RS 56	—	—
		1.5 .058	56	25 RM3 56	—	25 RD3 56	25 RM 56	25 RS 56	—	—
38 15	.325	1.3 .050	64	23 RM3 64	—	23 RD3 64	23 RM 64	23 RS 64	—	—
		1.5 .058	64	25 RM3 64	—	25 RD3 64	25 RM 64	25 RS 64	—	—
40 16	.325	1.3 .050	66	23 RM3 66	—	23 RD3 66	23 RM 66	23 RS 66	—	—
		1.5 .058	66	25 RM3 66	—	25 RD3 66	25 RM 66	25 RS 66	—	—
45 18	.325	1.3 .050	72	23 RM3 72	—	23 RD3 72	23 RM 72	23 RS 72	—	—
		1.5 .058	72	25 RM3 72	—	25 RD3 72	25 RM 72	25 RS 72	—	—
50 20	.325	1.3 .050	78	23 RM3 78	—	23 RD3 78	23 RM 78	23 RS 78	—	—
		1.5 .058	78	25 RM3 78	—	25 RD3 78	25 RM 78	25 RS 78	—	—
515, 970, 1072, 1073, FARMLITE, P-11, P-20, P-25										
40 16	3/8"	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.5 .058	68	—	—	—	35 RM 68	35 RS 68	—	—
		1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
50 20	3/8"	1.5 .058	72	—	—	—	35 RM 72	35 RS 72	—	—
		1.6 .063	72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RS 72	—	—
FARMSAW, FARMSAW II, P-38, P-39, P-41, P-42, P-45, P-50, P-51, P-52, P-60, P-61, P-62, P-285										
40 16	3/8"	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.5 .058	68	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	35 RM 72	35 RS 72	—	—
		1.6 .063	72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RS 72	—	—
81 32	3/8"	1.6 .063	110	36 RM3 110	36 RS3 110	36 RD3 110	36 RM 110	36 RS 110	—	—
91 36	3/8"	1.6 .063	119	36 RM3 119	36 RS3 119	36 RD3 119	36 RM 119	36 RS 119	—	—
P-10, P-12										
30 12	3/8" P	1.3 .050	45	—	63 PS3 45	—	—	—	—	—
35 14	3/8" P	1.3 .050	52	—	63 PS3 52	—	—	—	—	—
40 16	3/8" P	1.3 .050	56	—	63 PS3 56	—	—	—	—	—




325																	
28 11	.325	1.5 .058	52	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	—	—	25 RS 52	—	—	—
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	23 RS 56	—	—	—
		1.5 .058	56	—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	—	—	25 RS 56	—	—	—
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	23 RS 64	—	—	—
		1.5 .058	64	—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	—	—	25 RS 64	—	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—	—
		1.5 .058	66	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	—	—	25 RS 66	—	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—	—
		1.5 .058	72	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	—	—	25 RS 72	—	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—	—
		1.5 .058	78	—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	—	—	25 RS 78	—	—	—
203, 245, 306, 306 A, 360, 361, 375, 400, 445, 450, 3400, 3700, 3800																	
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	—
		66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—	
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
60 24	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81	—
71 28	3/8"	1.3 .050	92	—	—	33 RM3 92	33 RS3 92	33 RD3 92	—	—	33 RM 92	—	—	33 RS 92	33 RSF 92	33 RSK 92	—
255, 285, 295, 305, 306 SA, 310, 315, 335 PREDATOR, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300																	
33 13	.325	1.3 .050	56	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	—	—	23 RS 56	—	—	—
38 15	.325	1.3 .050	64	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	—	—	23 RS 64	—	—	—
40 16	.325	1.3 .050	66	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	—	—	23 RS 66	—	—	—
45 18	.325	1.3 .050	72	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	—	—	23 RS 72	—	—	—
50 20	.325	1.3 .050	78	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	—	—	23 RS 78	—	—	—
25 A, 180, 190, 200, 205, 210, 220, 221, 225, 230, 235, 236, 240, 255, 260, 1220, 1800, 1900, 1900 LE, 1950, 1950 LE, 1975 LE, 2000, 2050, 2055, 2055 LE, 2075, 2075 C, 2150, 2155, 2175, 2250, 2250 LE, 2300, 2350, 2375, 2375 LE, 2450, 2550, 3314, 3416, 3516, 3816, 3816 AV, 3818, 4018, 4218, 4218 AV, E 14 E, E 16 E, ES 350, MICRO 25 (XX SERIES AND XXV SERIES), S 23, S 25, S 25 AV, S 25 CVA, S 25 D, S 25 DA, S 35 (AFTER CONVERSION TO 3/8" PITCH); ELECTRIC MODELS: 1420, 1425, 1625, 2100, 2400, 2500, 2600, ELECTRIC PRO 400 E, PATRIOT 1900, WILDTHING, WOODSHARK																	
25 10	3/8" P	1.3 .050	40	63 PM3 40	63 PD3 40	—	63 PS3 40	—	63 PM 40	63 PS 40	—	—	—	—	—	—	—
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—	—	—	—
		47	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—	—	—	—	—
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—	—	—	—
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—	—	—	—
		58	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	—	—	—	—	—
45 18	3/8" P	1.3 .050	62	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—	—	—	—
330, 365, 380, 3350, 3450, 3500, 3600, 3650, 3750																	
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8"	1.3 .050	66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
56 22	3/8"	1.3 .050	76	—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	—	—	33 RS 76	33 RSF 76	33 RSK 76	—
60 24	3/8"	1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84	—
395, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 6700																	
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8"	1.3 .050	64	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64	—
		66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—	
50 20	3/8"	1.3 .050	70	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70	—
60 24	3/8"	1.3 .050	81	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81	—
69 27	3/8"	1.3 .050	92	—	—	33 RM3 92	33 RS3 92	33 RD3 92	—	—	33 RM 92	—	—	33 RS 92	33 RSF 92	33 RSK 92	—
71 28	3/8"	1.3 .050	93	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93	—
81 32	3/8"	1.3 .050	105	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	—	—	33 RS 105	33 RSF 105	33 RSK 105	—
405, 455, 525, 655																	
40 16	3/8"	1.3 .050	60	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60	—
45 18	3/8"	1.3 .050	66	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66	—
50 20	3/8"	1.3 .050	72	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72	—
		1.5 .058	70	—	—	—	—	—	—	—	35 RM 70	—	—	35 RS 70	—	—	—
60 24	3/8"	1.3 .050	84	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84	—




				cm in.	mm in.													
						STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID MicroH	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
81 32	3/8"	1.6 .063	110	—	—	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	—	—	36 RS 110	—	—
91 36	3/8"	1.6 .063	119	—	—	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	—	—	36 RS 119	—	—
414, 425, 475, 505																		
81 32	.404	1.6 .063	95	—	—	—	—	—	—	—	—	—	46 RM 95	46 RMH 95	46 RMK 95	46 RS 95	46 RSF 95	—
91 36	.404	1.6 .063	104	—	—	—	—	—	—	—	—	—	46 RM 104	46 RMH 104	46 RMK 104	46 RS 104	46 RSF 104	—
415, 425, 445, 475, 505																		
33 13	3/8"	1.5 .058	52	—	—	—	—	—	—	—	—	—	35 RM 52	—	—	35 RS 52	—	—
38 15	3/8"	1.5 .058	56	—	—	—	—	—	—	—	—	—	35 RM 56	—	—	35 RS 56	—	—
40 16	3/8"	1.3 .050	60	—	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	—	—	35 RM 60	—	—	35 RS 60	—	—
45 18	3/8"	1.3 .050	68	—	—	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	—	—	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	—	—	35 RM 68	—	—	35 RS 68	—	—
50 20	3/8"	1.3 .050	72	—	—	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	—	—	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	—	—	35 RM 72	—	—	35 RS 72	—	—
		1.6 .063	72	—	—	—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	—	—	36 RS 72	—	—
56 22	3/8"	1.3 .050	76	—	—	—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	—	—	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	—	—	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	—	—	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	—	—	35 RM 84	—	—	35 RS 84	—	—
		1.6 .063	84	—	—	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	—	—	36 RS 84	—	—
71 28	3/8"	1.3 .050	93	—	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	92	—	—	—	—	—	—	—	—	—	35 RM 92	—	—	35 RS 92	—	—
		1.6 .063	93	—	—	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	—	—	36 RS 93	—	—
76 30	3/8"	1.3 .050	98	—	—	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	—	—	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	—	—	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	—	—	36 RS 98	—	—
81 32	3/8"	1.3 .050	105	—	—	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	—	—	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	—	—	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	—	—	36 RS 105	—	—
84 33	3/8"	1.5 .058	110	—	—	—	—	—	—	—	—	—	35 RM 110	—	—	35 RS 110	—	—
86 34	3/8"	1.6 .063	110	—	—	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	—	—	36 RS 110	—	—
91 36	3/8"	1.6 .063	115	—	—	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	—	—	36 RS 115	—	—
94 37	3/8"	1.5 .058	119	—	—	—	—	—	—	—	—	—	35 RM 119	—	—	35 RS 119	—	—
		1.6 .063	119	—	—	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	—	—	36 RS 119	—	—
107 42	3/8"	1.6 .063	135	—	—	—	—	36 RM3 135	36 RS3 135	36 RD3 135	—	—	36 RM 135	—	—	36 RS 135	—	—
6900, 7700, 8500																		
40 16	3/8"	1.3 .050	60	—	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	—	—	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64	—	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	—	—	33 RS 64	33 RSF 64	33 RSK 64
		66	—	—	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	—	—	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	—	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	—	—	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	70	—	—	—	—	—	—	—	—	—	35 RM 70	—	—	35 RS 70	—	—
53 21	3/8"	1.6 .063	79	—	—	—	—	36 RM3 79	36 RS3 79	36 RD3 79	—	—	36 RM 79	—	—	36 RS 79	—	—
60 24	3/8"	1.3 .050	81	—	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	—	—	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	—	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	—	—	33 RS 93	33 RSF 93	33 RSK 93
81 32	3/8"	1.6 .063	105	—	—	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	—	—	36 RS 105	—	—
91 36	.404	1.6 .063	106	—	—	—	—	—	—	—	—	—	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	—
		1.6 .063	117	—	—	—	—	—	—	—	—	—	36 RM 117	—	—	36 RS 117	—	—
MICRO 25 PS																		
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	—	—	63 PS3 52	—	—	63 PM 52	63 PS 52	—	—	—	—	—	—

									
 cm in.	 mm in.	 mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro
PP 300, PP 400, PP 600, PP 800, PP 1200, PP 1250, PP 1260, PP 1400, P 1400-D, PPF-2100, PPT-2100, PPF-2400, PPT-2400, PPSR-2122, PPSR-2433									
20 8	3/8" P	1.3 .050	33	—	63 PM3 33	63 PD3 33	63 PS3 33	63 PM 33	63 PS 33
25 10	3/8" P	1.1 .043	39	61 PM3 39	—	—	—	—	—
		1.3 .050	39	—	63 PM3 39	63 PD3 39	63 PS3 39	63 PM 39	63 PS 39
30 12	3/8" P	1.1 .043	44	61 PM3 44	—	—	—	—	—
		1.3 .050	44	—	63 PM3 44	63 PD3 44	63 PS3 44	63 PM 44	63 PS 44




G 250, G 300 AYS, G 300 TS, G 310 TS, G 2500, G 2500 TS, G 3100, G 4100, GZ 4000															
30 12	3/8" P	1.1 .043	45	61 PM3 45	—	—	—	—	—	—	—	—	—	—	
		1.3 .050	45	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	
			47	—	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	
35 14	3/8" P	1.1 .043	52	61 PM3 52	—	—	—	—	—	—	—	—	—	—	
		1.3 .050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	
40 16	3/8" P	1.1 .043	56	61 PM3 56	—	—	—	—	—	—	—	—	—	—	
		1.3 .050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	
			58	—	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	
45 18	3/8" P	1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	
G 390, G 450 AYS, G 455 AYS, G 3800, G 3800 AYS, G 5000, G 5000 AYS															
28 11	.325	1.5 .058	52	—	—	—	25 RM3 52	—	25 RD3 52	—	—	25 RM 52	25 RS 52	—	—
33 13	.325	1.3 .050	56	—	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
		1.5 .058	56	—	—	—	25 RM3 56	—	25 RD3 56	—	—	25 RM 56	25 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
		1.5 .058	64	—	—	—	25 RM3 64	—	25 RD3 64	—	—	25 RM 64	25 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
		1.5 .058	66	—	—	—	25 RM3 66	—	25 RD3 66	—	—	25 RM 66	25 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
		1.5 .058	72	—	—	—	25 RM3 72	—	25 RD3 72	—	—	25 RM 72	25 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
		1.5 .058	78	—	—	—	25 RM3 78	—	25 RD3 78	—	—	25 RM 78	25 RS 78	—	—
G 561 AYS															
40 16	.325	1.3 .050	68	—	—	—	23 RM3 68	—	23 RD3 68	—	—	23 RM 68	23 RS 68	—	—
45 18	.325	1.3 .050	74	—	—	—	23 RM3 74	—	23 RD3 74	—	—	23 RM 74	23 RS 74	—	—
			79	—	—	—	23 RM3 79	—	23 RD3 79	—	—	23 RM 79	23 RS 79	—	—
50 20	.325	1.3 .050	91	—	—	—	23 RM3 91	—	23 RD3 91	—	—	23 RM 91	23 RS 91	—	—
G 621 AYS															
40 16	3/8"	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	92	—	—	—	33 RM3 92	33 RS3 92	33 RD3 92	—	—	33 RM 92	33 RS 92	33 RSF 92	33 RSK 92
PRO GZ 25 N, PSZ 2500 S															
30 12	3/8" P	1.1 .043	44	61 PM3 44	—	—	—	—	—	—	—	—	—	—	—





075703 L, 075705 J, 075762 J, 075890 L, 076728 K, 098031 J, 099039 J, 099178 H, 100089-05, 100089-06, 100089-07, 100089-08, 107624-01, 107625-01, 107709-01, 107714-02, EL-6, EL-7, LNT-2; 106821 POLE SAW															
20 8	3/8" P	1.3 0.050	34	—	63 PM3 34	63 PD3 34	—	63 PS3 34	—	63 PM 34	63 PS 34	—	—	—	
25 10	3/8" P	1.3 0.050	40	—	63 PM3 40	63 PD3 40	—	63 PS3 40	—	63 PM 40	63 PS 40	—	—	—	
30 12	3/8" P	1.3 0.050	45	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	
35 14	3/8" P	1.3 0.050	50	—	63 PM3 50	63 PD3 50	—	63 PS3 50	—	63 PM 50	63 PS 50	—	—	—	
38 15	3/8" P	1.3 0.050	53	—	63 PM3 53	63 PD3 53	—	63 PS3 53	—	63 PM 53	63 PS 53	—	—	—	
40 16	3/8" P	1.3 0.050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	
10" ELECTRIC POLE SAW WIZARD															
25 10	3/8" P	1.3 0.050	40	—	63 PM3 40	63 PD3 40	—	63 PS3 40	—	63 PM 40	63 PS 40	—	—	—	
100, 500, 812, 814, 816, 840 AV, 850 AV, 860 AV, JOB MASTER, MIGHTY MITE, OUTDOORSMAN II, RANCHER, WEEKENDER, YARDMASTER															
30 12	3/8" P	1.3 0.050	44	—	63 PM3 44	63 PD3 44	—	63 PS3 44	—	63 PM 44	63 PS 44	—	—	—	
35 14	3/8" P	1.3 0.050	49	—	63 PM3 49	63 PD3 49	—	63 PS3 49	—	63 PM 49	63 PS 49	—	—	—	
40 16	3/8" P	1.3 0.050	54	—	63 PM3 54	63 PD3 54	—	63 PS3 54	—	63 PM 54	63 PS 54	—	—	—	
107624-01, 107624-02, 107625-01, 107625-02, EL-8															
40 16	3/8" P	1.3 0.050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	
11409-01 BRANCH WIZARD, 6" BRANCH WIZARD															
6	3/8" P	1.1 0.043	26	61 PM3 26	—	—	—	—	—	—	—	—	—	—	
15012, 15014, 30016, 35016															
30 12	3/8" P	1.3 0.050	48	—	63 PM3 48	63 PD3 48	—	63 PS3 48	—	63 PM 48	63 PS 48	—	—	—	
35 14	3/8" P	1.3 0.050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	
40 16	3/8" P	1.3 0.050	58	—	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	
EL-1, 104317 POLE SAW															
20 8	3/8" P	1.1 0.043	34	61 PM3 34	—	—	—	—	—	—	—	—	—	—	
EL-1, EL-1 FS, LNT-2 FS															
20 8	3/8" P	1.3 0.050	34	—	63 PM3 34	63 PD3 34	—	63 PS3 34	—	63 PM 34	63 PS 34	—	—	—	
25 10	3/8" P	1.3 0.050	40	—	63 PM3 40	63 PD3 40	—	63 PS3 40	—	63 PM 40	63 PS 40	—	—	—	
30 12	3/8" P	1.3 0.050	45	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	
35 14	3/8" P	1.3 0.050	50	—	63 PM3 50	63 PD3 50	—	63 PS3 50	—	63 PM 50	63 PS 50	—	—	—	
40 16	3/8" P	1.3 0.050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	
LOGGER, PL-4, PL-5, SL-4, SL-9, SL-10, SL-14, SL-16, WOODSMAN															
40 16	3/8"	1.3 0.050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 0.050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 0.050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 0.050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
M 15012 US, M 15014 AS, M 15014 US, M 30016 AS, M 30016 US, M 35016 AW, M 35016 UW															
30 12	3/8" P	1.3 0.050	48	—	63 PM3 48	63 PD3 48	—	63 PS3 48	—	63 PM 48	63 PS 48	—	—	—	
35 14	3/8" P	1.3 0.050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	
40 16	3/8" P	1.3 0.050	58	—	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	
PL-55, SL-11															
40 16	3/8"	1.3 0.050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 0.050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 0.050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 0.050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81


															
cm in.		mm in.		STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
35201															
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
35256															
40 16	3/8" P	1.3 .050	59	—	63 PM3 59	63 PD3 59	—	63 PS3 59	—	63 PM 59	63 PS 59	—	—	—	—
79245															
20 8	3/8" P	1.1 .043	34	61 PM3 34	—	—	—	—	—	—	—	—	—	—	—
25 10	3/8" P	1.1 .043	40	61 PM3 40	—	—	—	—	—	—	—	—	—	—	—
3400, 3401, 3402, 3407, 3411, 3412, 3414, 3415, 3425, 3445, 3455, 3460, 3461, 3476, 34071, 34115, 34116, 35023, 35025, 35027, 35028, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35080, 35081, 35082, 35091, 35093, 35095, 35096, 35202, 35203, 35205, 35206, 35207, 35209, 35211, 35212, 35216, 35219, 35224, 35231, 35232, 35235, 35238, 35255, 35256, 35270, 35273, 35280, 35283, 35363, 35366, 5367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35713, 35714, 35717, 35718, 35736, 35824, 358341040, 358350810, 358350670, 358360360, 358360380, 35841, 35886, 351040, 351140, 352680, 36010, 36012, 36015, 36017, 36080, 36082, 36085, 36087															
30 12	3/8" P	1.1 .043	45	61 PM3 45	—	—	—	—	—	—	—	—	—	—	—
			45	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—
		1.3 .050	47	—	63 PM3 47	63 PD3 47	—	63 PS3 47	—	63 PM 47	63 PS 47	—	—	—	—
35 14	3/8" P	1.1 .043	52	61 PM3 52	—	—	—	—	—	—	—	—	—	—	—
		1.3 .050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
40 16	3/8" P	1.1 .043	56	61 PM3 56	—	—	—	—	—	—	—	—	—	—	—
			56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—
		1.3 .050	58	—	63 PM3 58	63 PD3 58	—	63 PS3 58	—	63 PM 58	63 PS 58	—	—	—	—
45 18	3/8" P	1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—
3403, 3416, 3417, 3470, 3471, 3481															
35 14	3/8" P	1.3 .050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
34107 – ELECTRIC EZ TOOL-LESS CHAIN TENSIONING, 35081 – GAS EZ ADJUST BAR, 41 AZ 63 NQ 799															
40 16	3/8" P	1.3 .050	55	—	63 PM3 55	63 PD3 55	—	63 PS3 55	—	63 PM 55	63 PS 55	—	—	—	—
45 18	3/8" P	1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—
35020, 35119, 35120, 35121, 35492, 35607, 35624, 35624.2, 35628, 5633															
40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
35084, 41 AY 85 AR 799															
45 18	3/8" P	1.3 .050	66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
35145, 35212, 35483, 35608, 35609, 35690, 35721, 35727, 35728, 35826, 35829, 35851, 35881, 35885 ELECTRICS (1983 MODELS FORWARD), 35887, 35889															
38 15	3/8" P	1.3 .050	57	—	—	—	33 RM3 57	33 RS3 57	33 RD3 57	—	—	33 RM 57	33 RS 57	33 RSF 57	33 RSK 57
40 16	3/8" P	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8" P	1.3 .050	64	—	—	—	33 RM3 64	33 RS3 64	33 RD3 64	—	—	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	—	—	—	33 RM3 66	33 RS3 66	33 RD3 66	—	—	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8" P	1.3 .050	70	—	—	—	33 RM3 70	33 RS3 70	33 RD3 70	—	—	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8" P	1.3 .050	81	—	—	—	33 RM3 81	33 RS3 81	33 RD3 81	—	—	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8" P	1.3 .050	92	—	—	—	33 RM3 92	33 RS3 92	33 RD3 92	—	—	33 RM 92	33 RS 92	33 RSF 92	33 RSK 92
35507 PS															
40 16	3/8" P	1.3 .050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—



104 P, 180, 285 S, 300, 345, 350, 352, 352 S, 357, 360, E 305 AV															
35 14	3/8" P	1.3 .050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
			53	—	63 PM3 53	63 PD3 53	—	63 PS3 53	—	63 PM 53	63 PS 53	—	—	—	—
40 16	3/8" P	1.3 .050	57	—	63 PM3 57	63 PD3 57	—	63 PS3 57	—	63 PM 57	63 PS 57	—	—	—	—
			59	—	63 PM3 59	63 PD3 59	—	63 PS3 59	—	63 PM 59	63 PS 59	—	—	—	—
45 18	3/8" P	1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—
			63	—	63 PM3 63	63 PD3 63	—	63 PS3 63	—	63 PM 63	63 PS 63	—	—	—	—
360, 366, 377, 400, 415, 416, 446 S, 450, 451, 488, 488 S, 500															
33 13	.325	1.3 .050	56	—	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
45 18	.325	1.3 .050	72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
50 20	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
550, 575, 577															
33 13	3/8"	1.5 .058	52	—	—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—
38 15	3/8"	1.5 .058	56	—	—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—
40 16	3/8"	1.5 .058	60	—	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.5 .058	68	—	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.5 .058	72	—	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
60 24	3/8"	1.3 .050	84	—	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	—	35 RM 84	35 RS 84	—	—
71 28	3/8"	1.5 .058	92	—	—	—	—	—	—	—	—	35 RM 92	35 RS 92	—	—
680, 695, 757, 757 C, 757 W															
33 13	3/8"	1.5 .058	52	—	—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—
38 15	3/8"	1.5 .058	56	—	—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—
40 16	3/8"	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	68	—	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72	—	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
56 22	3/8"	1.6 .063	72	—	—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—
		1.3 .050	76	—	—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	—	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	—	35 RM 84	35 RS 84	—	—
71 28	3/8"	1.6 .063	84	—	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	36 RS 84	—	—
		1.3 .050	93	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
76 30	3/8"	1.5 .058	93	—	—	—	—	—	—	—	—	35 RM 93	35 RS 93	—	—
		1.6 .063	93	—	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	36 RS 93	—	—
81 32	3/8"	1.3 .050	98	—	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	—	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	36 RS 98	—	—
86 34	3/8"	1.3 .050	105	—	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	—	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	36 RS 105	—	—
84 33	3/8"	1.5 .058	110	—	—	—	—	—	—	—	—	35 RM 110	35 RS 110	—	—
91 36	3/8"	1.6 .063	115	—	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	36 RS 115	—	—
94 37	3/8"	1.5 .058	119	—	—	—	—	—	—	—	—	35 RM 119	35 RS 119	—	—
		1.6 .063	119	—	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	36 RS 119	—	—



				STIHL PICCO MicroMini3	STIHL PICCO Micro 3	STIHL PICCO Duro3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
603, 662, 667, 670, 680, 690, 694															
33 13	3/8"	1.5 .058	52	—	—	—	—	—	—	—	—	35 RM 52	35 RS 52	—	—
38 15	3/8"	1.5 .058	56	—	—	—	—	—	—	—	—	35 RM 56	35 RS 56	—	—
40 16	3/8"	1.3 .050	60	—	—	—	33 RM3 60	33 RS3 60	33 RD3 60	—	—	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	—	—	—	—	—	—	—	—	35 RM 60	35 RS 60	—	—
45 18	3/8"	1.3 .050	68	—	—	—	33 RM3 68	33 RS3 68	33 RD3 68	—	—	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	—	—	—	—	—	—	—	—	35 RM 68	35 RS 68	—	—
50 20	3/8"	1.3 .050	72	—	—	—	33 RM3 72	33 RS3 72	33 RD3 72	—	—	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	—	—	—	—	—	—	—	—	35 RM 72	35 RS 72	—	—
56 22	3/8"	1.6 .063	72	—	—	—	36 RM3 72	36 RS3 72	36 RD3 72	—	—	36 RM 72	36 RS 72	—	—
		1.3 .050	76	—	—	—	33 RM3 76	33 RS3 76	33 RD3 76	—	—	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	—	—	—	33 RM3 84	33 RS3 84	33 RD3 84	—	—	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	—	—	—	—	—	—	—	—	35 RM 84	35 RS 84	—	—
71 28	3/8"	1.6 .063	84	—	—	—	36 RM3 84	36 RS3 84	36 RD3 84	—	—	36 RM 84	36 RS 84	—	—
		1.3 .050	93	—	—	—	33 RM3 93	33 RS3 93	33 RD3 93	—	—	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
76 30	3/8"	1.5 .058	93	—	—	—	—	—	—	—	—	35 RM 93	35 RS 93	—	—
		1.6 .063	93	—	—	—	36 RM3 93	36 RS3 93	36 RD3 93	—	—	36 RM 93	36 RS 93	—	—
81 32	3/8"	1.3 .050	98	—	—	—	33 RM3 98	33 RS3 98	33 RD3 98	—	—	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	—	—	—	36 RM3 98	36 RS3 98	36 RD3 98	—	—	36 RM 98	36 RS 98	—	—
86 34	3/8"	1.3 .050	105	—	—	—	33 RM3 105	33 RS3 105	33 RD3 105	—	—	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	—	—	—	36 RM3 105	36 RS3 105	36 RD3 105	—	—	36 RM 105	36 RS 105	—	—
84 33	3/8"	1.5 .058	110	—	—	—	—	—	—	—	—	35 RM 110	35 RS 110	—	—
86 34	3/8"	1.6 .063	110	—	—	—	36 RM3 110	36 RS3 110	36 RD3 110	—	—	36 RM 110	36 RS 110	—	—
91 36	3/8"	1.6 .063	115	—	—	—	36 RM3 115	36 RS3 115	36 RD3 115	—	—	36 RM 115	36 RS 115	—	—
94 37	3/8"	1.5 .058	119	—	—	—	—	—	—	—	—	35 RM 119	35 RS 119	—	—
		1.6 .063	119	—	—	—	36 RM3 119	36 RS3 119	36 RD3 119	—	—	36 RM 119	36 RS 119	—	—
107 42	3/8"	1.6 .063	135	—	—	—	36 RM3 135	36 RS3 135	36 RD3 135	—	—	36 RM 135	36 RS 135	—	—
614, 631, 632, 634, 638, 639, 641, 644, 645, 647, 650, 651 SP, 654															
33 13	.325	1.3 .050	56	—	—	—	23 RM3 56	—	23 RD3 56	—	—	23 RM 56	23 RS 56	—	—
38 15	.325	1.3 .050	64	—	—	—	23 RM3 64	—	23 RD3 64	—	—	23 RM 64	23 RS 64	—	—
40 16	.325	1.3 .050	66	—	—	—	23 RM3 66	—	23 RD3 66	—	—	23 RM 66	23 RS 66	—	—
		1.5 .058	67	—	—	—	23 RM3 67	—	23 RD3 67	—	—	23 RM 67	23 RS 67	—	—
45 18	.325	1.5 .058	67	—	—	—	25 RM3 67	—	25 RD3 67	—	—	25 RM 67	25 RS 67	—	—
		1.3 .050	72	—	—	—	23 RM3 72	—	23 RD3 72	—	—	23 RM 72	23 RS 72	—	—
50 20	.325	1.5 .058	73	—	—	—	23 RM3 73	—	23 RD3 73	—	—	23 RM 73	23 RS 73	—	—
		1.5 .058	73	—	—	—	25 RM3 73	—	25 RD3 73	—	—	25 RM 73	25 RS 73	—	—
56 22	.325	1.3 .050	78	—	—	—	23 RM3 78	—	23 RD3 78	—	—	23 RM 78	23 RS 78	—	—
		1.5 .058	79	—	—	—	23 RM3 79	—	23 RD3 79	—	—	23 RM 79	23 RS 79	—	—
630, 633, 635, 636, 637, 640				—	—	—	25 RM3 79	—	25 RD3 79	—	—	25 RM 79	25 RS 79	—	—
630, 633, 635, 636, 637, 640															
30 12	3/8" P	1.3 .050	45	—	63 PM3 45	63 PD3 45	—	63 PS3 45	—	63 PM 45	63 PS 45	—	—	—	—
35 14	3/8" P	1.1 .043	52	61 PM3 52	—	—	—	—	—	—	—	—	—	—	—
		1.3 .050	52	—	63 PM3 52	63 PD3 52	—	63 PS3 52	—	63 PM 52	63 PS 52	—	—	—	—
40 16	3/8" P	1.3 .050	56	—	63 PM3 56	63 PD3 56	—	63 PS3 56	—	63 PM 56	63 PS 56	—	—	—	—
45 18	3/8" P	1.3 .050	62	—	63 PM3 62	63 PD3 62	—	63 PS3 62	—	63 PM 62	63 PS 62	—	—	—	—

								
	cm in.		mm in.	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Super 3	STIHL PICCO Micro	STIHL PICCO Super
TB 3516, TB 4516								
40 16	3/8" P	1.3 .050	55	63 PM3 55	63 PD3 55	63 PS3 55	63 PM 55	63 PS 55
TB 4016, TB 4218								
40 16	3/8" P	1.3 .050	54	63 PM3 54	63 PD3 54	63 PS3 54	63 PM 54	63 PS 54
45 18	3/8" P	1.3 .050	60	63 PM3 60	63 PD3 60	63 PS3 60	63 PM 60	63 PS 60
TB 4620, TB 4920, TB 5020								
50 20	.325	1.3 .050	78	—	—	—	—	—
TB 5018								
45 18	.325	1.3 .050	72	—	—	—	—	—





mm in.	m ft		

STIHL PICCO MICRO

$\frac{3}{8}$ " P	1.3 .050	30.4 100	63 PMX	3614 000 1640
			63 PMY	3615 000 1640
			63 PM	3613 000 1640

STIHL PICCO MICRO 3

.325"	1.3 .050	30.4 100	23 RM3 Pro	3695 000 1840
$\frac{1}{2}$ " P	1.1 .043	30.4 100	71 PM3	3670 000 2400
$\frac{3}{8}$ " P	1.1 .043	30.4 100	61 PM3	3610 000 1640
	1.3 .050	30.4 100	63 PM3	3636 000 1640

STIHL PICCO SUPER

$\frac{3}{8}$ " P	1.1 .043	30.4 100	61 PS Pro	3698 000 1640
$\frac{3}{8}$ " P	1.3 .050	30.4 100	63 PS	3617 000 1640

STIHL PICCO SUPER 3

$\frac{3}{8}$ " P	1.1 .043	30.4 100	63 PS3 Pro	3699 000 1640
$\frac{3}{8}$ " P	1.3 .050	30.4 100	63 PS3	3616 000 1640

STIHL RAPID MICRO

.325"	1.3 .050	30.4 100	23 RM Pro	3693 000 1840
$\frac{1}{2}$ "	1.3 .050	30.4 100	13 RM	3660 000 2400
			13 RMS	3661 000 2400

$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RM	3650 000 1640
		30.4 100	33 RMF	3654 000 1640
	1.5 .058	30.4 100	35 RM	3651 000 1640
	1.6 .063	30.4 100	36 RM	3652 000 1640
		30.4 100	36 RMX	3653 000 1640

.325	1.3 .050	30.4 100	23 RM	3684 000 1840
	1.5 .058	30.4 100	25 RM	3685 000 1840
	1.6 .063	30.4 100	26 RM	3686 000 1840

.404	1.6 .063	30.4 100	46 RM	3668 000 1480
			46 RMF	3671 000 1480
			46 RMX	3670 000 1480
			46 RML	3672 000 1480

STIHL RAPID MICRO 3

$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RM3	3662 000 1640
	1.6 .063	30.4 100	36 RM3	3664 000 1640

.325	1.3 .050	30.4 100	23 RM3	3687 000 1840
	1.5 .058	30.4 100	25 RM3	3688 000 1840
	1.6 .063	30.4 100	26 RM3	3689 000 1840

STIHL RAPID SUPER

$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RS	3623 000 1640
			33 RSF	3676 000 1640
			33 RSK	3874 000 1640
			33 RSL	3679 000 1640
			33 RSLF	3672 000 1640
			33 RSLH	3674 000 1640
	1.5 .058	30.4 100	35 RS	3622 000 1640
			35 RSF	3677 000 1640
	1.6 .063	30.4 100	36 RS	3621 000 1640
			36 RSF	3678 000 1640
			36 RSK	3898 000 1640
			36 RSL	3680 000 1640
			36 RSLF	3673 000 1640
			36 RSLH	3675 000 1640



mm in.	m ft		

.325	1.3 .050	30.4 100	23 RS	3637 000 1840
	1.3 .050	30.4 100	23 RS Pro	3690 000 1840
	1.5 .058	30.4 100	25 RS	3638 000 1840
	1.6 .063	30.4 100	26 RS	3639 000 1840

.404	1.5 .058	30.4 100	45 RSF	3924 000 1480
	1.6 .063	30.4 100	46 RS	3946 000 1480
			46 RSF	3911 000 1480
			46 RSK	3846 000 1480
			46 RSLF	3851 000 1480

STIHL RAPID SUPER 3

.325"	1.3 .050	30.4 100	23 RS3 Pro	3694 000 1840
$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RS3	3624 000 1640
	1.6 .063	30.4 100	36 RS3	3626 000 1640

STIHL PICCO DURO 3

$\frac{3}{8}$ " P	1.3 .050	30.4 100	63 PD3	3612 000 1640
		7.6 25	63 PD3	3612 000 0410

STIHL RAPID DURO 3

$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RD3	3681 000 1640
	1.5 .058	30.4 100	35 RD3	3682 000 1640
	1.6 .063	30.4 100	36 RD3	3683 000 1640

.325	1.3 .050	30.4 100	23 RD3	3665 000 1840
	1.3 .050	30.4 100	23 RD3 Pro	3696 000 1840
	1.5 .058	30.4 100	25 RD3	3666 000 1840
	1.6 .063	30.4 100	26 RD3	3667 000 1840

$\frac{3}{8}$ "	1.3 .050	7.6 25	33 RD3	3681 000 0410
	1.5 .058	7.6 25	35 RD3	3682 000 0410
	1.6 .063	7.6 25	36 RD3	3683 000 0410
.325	1.3 .050	7.6 25	23 RD3	3665 000 0460
	1.5 .058	7.6 25	25 RD3	3666 000 0460
	1.6 .063	7.6 25	26 RD3	3667 000 0460

STIHL RAPID HEXA

$\frac{3}{8}$ " P	1.3 .050	30.4 100	33 RH	3133 000 1640
	1.6 .063	30.4 100	36 RH	3132 000 1640

STIHL RAPID HEXA 3

$\frac{3}{8}$ "	1.3 .050	30.4 100	33 RH3	3135 000 1640
	1.6 .063	30.4 100	36 RH3	3134 000 1640

STIHL RAPID HEXA F

$\frac{3}{8}$ " P	1.3 .050	30.4 100	33 RHF	3137 000 1640
	1.6 .063	30.4 100	36 RHF	3136 000 1640

STIHL RAPID CHIPPER


.404	1.6 .063	30.4 100	46 RCK	3812 000 1480
			46 RCX	3958 000 1480
			46 RCXK	3895 000 1480



mm in.										
STIHL PICCO MICRO										
3/8" P	1.3 .050	63 PM	3636 007 1000	3636 007 1001	—	3997 660 6020	—	—	3997 662 1050	—
		63 PMX	3614 007 1000	3614 007 1001	—	3997 660 6020	—	—	3997 662 1050	—
		63 PMY	3636 007 1000	3636 007 1001	—	3997 660 6020	—	—	3997 662 1050	—
STIHL PICCO MICRO 3										
1/4" P	1.1 .043	71 PM3	3669 007 1000	3669 007 1001	—	—	3669 660 6000	—	3669 662 1050	3669 662 1150
3/8" P	1.1 .043	61 PM3	3610 007 1000	3610 007 1001	—	3610 660 6000	—	—	3610 662 1050	3610 662 1150
	1.3 .050	63 PM3	3636 007 1000	3636 007 1001	—	3997 660 6020	—	—	3997 662 1050	3636 662 1150
STIHL PICCO SUPER										
3/8" P	1.1 .043	61 PS Pro	3698 007 1000	3698 007 1001	—	3610 660 6000	—	—	3610 662 1050	—
	1.3 .050	63 PS	3616 007 1000	3616 007 1001	—	3997 660 6020	—	—	3997 662 1050	—
STIHL PICCO SUPER 3										
3/8" P	1.1 .043	61 PS3 Pro	3698 007 1000	3698 007 1001	—	3610 660 6000	—	—	3610 662 1050	—
	1.3 .050	63 PS3	3616 007 1000	3616 007 1001	—	3997 660 6020	—	—	3997 662 1050	3636 662 1150
STIHL RAPID MICRO										
1/4"	1.3 .050	13 RM	3660 007 1000	3660 007 1001	—	—	3660 660 6000	—	3660 662 1050	—
		13 RMS	3661 007 1000	3661 007 1001	—	—	3660 660 6000	—	3660 662 1050	—
3/8"	1.3 .050	33 RM	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RMF	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
	1.5 .058	35 RM	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3844 662 1050	—
		36 RM	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
	1.6 .063	36 RMX	3653 007 1000	3653 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
.325	1.3 .050	23 RM	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3862 662 1050	—
	1.3 .050	23 RM Pro	3693 007 1000	3693 007 1001	3690 660 6000	—	—	—	3690 662 1050	—
	1.5 .058	25 RM	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3863 662 1050	—
	1.6 .063	26 RM	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3603 662 1050	—
.404	1.6 .063	46 RM	3668 007 1000	3668 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RMF	3668 007 1000	3668 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RMX	3860 007 1000	3860 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RMX	3838 007 1000	3838 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
STIHL RAPID MICRO 3										
3/8"	1.3 .050	33 RM3	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3833 662 1050	3624 662 1150
	1.6 .063	36 RM3	3652 007 1000	3652 007 1001	—	3824 660 6020	—	—	3725 662 1050	3626 662 1150
.325	1.3 .050	23 RM3	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3862 662 1050	3632 662 1150
	1.3 .050	23 RM3 Pro	3693 007 1000	3693 007 1001	3690 660 6000	—	—	—	3690 662 1050	—
	1.5 .058	25 RM3	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3863 662 1050	3633 662 1150
	1.6 .063	26 RM3	3686 007 1000	3686 007 1001	3686 660 6000	—	—	—	3603 662 1050	3634 662 1150
STIHL RAPID SUPER										
3/8"	1.3 .050	33 RS	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RSF	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RSK	3898 007 1000	3898 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RSL	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RSLF	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
		33 RSLH	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3833 662 1050	—
	1.5 .058	35 RS	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3844 662 1050	—
		35 RSF	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3844 662 1050	—
		36 RS	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
	1.6 .063	36 RSF	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
		36 RSK	3898 007 1000	3898 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
		36 RSL	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
.325	1.3 .050	36 RSLF	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
		36 RSLH	3673 007 1000	3673 007 1001	—	3824 660 6020	—	—	3725 662 1050	—
		23 RS	3639 007 1000	3639 007 1001	3686 660 6000	—	—	—	3862 662 1050	—
		23 RS Pro	3690 007 1000	3690 007 1001	3690 660 6000	—	—	—	3690 662 1050	—
.404	1.5 .058	25 RS	3639 007 1000	3639 007 1001	3686 660 6000	—	—	—	3863 662 1050	—
	1.6 .063	26 RS	3639 007 1000	3639 007 1001	3686 660 6000	—	—	—	3603 662 1050	—




										
	mm in.									
.404	1.5 .058	45 RSF	3946 007 1000	3946 007 1001	3812 660 6020	—	—	—	3836 662 1050	—
		46 RS	3946 007 1000	3946 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
	1.6 .063	46 RSF	3946 007 1000	3946 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RSK	3846 007 1000	3846 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RSLF	3877 007 1000	3877 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
STIHL RAPID SUPER 3										
.325	1.3 .050	23 RS3 Pro	3690 007 1000	3690 007 1001	3690 660 6000	—	—	—	3690 662 1050	—
3/8"	1.3 .050	33 RS3	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3833 662 1050	3624 662 1150
	1.6 .063	36 RS3	3621 007 1000	3621 007 1001	—	3824 660 6020	—	—	3725 662 1050	3626 662 1150
STIHL PICCO DURO 3										
3/8" P	1.3 .050	63 PD3	3612 007 1000	3612 007 1001	—	3997 660 6020	—	—	3997 662 1050	3636 662 1150
STIHL RAPID DURO										
3/8"	1.6 .063	36 RDR	3944 007 1000	3944 007 1001	—	3824 660 6020	—	3944 662 5300	3725 662 1050	—
STIHL RAPID DURO 3										
3/8"	1.3 .050	33 RD3	3683 007 1000	3683 007 1001	—	3824 660 6020	—	—	3833 662 1050	3624 662 1150
	1.5 .058	35 RD3	3683 007 1000	3683 007 1001	—	3824 660 6020	—	—	3844 662 1050	3625 662 1150
	1.6 .063	36 RD3	3683 007 1000	3683 007 1001	—	3824 660 6020	—	—	3725 662 1050	3626 662 1150
.325	1.3 .050	23 RD3	3667 007 1000	3667 007 1001	3686 660 6000	—	—	—	3862 662 1050	3632 662 1150
	1.3 .050	23 RD3 Pro	3696 007 1000	3696 007 1001	3690 660 6000	—	—	—	3690 662 1050	—
	1.5 .058	25 RD3	3667 007 1000	3667 007 1001	3686 660 6000	—	—	—	3863 662 1050	3633 662 1150
	1.6 .063	26 RD3	3667 007 1000	3667 007 1001	3686 660 6000	—	—	—	3603 662 1050	3634 662 1150
STIHL RAPID CHIPPER										
.404	1.6 .063	46 RC	3812 007 1000	3812 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RCX	3958 007 1000	3958 007 1001	3812 660 6020	—	—	—	3712 662 1050	—
		46 RCXK	3895 007 1000	3895 007 1001	3812 660 6020	—	—	—	3712 662 1050	—



ROLLOMATIC E

		cm in.	mm in.					
30 12	1/4"	1.3 .050	3005 000 6405	13	—	3005 650 9904	0000 974 0421	
	3/8" P	1.3 .050	3005 000 4805	9	—	3005 650 9903	0000 974 0421	
32 13	.325	1.5 .058	3003 000 5006	11	—	3003 650 9927	0000 974 0420	
		1.6 .063	3003 000 5306	11	—	3003 650 9926	0000 974 0420	
	3/8"	1.6 .063	3003 000 6106	10	—	3003 650 9922	0000 974 0420	
	3/8" P	1.3 .050	3003 000 6306	9	—	3005 650 9903	0000 974 0421	
35 14	.325	1.5 .058	3005 000 5009	11	—	3003 650 9927	0000 974 0420	
		1.6 .063	3005 000 4709	11	—	3003 650 9926	0000 974 0420	
	1/4"	1.3 .050	3005 000 6409	13	—	3005 650 9904	0000 974 0421	
	3/8" P	1.3 .050	3005 000 4809	9	—	3005 650 9903	0000 974 0421	
37 15	.325	1.5 .058	3003 000 5011	11	—	3003 650 9927	0000 974 0420	
		1.6 .063	3003 000 6811	11	—	3003 650 9926	0000 974 0420	
		1.6 .063	3003 000 5211	11	—	3003 650 9935	0000 974 0420	
		1.6 .063	3003 000 6111	10	—	3003 650 9922	0000 974 0420	
40 16		1.3 .050	3003 000 6613	11	—	3003 650 9940	0000 974 0420	
	.325		3005 000 7013	11	—	3003 650 9940	0000 974 0420	
		1.6 .063	3003 000 6813	11	—	3003 650 9926	0000 974 0420	
			3005 008 4713	11	—	3003 650 9926	0000 974 0420	
	1/4"	1.3 .050	3005 000 6413	13	—	3005 650 9904	0000 974 0421	
		1.3 .050	3003 000 7813	11	—	3003 650 9938	0000 974 0420	
	3/8"		3003 000 8913	10	—	3003 650 9928	0000 974 0420	
		1.6 .063	3003 000 5213	11	—	3003 650 9935	0000 974 0420	
			3003 000 6113	10	—	3003 650 9922	0000 974 0420	
	3/8" P	1.3 .050	3003 000 6313	9	—	3005 650 9903	0000 974 0421	
45 18			3005 008 4813	9	—	3005 650 9903	0000 974 0421	
		1.3 .050	3003 000 6617	11	—	3003 650 9940	0000 974 0420	
	.325		3005 008 7017	11	—	3003 650 9940	0000 974 0420	
		1.6 .063	3003 008 6817	11	—	3003 650 9926	0000 974 0420	
			3005 008 4717	11	—	3003 650 9926	0000 974 0420	
		1.3 .050	3003 000 7817	11	—	3003 650 9938	0000 974 0420	
	3/8"		3003 000 8917	10	—	3003 650 9928	0000 974 0420	
		1.6 .063	3003 000 5217	11	—	3003 650 9935	0000 974 0420	
			3003 008 6117	10	—	3003 650 9922	0000 974 0420	
	3/8" P	1.3 .050	3003 000 6317	9	—	3005 650 9903	0000 974 0421	
50 20			3005 000 4817	9	—	3005 650 9903	0000 974 0421	
	.325	1.3 .050	3003 008 6621	11	—	3003 650 9940	0000 974 0420	
		1.6 .063	3003 008 6821	11	—	3003 650 9926	0000 974 0420	
		1.3 .050	3003 000 7821	11	—	3003 650 9938	0000 974 0420	
	3/8"		3003 000 8921	10	—	3003 650 9928	0000 974 0420	
		1.6 .063	3003 000 5221	11	—	3003 650 9935	0000 974 0420	
63 25			3003 008 6121	10	—	3003 650 9922	0000 974 0420	
	3/8"	1.3 .050	3003 000 7831	11	—	3003 650 9938	0000 974 0420	
		1.6 .063	3003 000 5231	11	—	3003 650 9935	0000 974 0420	

**ROLLOMATIC ES**

40 16	$\frac{3}{8}$ "	1.3 .050	3003 000 8813	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 9413	11	3003 650 2551	—	0000 974 0503
43 17	.404	1.6 .063	3002 000 9715	12	3003 650 2538	—	0000 974 0503
45 18	$\frac{3}{8}$ "	1.3 .050	3003 000 8817	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 9417	11	3003 650 2551	—	0000 974 0503
50 20	.404	1.6 .063	3003 000 9721	12	3003 650 2538	—	0000 974 0503
		1.3 .050	3003 000 2221	11	—	3003 650 2551	0000 974 0503
		1.3 .050	3003 000 8822	11	3003 650 2551	—	0000 974 0503
	$\frac{3}{8}$ "	1.6 .063	3003 000 2021	11	—	3003 650 2551	0000 974 0503
		1.6 .063	3003 000 9421	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 9821	13	3003 650 2539	—	0000 974 0503
53 21	$\frac{3}{8}$ "	1.6 .063	3002 000 9723	12	3003 650 2538	—	0000 974 0503
		1.6 .063	3002 000 9123	10	—	3003 650 9922	0000 974 0420
55 22	$\frac{3}{8}$ "	1.6 .063	3003 000 9425	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3002 000 9731	12	3003 650 2538	—	0000 974 0503
63 25	.404	1.6 .063	3003 000 9731	12	3003 650 2538	—	0000 974 0503
		1.3 .050	3003 000 2231	11	—	3003 650 2551	0000 974 0503
	$\frac{3}{8}$ "	1.3 .050	3003 000 8830	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 2031	11	—	3003 650 2551	0000 974 0503
71 28	$\frac{3}{8}$ "	1.3 .050	3003 000 2238	11	3003 650 2551	—	0000 974 0503
		1.3 .050	3003 000 8838	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 2038	11	—	3003 650 2551	0000 974 0503
		1.6 .063	3003 000 6038	11	3003 650 2551	—	0000 974 0503
75 30	$\frac{3}{8}$ "	1.6 .063	3002 000 9741	12	3003 650 2538	—	0000 974 0503
		1.6 .063	3003 000 6041	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 9842	13	3003 650 2539	—	0000 974 0503
80 32	.404	1.6 .063	3003 000 7346	10	3003 650 2555	—	0000 974 0503
		1.3 .050	3003 000 2246	11	3003 650 2551	—	0000 974 0503
	$\frac{3}{8}$ "	1.3 .050	3003 000 8846	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 2046	11	—	3003 650 2551	0000 974 0503
		1.6 .063	3003 000 6046	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3002 000 9753	12	3003 650 2538	—	0000 974 0503
90 36	.404	1.6 .063	3003 000 7353	10	3003 650 2555	—	0000 974 0503
		1.3 .050	3003 000 2253	11	3003 650 2551	—	0000 974 0503
		1.3 .050	3003 000 8853	11	3003 650 2551	—	0000 974 0503
	$\frac{3}{8}$ "	1.3 .050	3003 000 2053	11	—	3003 650 2551	0000 974 0503
		1.6 .063	3003 000 6053	11	3003 650 2551	—	0000 974 0503
		1.6 .063	3003 000 9852	13	3003 650 2539	—	0000 974 0503
		1.6 .063	3003 000 9853	13	3003 650 2539	—	0000 974 0503
		1.6 .063	3002 000 9757	12	3003 650 2538	—	0000 974 0503
		1.6 .063	3002 000 9576	12	3003 650 2538	—	0000 974 0503

ROLLOMATIC ES LIGHT

30 12	$\frac{3}{8}$ " P	1.3 .050	3005 000 7405	9	—	3005 650 9903	0000 974 0421
35 14	$\frac{3}{8}$ " P	1.3 .050	3005 000 7409	9	—	3005 650 9903	0000 974 0421
40 16	$\frac{3}{8}$ " P	1.3 .050	3005 000 7413	9	—	3005 650 9903	0000 974 0421

