



**EGO**™

**POWER BEYOND BELIEF™**

**2026 PRODUCT CATALOG**



POWER BEYOND BELIEF™

# TABLE OF CONTENTS

EGO Power+ Batteries & Chargers	4	EGO Power+ Auger	44
EGO Power+ Riding Mower	6	EGO Power+ Inflator	46
EGO Power+ Mower	12	EGO Power+ Cleaning	47
EGO Power+ String Trimmer	20	EGO Power+ Lifestyle	52
EGO Power+ Blower	24	EGO Power+ Sprayer	57
EGO Power+ Leaf Vacuum	28	EGO Power+ Mini Bike	59
EGO Power+ Multi-Head	30	EGO Power+ Portable Power	61
EGO Power+ Chain Saw	36	EGO Power+ Snowblower	64
EGO Power+ Pole Saw	40	EGO Power+ Accessories	74
EGO Power+ Hedge Trimmer	42	<b>EGO</b> ™ COMMERCIAL	89

**ARC LITHIUM 56V**

**POWERS 100+ TOOLS**

## WARRANTY INFORMATION

Please find detailed warranty policy terms at [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy)

# #1 RATED BRAND

IN CORDLESS OUTDOOR POWER

## #1 RATED BRAND\*

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

## POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceed the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer runtimes, and industry-leading recharge times.

## INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium™ technology is the most advanced in the outdoor power equipment industry with its shock-resistant design, intelligent power management, innovative ARC-shaped design, and keep-cool cell technology.

## INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as the world's first LINE IQ™ technology, world's first platform-compatible zero-turn riding mower, and world's first auto tensioning technology.

\*Best rated suite of products 2020-2025, plus more top ratings for more cordless outdoor power products than any other major brand from 2014-2025, as tested and rated by a leading non-profit rating organization.



# INDUSTRY'S MOST ADVANCED TECHNOLOGY

ARC LITHIUM 56V

## BETTER PERFORMANCE IS BUILT IN


No matter which EGO battery you choose, you'll get:

- Shock-resistant design that protects from drops and elements
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A 3-year limited warranty; 5-year limited warranty for BA5600T, BA6720T, BA4480X with registration, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details

## FROM EMPTY TO FULLY CHARGED, IN AS LITTLE AS 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, EGO chargers are among the fastest on the market. Their intelligent battery control system constantly monitors each cell's charge and temperature to deliver the quickest, most efficient charge. Plus, the fan-cooling system allows the battery to start charging sooner and finish faster.

As a result, the time it takes to recharge the battery is often less than the runtime you get from a full charge. So you'll always have a battery ready for all-day power and runtime.



## VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of **ENERGY(Wh)** and **POWER(W)**

$$\text{CAPACITY (Ah)} \times \text{VOLTAGE (V)} = \text{ENERGY (Wh)}$$

$$\text{VOLTAGE (V)} \times \text{CURRENT (A)} = \text{POWER (W)}$$

## BATTERIES

<b>BA1400T</b> 2.5Ah BATTERY 140Wh	<b>BA2242T</b> 4.0Ah BATTERY 224Wh	<b>BA2800T</b> 5.0Ah BATTERY 280Wh	<b>BA3360T</b> 6.0Ah BATTERY 336Wh	<b>BA4200T</b> 7.5Ah BATTERY 420Wh	<b>BA4480T</b> 8.0Ah BATTERY 448Wh	<b>BA4480X</b> 8.0Ah Battery 448Wh	<b>BA5600T</b> 10.0Ah BATTERY 560Wh	<b>BA6720T</b> 12.0Ah BATTERY 672Wh
		<b>BA2800T-2</b> 5.0Ah BATTERY 2-Pack (560Wh total)				<b>NEW</b>		<b>BA6720T-2</b> 12.0Ah BATTERY 2-Pack (1,344Wh total)

## CHARGERS

<b>CH2100</b> 210W STANDARD CHARGER	<b>CH28000</b> 280W x2 DUAL PORT CHARGER	<b>CH3200</b> 320W CHARGER	<b>CH5500</b> 550W RAPID CHARGER	<b>CH7000T</b> 700W TURBO CHARGER

	BA1400T	BA2242T	BA2800T	BA3360T	BA4200T	BA4480T	BA4480X	BA5600T	BA6720T
<b>BATTERY</b>	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	8.0Ah	8.0Ah	10.0Ah	12.0Ah
<b>CAPACITY</b>	140Wh	224Wh	280Wh	336Wh	420Wh	448Wh	448Wh	560Wh	672Wh
<b>CHARGE TIMES</b>	<b>CH2100</b>	50 MINUTES	80 MINUTES	100 MINUTES	120 MINUTES	145 MINUTES	160 MINUTES	160 MINUTES	230 MINUTES
	<b>CH28000</b>	40 MINS (2 BATTERIES)	60 MINS (2 BATTERIES)	80 MINS (2 BATTERIES)	90 MINS (2 BATTERIES)	120 MINS (2 BATTERIES)	130 MINS (2 BATTERIES)	130 MINS (2 BATTERIES)	180 MINS (2 BATTERIES)
	<b>CH3200</b>	35 MINUTES	55 MINUTES	70 MINUTES	80 MINUTES	100 MINUTES	105 MINUTES	105 MINUTES	160 MINUTES
	<b>CH5500</b>	30 MINUTES	30 MINUTES	40 MINUTES	45 MINUTES	60 MINUTES	65 MINUTES	65 MINUTES	70 MINUTES
	<b>CH7000T*</b>	30 MINUTES	25 MINUTES	30 MINUTES	35 MINUTES	45 MINUTES	50 MINUTES	50 MINUTES	75 MINUTES
<b>WEIGHT</b>	2.8 LBS	4.8 LBS	4.9 LBS	6.4 LBS	6.3 LBS	6.6 LBS	6.6 LBS	7.7 LBS	8.0 LBS
<b>LIMITED WARRANTY</b>	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	5 YEARS*	5 YEARS*	5 YEARS*

\*CH7000T with 10T.  
\*With Registration, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details.

### ACA1000 CHARGING ADAPTOR



### BH1001 BACKPACK LINK



### CHU6001 6-PORT MOBILE CHARGING CASE AND CHARGING ADAPTOR KIT



### CHV1600 Z6 ZERO TURN RIDING MOWER CHARGER



### SKA2800T 5.0AH BATTERY AND 210W STANDARD CHARGER KIT






# INNOVATION AT EVERY TURN

**ZT4215S**  
POWER+ 42" Z6 ZERO TURN MOWER  
WITH E-STEER™ TECHNOLOGY

**24** HORSE-POWER EQUIVALENT

**2** ACRES CUT PER CHARGE



(2) 10.0Ah BATTERIES + (4) 6.0Ah BATTERIES & 800W CHARGER



COLOR SCREEN INTERFACE  
NEW ENHANCED UI EXPERIENCE



**NEW**

CUTTING HEIGHT ADJUSTMENTS  
1.5" - 4.5"

PEAK POWER+ TECHNOLOGY  
WITH A NEW IPX5 RATED BMS & BATTERY TRAY

18" HIGH BACK SEAT  
WITH DUAL SPRING SUSPENSION

NEW FRONT FRAME  
HIGH INTENSITY LED LIGHTS

NOISE REDUCTION  
GEARBOX AND DECK

WIDE FRAME DESIGN PROVIDES  
EXCEPTIONAL BALANCE FOR SLOPES  
AND MAX SPEED OF 8 MPH

DUAL-BLADE CUTTING SYSTEM  
DELIVERS THE EQUIVALENT OF 24 HP

**ONE BATTERY POWERS  
100+ TOOLS**



**PEAK  
POWER  
TECHNOLOGY** COMBINES THE  
POWER OF  
TWO OR MORE  
EGO ARC LITHIUM™  
BATTERIES

**ZT5216L**  
POWER+ 52" Z6 ZERO TURN RIDING MOWER

**27** HORSE-POWER EQUIVALENT

**3** ACRES CUT PER CHARGE



(6) 10.0Ah BATTERIES & 800W CHARGER



COLOR SCREEN INTERFACE  
NEW ENHANCED UI EXPERIENCE

CUTTING HEIGHT ADJUSTMENTS  
1.5" - 4.5"



**NEW**

PEAK POWER+ TECHNOLOGY  
WITH A NEW IPX5 RATED BMS & BATTERY TRAY

18" HIGH BACK SEAT  
WITH DUAL SPRING SUSPENSION

WIDE FRAME DESIGN  
PROVIDES EXCEPTIONAL  
BALANCE FOR SLOPES AND  
MAX SPEED OF 8 MPH

NOISE REDUCTION  
GEARBOX AND DECK

NEW FRONT FRAME  
HIGH INTENSITY LED LIGHTS AND  
IMPROVED IPX RATING

TRI-BLADE CUTTING SYSTEM  
DELIVERS THE EQUIVALENT OF 27 HP

**ZT4214L**  
POWER+ 42" Z6 ZERO TURN RIDING MOWER

**24** HORSE-POWER EQUIVALENT

**1.5** ACRES CUT PER CHARGE



(6) 6.0Ah BATTERIES & 800W CHARGER



**NEW**

	ZT5216L	ZT4215S	ZT4214L
BATTERY / CHARGER	(6) 10.0Ah / 800W	(2) 10.0Ah & (4) 6.0Ah / 800W	(6) 6.0Ah / 800W
HORSEPOWER	27 HP	24 HP	24 HP
WATTS / WH	26,880 / 3,360	22,400 / 2,464	20,160 / 2,016
DECK WIDTH	52 INCH FABRICATED	42 INCH STAMPED	42 INCH STAMPED
CUT AREA	UP TO 3 ACRES	UP TO 2 ACRES	UP TO 1.5 ACRES
CUT HEIGHTS	10: 1.5-4.5"	10: 1.5-4.5"	10: 1.5-4.5"
STEERING	LAP BARS	E-STEER™	LAP BARS
WEATHER RESISTANCE RATING	IPX5	IPX5	IPX5
LIMITED WARRANTY	5-YEAR OR 300 HOURS TOOL 5-YEAR BATTERY*	5-YEAR OR 300 HOURS TOOL 5-YEAR 10.0Ah BATTERY* 3-YEAR 6.0Ah BATTERY	5-YEAR OR 300 HOURS TOOL 3-YEAR BATTERY*

\*With registration, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details



POWER+ RIDING MOWER

TR4204

POWER+ 42" T6 LAWN TRACTOR

21 HORSE-POWER EQUIVALENT

1.5 ACRES CUT PER CHARGE



(6) 6.0Ah BATTERIES & 700W CHARGER



CUSTOMIZE YOUR RIDE WITH DIGITAL DISPLAY INCLUDING:  
3 BLADE SETTINGS,  
3 DRIVE SPEEDS,  
CRUISE CONTROL



CONVENIENT BUILT-IN TOOL STORAGE

LED LIGHTS

ADJUSTABLE 15" HIGH BACK CUSHIONED SEAT

LARGE 20" x 10" REAR WHEEL FOR TRACTION

DUAL BRUSHLESS CUTTING MOTORS


42" 12-GAUGE STAMPED STEEL CUTTING DECK

STEEL BUMPER PROTECTS FROM LOW-SPEED IMPACTS

**PEAK POWER TECHNOLOGY**

COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

BATTERY / CHARGER	(6) 6.0Ah / 700W*
HORSEPOWER	21 HP
WATTS / WH	20,160 / 2,016
DECK WIDTH	42 INCH STAMPED
CUT AREA	UP TO 1.5 ACRES
CUT HEIGHTS	12: 1.5-4.5"
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY



# EXCEEDS THE POWER OF GAS



**YOU'VE NEVER SEEN  
BATTERY POWER LIKE THIS**

**LM3004SP-2**  
**POWER+ 1300 SERIES MOWER**  
**30" SUPER COMPOSITE**  
**DECK DUAL MOTOR MOWER**

**13.2**  
FT-LBS  
MAX TORQUE

**75**  
MINUTES  
RUNTIME



(2) 6.0Ah BATTERY &  
560W DUAL-PORT CHARGER

**PEAK**<sup>TM</sup>  
**POWER**  
**TECHNOLOGY**

PEAK POWER DUAL PORT  
TWO BATTERIES FOR  
LONGER RUNTIMES

**NEW**

TOUCH DRIVE  
SPEED CONTROL AT  
A TOUCH OF A PALM

HIGH EFFICIENCY BRUSHLESS MOTORS  
DUAL MOTORS DELIVER MORE  
TORQUE THAN A 200 CC ENGINE

NO BELTS  
WIDE DECK GAS  
MOWERS HAVE BELTS  
TO REPLACE - NO BELTS  
TO REPLACE HERE

LIGHTWEIGHT  
LIGHTEST MOWER IN ITS CLASS

DUAL BLADE CUTTING SYSTEM  
MULCH, BAG OR SIDE  
DISCHARGE WITH  
DUAL BLADE CUTTING SYSTEM



FOLDS IN SECONDS FOR CONVENIENT  
STORAGE AND EASY CLEANING

Additional SKU Configurations:  
LM3000SP Battery and charger not included.

## LM2206SP

**POWER+ 1100 SERIES MOWER**  
**22" ALUMINUM DECK SELECT CUT™ SELF-PROPELLED WITH 10.0Ah BATTERY AND 700W TURBO CHARGER**

**11.1**  
FT-LBS  
 MAX TORQUE

**70**  
 MINUTES RUNTIME

10.0Ah BATTERY & 700 WATT CHARGER

SELECT BLADE SPEED (ECO, NORMAL, TURBO), MONITOR BATTERY STATUS, AND TURN HEADLIGHTS ON/OFF WITH LED CONTROLS



ALUMINUM HANDLES

LED HEADLIGHTS FOR CUTTING IN LOW LIGHT CONDITIONS

2.5 BUSHEL BAG SPILL-FREE DESIGN FOR EASY REMOVAL

**SELECT CUT X**  
 MULTI-BLADE SYSTEM

22" CAST ALUMINUM DECK WITH LIFETIME WARRANTY RESISTS DENTS AND RUST

PREMIUM BRUSHLESS MOTOR

DUAL-LEVER, 8-POINT HEIGHT ADJUSTMENT

FOLDS IN SECONDS FOR CONVENIENT STORAGE AND EASY CLEANING



Additional SKU Configurations:  
 LM2200SP Battery and charger not included.

## LM2244SP-2

**POWER+ 1000 SERIES MOWER**  
**22" SUPER COMPOSITE DECK SELECT CUT™ SYSTEM WITH PEAK POWER AND TOUCH DRIVE™ SELF-PROPELLED, TWO 6.0Ah BATTERIES AND 560W DUAL-PORT CHARGER**

**10.6**  
FT-LBS  
 TORQUE

**90**  
 MINUTES RUNTIME

(2) 6.0Ah BATTERIES & 560W CHARGER

LCD DISPLAY INFO AT YOUR FINGERTIPS

BLADE SPEED ADJUSTMENT FOR OPTIMAL PERFORMANCE AND RESULTS

TOUCH DRIVE 2.0 OPTIMIZED ERGONOMICS

REDESIGNED HANDLES FOR ADDED STRENGTH AND EASY FOLDING

**PEAK POWER**  
 TECHNOLOGY

HIGH EFFICIENCY BRUSHLESS MOTOR DELIVERS MORE POWER AND RPM

SUPER COMPOSITE DECK WITH 10 YEAR WARRANTY BETTER STRENGTH DECK ALLOWS FOR HIGHER BLADE SPEEDS FOR BETTER CUT QUALITY

PRECISION MULCH CONTROL FOR ADDED CUSTOMIZATION AND BETTER CUT QUALITY

**SELECT CUT X**  
 MULTI-BLADE SYSTEM

FOLDS IN SECONDS FOR CONVENIENT STORAGE AND EASY CLEANING



Additional SKU Configurations:  
 LM2240SP Battery and charger not included.

**LM3004SP-2**

**POWER+ 1300 SERIES MOWER**  
30" SUPER COMPOSITE DECK DUAL MOTOR MOWER,  
TWO 6.0Ah BATTERIES AND 560W DUAL-PORT CHARGER



**PEAK  
POWER  
TECHNOLOGY**

**NEW**



Additional SKU Configurations:  
LM3000SP Battery and charger not included

**LM2236SP**

**POWER+ 1000 SERIES MOWER**  
22" SUPER COMPOSITE DECK WITH SELECT CUT™ AND  
TOUCH DRIVE™ SELF-PROPELLED, 10.0Ah BATTERY AND  
700W TURBO CHARGER



**SELECT  
CUT™  
MULTI-BLADE SYSTEM**



**LM2135SP**

**POWER+ 800 SERIES MOWER**  
21" SELECT CUT™ SYSTEM WITH TOUCH DRIVE™ SELF-  
PROPELLED, 7.5Ah BATTERY AND 550W RAPID CHARGER



**SELECT  
CUT™  
MULTI-BLADE SYSTEM**



Additional SKU Configurations:  
LM2130SP Battery and charger not included.  
LM2132SP-2 Includes (2) 4.0Ah batteries and 550W charger.  
LM2134SP-2 Includes (2) 6.0Ah batteries and 550W charger.

**LM2135**

**POWER+ 800 SERIES PUSH MOWER**  
21" SELECT CUT™ SYSTEM WITH 7.5Ah BATTERY AND  
550W RAPID CHARGER



**SELECT  
CUT™  
MULTI-BLADE SYSTEM**



Additional SKU Configurations:  
LM2130 Battery and charger not included.

**LM2156SP**

**POWER+ 800 SERIES MOWER**  
21" SELECT CUT™ XP SYSTEM WITH TOUCH DRIVE™ SELF-  
PROPELLED, 10.0Ah BATTERY AND 700W TURBO CHARGER



**SELECT  
CUT™  
MULTI-BLADE SYSTEM**



Additional SKU Configurations:  
LM2150SP Battery and charger not included.  
LM2156SP-2 Includes (2) 10.0Ah batteries and 700W charger.

**LM2142SP**

**POWER+ 21" SELF-PROPELLED MOWER**  
WITH PEAK POWER™ TECHNOLOGY



**PEAK  
POWER  
TECHNOLOGY**



**LM2125SP**

**POWER+ 600 SERIES MOWER**  
21" SELF-PROPELLED WITH TOUCH DRIVE™, 7.5Ah BATTERY  
AND 550W RAPID CHARGER



Additional SKU Configurations:  
LM2120SP Battery and charger not included.  
LM2122SP-2 Includes (2) 4.0Ah batteries and 550W charger.  
LM2123SP-2 Includes 4.0Ah and 6.0Ah battery and 550W charger.

**LM2114SP**

**POWER+ 600 SERIES MOWER**  
21" SELF-PROPELLED WITH 6.0Ah BATTERY AND  
320W CHARGER



Additional SKU Configurations:  
LM2110SP Battery and charger not included.

### LM2114

## POWER+ 600 SERIES PUSH MOWER 21" WITH 6.0Ah BATTERY AND 320W CHARGER



Additional SKU Configurations:  
LM2110 Battery and charger not included.  
LM2112 Includes 4.0Ah battery and 320W charger.

## PEAK POWER™ TECHNOLOGY

Dual battery port combines the power of any two EGO 56V ARC Lithium™ batteries for long runtimes and efficient power draw.



## SELECT CUT™ MULTI-BLADE SYSTEM

The Select Cut™ Multi-Blade Cutting System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade. The Mulching Blade comes installed on the lawn mower and is ideal for weekly mulching, giving you the mulching quality expected from a high-end gas lawn mower. The High Lift Bagging Blade provides extra suction ideal for bagging, leaving your yard free of clippings. The Extended Runtime Blade provides an optimal balance of cut quality and runtime for all around performance. All three blades can be used interchangeably based on your desired cut. The Upper Blade is used in combination with the lower blade chosen to slice the grass into fine fragments, greatly enhancing cutting performance with all grass types.



## TOUCH DRIVE™ TECHNOLOGY

Engage the self-propel function with the touch of your palm, change the speed at the same time with the scroll of a dial.

## MOWER COMPARISON CHART

	1300 SERIES	1100 SERIES	1000 SERIES		800 SERIES			600 SERIES			N/A
	LM3004SP-2	LM2206SP	LM2244SP-2	LM2236SP	LM2156SP	LM2135SP	LM2135	LM2125SP	LM2114SP	LM2114	LM2142SP
<b>BATTERY / CHARGER</b>	(2) 6.0Ah / (2) 280W	10.0Ah / 700W	(2) 6.0Ah / 550W	10.0Ah / 700W	10.0Ah / 700W	7.5Ah / 550W	7.5Ah / 550W	7.5Ah / 550W	6.0Ah / 320W	6.0Ah / 320W	(2) 5.0Ah / 550W
<b>MAX CUTTING TORQUE</b>	13.2 FT-LBS	11.1 FT-LBS	10.6 FT-LBS	10.6 FT-LBS	8.3 FT-LBS	7.0 FT-LBS	7.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS	6.0 FT-LBS	8.3 FT-LBS
<b>RUNTIME*</b>	75 MINUTES	70 MINUTES	90 MINUTES	75 MINUTES	75 MINUTES	60 MINUTES	65 MINUTES	60 MINUTES	50 MINUTES	55 MINUTES	80 MINUTES
<b>DECK WIDTH</b>	30 INCHES	22 INCHES	22 INCHES	22 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES	21 INCHES
<b>SELF-PROPELLED</b>	YES	YES	YES	YES	YES	YES	NO	YES	YES	NO	YES
<b>CUTTING SPEED CONTROL</b>	MULTI SPEED SETTINGS	MULTI SPEED SETTINGS	MULTI SPEED SETTINGS	MULTI SPEED SETTINGS	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†	AUTO SENSING VARIABLE SPEED†
<b>DECK MATERIAL</b>	SUPER COMPOSITE	CAST ALUMINUM	SUPER COMPOSITE	SUPER COMPOSITE	POLY	POLY	POLY	POLY	POLY	POLY	POLY
<b>BLADE SPEED</b>	UP TO 3600 RPM	UP TO 3300 RPM	UP TO 3200 RPM	UP TO 3200 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM	UP TO 2800 RPM
<b>CUT-HEIGHT SETTINGS</b>	9 SETTINGS (1"-5")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	8 SETTINGS (1"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")	7 SETTINGS (1.25"-4")	6 SETTINGS (1.5"-4")
<b>BAG SIZE</b>	2.5 BUSHEL	2.5 BUSHEL	2.5 BUSHEL	2.5 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2 BUSHEL	2.0 BUSHEL
<b>MULCHING</b>	YES; with PLUG	YES; with PLUG	INTEGRATED PLUG with PRECISION MULCH CONTROL	INTEGRATED PLUG with PRECISION MULCH CONTROL	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; with PLUG	YES; W/ PLUG
<b>SELECT CUT™ COMPATIBLE</b>	NO	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO
<b>VERTICAL STORAGE</b>	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
<b>WEIGHT WITHOUT BATTERY</b>	103.6 LBS	83.8 LBS	68.5 LBS	70.3 LBS	54.5 LBS	54.5 LBS	49.4 LBS	51.1 LBS	50.9 LBS	45.2 LBS	55.8 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
<b>LIMITED WARRANTY</b>	10-YEAR DECK 5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL † 5-YEAR BATTERY	10-YEAR DECK 5-YEAR TOOL 3-YEAR BATTERY	10-YEAR DECK 5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

\* Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.  
† Auto Sensing Variable Speed delivers optimal cutting speed to maximize battery runtime while maintaining grass cutting performance.  
\* With registration, lifetime warranty on the deck, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details.  
\* With registration, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details.



# WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT

**ST1623T**  
**POWER+ 16" POWERLOAD™ STRING TRIMMER WITH LINE IQ™**



CONTINUOUS CUTTING SWATH



CARBON FIBER SHAFT




4.0Ah BATTERY & 320W CHARGER

DIGITAL SPEED SELECTOR & INDICATOR FOR MAXIMUM CONTROL

VARIABLE SPEED TRIGGER WITH INTEGRATED LOCK OFF

TELESCOPIC ADJUSTABLE SHAFT FOR ULTIMATE COMFORT

DURABLE CARBON FIBER SHAFT WITH LIFETIME WARRANTY



GET BACK TO WORK IN SECONDS  
**PATENTED POWERLOAD™ TECHNOLOGY**

HIGH-EFFICIENCY BRUSHLESS MOTOR

CONTINUOUS 16" CUTTING SWATH FOR FASTER, MORE EFFICIENT TRIMMING


Additional SKU Configurations:  
ST1620T Battery and charger not included.

**WORLD'S FIRST  
LINE IQ™ TECHNOLOGY**



**AUTOFEED  
NO BUMP  
HIGH-PERFORMANCE  
TRIMMING**

**ST1611T**  
POWER+ 16" POWERLOAD™ STRING TRIMMER WITH TELESCOPIC CARBON FIBER SHAFT



GET BACK TO WORK IN SECONDS  
**PATENTED POWERLOAD™ TECHNOLOGY**


Additional SKU Configurations:  
ST1610T Battery and charger not included.

**ST1502SA**  
POWER+ 15" STRING TRIMMER WITH RAPID RELOAD



Additional SKU Configurations:  
ST1500SF Battery and charger not included.

**ST1511T**  
POWER+ 15" POWERLOAD™ STRING TRIMMER WITH TELESCOPIC ALUMINUM SHAFT



GET BACK TO WORK IN SECONDS  
**PATENTED POWERLOAD™ TECHNOLOGY**

Additional SKU Configurations:  
ST1510T Battery and charger not included.

**ST1502LB**  
POWER+ 15" STRING TRIMMER & 530CFM BLOWER COMBO KIT




Additional SKU Configurations:  
ST1503LB Includes 4.0Ah battery and 210W charger.

**ST6151LB**  
POWER+ 15" POWERLOAD™ STRING TRIMMER WITH ALUMINUM TELESCOPIC SHAFT & 615 CFM BLOWER COMBO KIT



**ST6703LB**  
POWER+ 15" POWERLOAD™ STRING TRIMMER WITH ALUMINUM TELESCOPIC SHAFT & 670CFM BLOWER COMBO KIT



**ST1511LB**  
POWER+ 15" POWERLOAD™ STRING TRIMMER WITH ALUMINUM TELESCOPIC SHAFT & 530CFM BLOWER COMBO KIT



**STRING TRIMMER COMPARISON CHART**

	ST1623T	ST1611T	ST1511T	ST1502SA
CUTTING WIDTH	16 INCHES	16 INCHES	15 INCHES	15 INCHES
RUNTIME*	UP TO 60 MINUTES	UP TO 45 MINUTES	UP TO 45 MINUTES	UP TO 30 MINUTES
KITTED BATTERY	4.0Ah	2.5Ah	2.5Ah	2.5Ah
SPEED CONTROL	2-SPEED VARIABLE	2-SPEED VARIABLE	2-SPEED VARIABLE	VARIABLE
NO LOAD SPEEDS	3,500-4,800 / 4,000-5,500 RPM	3,500-4,800 / 4,000-5,500 RPM	3,500-4,500 / 4,000-5,800 RPM	4,000-5,800 RPM
SOFT START	YES	YES	YES	YES
SHAFT MATERIAL	TELESCOPIC CARBON FIBER	TELESCOPIC CARBON FIBER	TELESCOPIC ALUMINUM	ALUMINUM
LINE DIAMETER	0.095 INCHES	0.095 INCHES	0.095 INCHES	0.095 INCHES
DUAL LINE	YES	YES	YES	YES
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	7.5 LBS	7.5 LBS	7.7 LBS	7.3 LBS
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

\*Runtime may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.



**STEP 1**  
Insert the line into the eyelet and push the line through until the end comes out of the opposite eyelet.



**STEP 2**  
Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



**STEP 3**  
Press and hold the line-loading button to start the line-winding motor.

**PATENTED POWERLOAD™ TECHNOLOGY**

**POWERLOAD™ FEED THE LINE PUSH A BUTTON**

**MORE POWER THAN A  
HANDHELD GAS BLOWER**

**LB8803-2  
POWER+ 880 CFM BLOWER**

**880**  
CFM  
VARIABLE  
SPEED

**90**  
MINUTES  
RUNTIME

(2) 4.0Ah BATTERIES  
& 320W CHARGER



LCD DISPLAY  
WITH PERFORMANCE STATUS

CARBON FIBER BODY  
FOR REDUCED WEIGHT

HIGH EFFICIENCY BRUSHLESS MOTOR

SECONDARY GRIP ZONES  
FOR TWO-HANDED OPERATION



FLAT NOZZLE ATTACHMENT INCLUDED



SHOULDER STRAP INCLUDED

Additional SKU Configurations:  
LB8800 Battery and charger not included.

**LB7654**  
POWER+ 765 CFM BLOWER

**765**  
VARIABLE SPEED

**90**  
MINUTES RUNTIME

5.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations:  
LB7650 Battery and charger not included.  
LB7654-2 Includes (2) 5.0Ah batteries and 550W charger.

**LB6703**  
POWER+ 670 CFM BLOWER

**670**  
VARIABLE SPEED

**80**  
MINUTES RUNTIME

4.0Ah BATTERY & 320W CHARGER



Additional SKU Configurations:  
LB6700 Battery and charger not included.

**LB5302**  
POWER+ 530 CFM BLOWER

**530**  
VARIABLE SPEED

**75**  
MINUTES RUNTIME

2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:  
LB5300 Battery and charger not included.



**LB6504**  
POWER+ 650 CFM BLOWER

**650**  
VARIABLE SPEED

**90**  
MINUTES RUNTIME

5.0Ah BATTERY & 210W CHARGER



Additional SKU Configurations:  
LB6500 Battery and charger not included.

**LB6151**  
POWER+ 615 CFM BLOWER

**615**  
VARIABLE SPEED

**75**  
MINUTES RUNTIME

2.5Ah BATTERY & 210W CHARGER



Additional SKU Configurations:  
LB6150 Battery and charger not included.  
LB6153 Includes 4.0Ah battery and 210W charger.

**BLOWER COMPARISON CHART**

	LB8803-2	LB7654	LB6703	LB6504	LB6151	LB5302
AIR VOLUME (CFM)	UP TO 880	UP TO 765	UP TO 670	UP TO 650	UP TO 615	UP TO 530
AIR SPEED (MPH)	UP TO 200 (WITH TAPERED NOZZLE)	UP TO 200 (WITH TAPERED NOZZLE)	UP TO 180 (WITH TAPERED NOZZLE)	UP TO 180 (WITH TAPERED NOZZLE)	UP TO 170 (WITH TAPERED NOZZLE)	UP TO 130
LOW SPEED RUNTIME*	UP TO 160 MINUTES	UP TO 150 MINUTES	UP TO 160 MINUTES	UP TO 200 MINUTES	UP TO 100 MINUTES	UP TO 75 MINUTES
HIGH SPEED RUNTIME*	UP TO 24 MINUTES	UP TO 25 MINUTES	UP TO 24 MINUTES	UP TO 30 MINUTES	UP TO 15 MINUTES	UP TO 22 MINUTES
TURBO RUNTIME*	UP TO 16 MINUTES	UP TO 15 MINUTES	UP TO 12 MINUTES	UP TO 15 MINUTES	UP TO 10 MINUTES	UP TO 10 MINUTES
KITTED BATTERY	(2) 4.0Ah	5.0Ah	4.0Ah	5.0Ah	2.5Ah	2.5Ah
SPEED SETTING	VARIABLE / CRUISE / TURBO	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE / CRUISE CONTROL	VARIABLE
SOUND PRESSURE	64dB	64dB	64dB	64dB	62dB	62dB
MOTOR TYPE	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
WEIGHT WITHOUT BATTERY	4.9 LBS	4.6 LBS	4.8 LBS	4.8 LBS	4.8 LBS	4.8 LBS
WEATHER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

\*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.

**MULCH 16 BAGS OF LEAVES  
DOWN TO ONE**

**LV5005  
POWER+ 3-IN-1 LEAF VACUUM**

**500**  
VARIABLE  
SPEED


**90**  
MINUTES  
RUNTIME

**6.0Ah BATTERY &  
320W CHARGER**



Additional SKU Configurations:  
LV5000 Battery and charger not included.

**ONE HEAD  
POWERS  
MULTIPLE  
TOOLS**



## MULTI-HEAD SYSTEM

EGO POWER+ Multi-Head System utilizes attachments powered by the same Power Head. Save time and space by easily swapping and storing attachments instead of full tools.


### PH1420 POWER+ MULTI-HEAD POWER HEAD



MULTI-HEAD SYSTEM



CARBON FIBER SHAFT



#### PH1420

MOTOR TYPE	BRUSHLESS MOTOR
ROTATING DIRECTION	COUNTER-CLOCKWISE
SPEED CONTROL	DIGITAL 2-SPEED VARIABLE
DRIVE SHAFT MATERIAL	7MM SOLID STEEL
DRIVE TUBE TYPE	CARBON FIBER
COUPLING MECHANISM	TOOL-FREE QUICK CHANGE
WEIGHT	6.1 LBS
LIMITED WARRANTY	5-YEAR TOOL

**1 RTA2320**

9" CARBON FIBER ROTO CUT RECIPROCATOR ATTACHMENT




**2 BRA0820**

8" CARBON FIBER BED REDEFINER ATTACHMENT



**3 CTA9520**

9.5" CARBON FIBER CULTIVATOR ATTACHMENT



**4 DA1400**

14" DETHATCHER ATTACHMENT



**5 STA1600**

16" CARBON FIBER STRING TRIMMER ATTACHMENT WITH POWERLOAD™



**6 EA0820**

8" CARBON FIBER EDGER ATTACHMENT



DURABLE CARBON FIBER SHAFT

**7 BCA1220**

12" CARBON FIBER BRUSH CUTTER ATTACHMENT



**8 BBA2100**

22" BRISTLE BRUSH ATTACHMENT



**9 RBA2100**

21" RUBBER BROOM ATTACHMENT



**10 PSA1020**

10" CARBON FIBER POLE SAW ATTACHMENT




**11 EP7500**

31" EXTENSION POLE



**12 HTA2020**

20" CARBON FIBER HEDGE TRIMMER ATTACHMENT



**13 SSA1220**

12" CARBON FIBER SNOW SHOVEL ATTACHMENT



**MST1704**

POWER+ MULTI-HEAD POWER HEAD  
17" POWERLOAD™ STRING TRIMMER WITH LINE IQ™



MULTI-HEAD SYSTEM



CARBON FIBER SHAFT



5.0 Ah BATTERY & 320W CHARGER

HIGH-EFFICIENCY BRUSHLESS MOTOR

DIGITAL SPEED SELECTOR AND INDICATOR

VARIABLE-SPEED TRIGGER WITH SAFETY LOCK


PH1420

QUICK-RELEASE ADJUSTABLE HANDLE

SWITCH ATTACHMENTS QUICKLY WITH THE SIMPLE AND SECURE COUPLING MECHANISM

STA1700

DURABLE CARBON FIBER SHAFT FOR ADDED DURABILITY & LIFETIME WARRANTY



GET BACK TO WORK IN SECONDS  
**PATENTED POWERLOAD™ TECHNOLOGY**

**AUTOFEED NO BUMP HIGH-PERFORMANCE TRIMMING**  
**LINE IQ™ TECHNOLOGY**

**WORLD'S FIRST LINE IQ™ TECHNOLOGY**

**ALL MULTI-TOOL SETS**

SET SKU	INCLUDED SKU'S
ME0800	PH1400, EA0800
ME0823 (NEW)	PH1420, EA0820
MHC1603	PH1420, STA1600 and EA0820
MST1501	PH1400, STA1500
MST1603	PH1420, STA1600
MST1704 (MST1700)	PH1420, STA1700

### RTA2320

#### POWER+ MULTI-HEAD 9" CARBON FIBER ROTO CUT RECIPROCATOR ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 17 MINUTES	COMPATIBLE BLADE	ROTO CUT	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 35 MINUTES	BLADE	ABR2300 AVAILABLE SEPERATELY	WEIGHT	15.9 LBS
with 7.5Ah	UP TO 52 MINUTES	BLADE TYPE	ALLOY STEEL	TOTAL LENGTH	25 INCHES
BLADE SIZE	9"	BLADE SHEATH	YES	LIMITED WARRANTY	5-YEAR TOOL
ROTATING SPEED (RPM)	450 w/ PH1420	CUTTING CAPACITY	1.3"		
		DEBRIS GUARD MATERIAL	PLASTIC		

### BRA0820

#### POWER+ MULTI-HEAD 8" CARBON FIBER BED REDEFINER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 15 MINUTES	BLADE SIZE	8 INCHES	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 30 MINUTES	MAX CUTTING DEPTH	2.75 INCHES	WEIGHT	6.17 LBS
with 7.5Ah	UP TO 45 MINUTES	CUTTING SPEED (RPM)	2000 / 2600w / PH1420	TOTAL LENGTH	39 INCHES
		DEBRIS GUARD MATERIAL	PLASTIC	LIMITED WARRANTY	5-YEAR TOOL
		GUIDE WHEEL HEIGHT ADJ.	YES		

### CTA9520 (ALUMINUM version available, while supplies last: CTA9500)

#### POWER+ MULTI-HEAD 9.5" CARBON FIBER CULTIVATOR ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 40 MINUTES	CUTTING SPEED	210-240 RPM	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 80 MINUTES	CUTTING WIDTH	4 BLADES: 9.5 INCHES	WEIGHT	8.59 LBS
with 7.5Ah	UP TO 120 MINUTES	CUTTING WIDTH	2 BLADES: 8 INCHES ADJUSTABLE	TOTAL LENGTH	39 INCHES
				LIMITED WARRANTY	5-YEAR TOOL

### DA1400

#### POWER+ MULTI-HEAD 14" DETHATCHER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 17 MINUTES	COMPATIBLE BLADE	SCARIFIER (2026)	SHAFT MATERIAL	ALUMINUM
with 5.0Ah	UP TO 35 MINUTES	TINE REPLACEMENT	TOOL-FREE	WEIGHT	15.9 LBS
with 7.5Ah	UP TO 52 MINUTES	# OF TINES	14	TOTAL LENGTH	25 INCHES
ROTATING SPEED	3,000 RPM	TINE MATERIAL	STEEL	LIMITED WARRANTY	5-YEAR TOOL
DEPTH ADJUSTMENT	3 LEVELS	DRIVE SHAFT MATERIAL	SOLID STEEL		

### STA1600

#### POWER+ MULTI-HEAD 16" CARBON FIBER STRING TRIMMER ATTACHMENT WITH POWERLOAD™

RUNTIME* with 2.5Ah	UP TO 18 MINUTES	CUTTING SPEED	5,000-6,000 RPM	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 45 MINUTES	CUTTING WIDTH	16 INCHES	WEIGHT	3.4 LBS
with 7.5Ah	UP TO 72 MINUTES	LINE LOAD METHOD	POWERLOAD™**	TOTAL LENGTH	38 INCHES
		LINE DIAMETER	.095 INCHES	LIMITED WARRANTY	5-YEAR TOOL

### EA0820

#### POWER+ MULTI-HEAD 8" CARBON FIBER EDGER ATTACHMENT

RUNTIME* with 2.5Ah	NOT RECOMMENDED	BLADE LENGTH	AEB0800 AVAILABLE SEPERATELY	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 60 MINUTES	BLADE THICKNESS	8 INCHES (AEB0800 AVAILABLE)	WEIGHT	5.0 LBS
with 7.5Ah	UP TO 100 MINUTES	BLADE ARBOR HOLE SIZE	1 INCH	TOTAL LENGTH	36 INCHES
CUTTING SPEED	3,400-4,000 RPM	GUIDE WHEEL SIZE	5" x 1.5"	LIMITED WARRANTY	5-YEAR TOOL
CUTTING DEPTH	UP TO 3 INCHES	DEBRIS GUARD MATERIAL	ALUMINUM CASTING		

\*\* POWERLOAD™ functionality only compatible with PH1420.

\* Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



### BCA1220

#### POWER+ MULTI-HEAD 12" CARBON FIBER BRUSH CUTTER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 27 MINUTES	CUTTING WIDTH	12 INCHES	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 60 MINUTES	BLADE THICKNESS	0.098 INCHES	WEIGHT	3.88 LBS
with 7.5Ah	UP TO 95 MINUTES	BLADE ARBOR HOLE SIZE	1 INCH	TOTAL LENGTH	40.2 INCHES
CUTTING SPEED	6,000 RPM	DEBRIS GUARD MATERIAL	PLASTIC	LIMITED WARRANTY	5-YEAR TOOL

### BBA2100

#### POWER+ MULTI-HEAD 22" BRISTLE BRUSH ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES	SPEED	210-240 RPM	WEIGHT	11 LBS
with 5.0Ah	UP TO 100 MINUTES	CLEANING WIDTH	22 INCHES	TOTAL LENGTH	40 INCHES
with 7.5Ah	UP TO 150 MINUTES	SHAFT MATERIAL	ALUMINUM	LIMITED WARRANTY	5-YEAR TOOL

### RBA2100

#### POWER+ MULTI-HEAD 21" RUBBER BROOM ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 50 MINUTES	SPEED	210-240 RPM	WEIGHT	13.8 LBS
with 5.0Ah	UP TO 100 MINUTES	CLEANING WIDTH	21 INCHES	TOTAL LENGTH	40.5 INCHES
with 7.5Ah	UP TO 150 MINUTES	SHAFT MATERIAL	ALUMINUM	LIMITED WARRANTY	5-YEAR TOOL

### PSA1020

#### POWER+ MULTI-HEAD 10" CARBON FIBER POLE SAW ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 70 CUTS	BLADE MATERIAL	OREGON/90PX040X	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 140 CUTS	CUTTING DIAMETER	8 INCHES MAX	WEIGHT	3.9 LBS
with 7.5Ah	UP TO 210 CUTS	CHAIN PITCH	.375 INCH	TOTAL LENGTH	56 INCHES
CUTTING SPEED	15 M/S	CHAIN GAUGE	.043 INCHES	LIMITED WARRANTY	5-YEAR TOOL
GUIDE BAR LENGTH	10 INCHES	OIL TANK CAPACITY	7.4 OUNCES		

### HTA2020

#### POWER+ MULTI-HEAD 20" CARBON FIBER HEDGE TRIMMER ATTACHMENT

RUNTIME* with 2.5Ah	UP TO 37 MINUTES	BLADE LENGTH	20 INCHES	SHAFT MATERIAL	CARBON FIBER
with 5.0Ah	UP TO 82 MINUTES	CUTTING CAPACITY	1 INCH	WEIGHT	5.1 LBS
with 7.5Ah	UP TO 122 MINUTES	CUTTING ANGLES	12 FIXED POSITIONS	TOTAL LENGTH	63 INCHES
CUTTING SPEED	2,800-3,200 SPM	BLADE MATERIAL	DOUBLE-SIDED LASER-CUT STEEL BLADE	LIMITED WARRANTY	5-YEAR TOOL

### SSA1220 (ALUMINUM version available, while supplies last: SSA1200)

#### POWER+ MULTI-HEAD 12" CARBON FIBER SNOW SHOVEL ATTACHMENT

RUNTIME* with 4.0Ah	UP TO A 4-CAR DRIVEWAY WITH 6 INCHES OF SNOW	SHAFT MATERIAL	CARBON FIBER
SPEED	2-SPEED / VARIABLE	WEIGHT	11.4 LBS
CLEARING WIDTH	12 INCHES	TOTAL LENGTH	31 INCHES
THROWING DISTANCE	UP TO 25 FEET	LIMITED WARRANTY	5-YEAR TOOL
ADJUSTABLE THROWING DIRECTION	30° LEFT AND 30° RIGHT		

\* Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.





# ADVANCED TOOL-FREE TENSIONING TECHNOLOGY

**CS1815**  
**POWER+ 18" CHAINSAW**

**50** CC  
50 CC OF POWER

**320** CUTS  
UP TO 320 CUTS

6.0Ah BATTERY & 330W CHARGER



- DIGITAL DISPLAY
- 2-SPEED SELECT
  - SAFETY BRAKE ON/OFF
  - LED WORK LIGHT



Additional SKU Configurations:  
CS1810 Battery and charger not included

**CS2005**  
POWER+ 20" CORDLESS CHAIN SAW

**55** CC  
55 CC OF POWER

**135** CUTS  
UP TO 135 CUTS  
6x6 LUMBER

**6.0Ah** BATTERY



DIGITAL DISPLAY WITH CUT SPEED CONTROLS, BATTERY CHARGE STATUS, AND SAFETY BRAKE INDICATOR



Additional SKU Configurations:  
CS2000 Battery and charger not included.

**CS1804**  
POWER+ 18" CORDLESS CHAIN SAW

**45** CC  
45 CC OF POWER

**300** CUTS  
UP TO 300 CUTS

**5.0Ah** BATTERY & 210W CHARGER



Additional SKU Configurations:  
CS1800 Battery and charger not included.  
CS1803 Includes 4.0Ah battery and 210W charger.  
CS1804-2 Includes two 5.0Ah batteries and 550W charger.

**CS1401**  
POWER+ 14" CHAIN SAW

**30** CC  
30 CC OF POWER

**100** CUTS  
UP TO 130 CUTS

**2.5Ah** BATTERY & 210W CHARGER



Additional SKU Configurations:  
CS1400 Battery and charger not included.

**CS1201**  
POWER+ 12" COMPACT CHAIN SAW

**30** CC  
30 CC OF POWER

**130** CUTS  
UP TO 130 CUTS

**2.5Ah** BATTERY & 210W CHARGER

TOOL-LESS CHAIN TENSION



Additional SKU Configurations:  
CS1200 Battery and charger not included.

**CS1611**  
POWER+ 16" CHAIN SAW (40CC)

**40** CC  
40 CC OF POWER

**130** CUTS  
UP TO 130 CUTS

**2.5Ah** BATTERY & 210W CHARGER



Additional SKU Configurations:  
CS1610 Battery and charger not included.  
CS1613 Includes 4.0Ah battery and 210W charger.

**CS1604**  
POWER+ 16" CHAIN SAW

**35** CC  
35 CC OF POWER

**250** CUTS  
UP TO 250 CUTS

**5.0Ah** BATTERY & 210W CHARGER



Additional SKU Configurations:  
CS1600 Battery and charger not included.

**CHAIN SAW COMPARISON CHART**

	CS2005	CS1815	CS1804	CS1611	CS1604	CS1401	CS1201
<b>BAR &amp; CHAIN SPECS</b>	20 INCH 3/8" LOW PROFILE PITCH .050" GAUGE, 69 DRIVE LINKS	18 INCH 3/8" LOW PROFILE PITCH .050" GAUGE, 62 DRIVE LINKS	18 INCH 3/8" LOW PROFILE PITCH .050" GAUGE, 62 DRIVE LINKS	16 INCH 3/8" LOW PROFILE PITCH .043" GAUGE, 56 DRIVE LINKS	16 INCH 3/8" LOW PROFILE PITCH .043" GAUGE, 56 DRIVE LINKS	14 INCH 3/8" LOW PROFILE PITCH .043" GAUGE, 52 DRIVE LINKS	12 INCH 3/8" LOW PROFILE PITCH .043" GAUGE, 45 DRIVE LINKS
<b>MOTOR TYPE</b>	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR	BRUSHLESS MOTOR
<b>CC POWER EQUIVALENT</b>	55CC	50CC	45CC	40CC	35CC	30CC	30CC
<b>RUNTIME*</b>	UP TO 135 CUTS (6x6 LUMBER)	UP TO 320 CUTS (4x5 LUMBER)	UP TO 300 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)	UP TO 250 CUTS (4x4 LUMBER)	UP TO 100 CUTS (4x4 LUMBER)	UP TO 130 CUTS (4x4 LUMBER)
<b>BATTERY CAPACITY</b>	6.0Ah	6.0Ah	5.0Ah	2.5Ah	5.0Ah	2.5Ah	2.5Ah
<b>CHAIN SPEED</b>	UP TO 25 M/S	UP TO 22 M/S	UP TO 20 M/S	UP TO 20 M/S	UP TO 13.5 M/S	UP TO 13.5 M/S	UP TO 20 M/S
<b>OIL RESERVOIR</b>	6.76 OUNCES	6.76 OUNCES	7 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES	5 OUNCES
<b>AUTOMATIC OILING</b>	YES	YES	YES	YES	YES	YES	YES
<b>TOOL-FREE TENSIONING</b>	NO	YES	YES	YES	YES	YES	YES
<b>CHAIN BRAKE</b>	YES	YES	YES	YES	YES	YES	YES
<b>WEIGHT WITHOUT BATTERY</b>	13.0 LBS	10 LBS	9.6 LBS	9.0 LBS	8.5 LBS	8.2 LBS	5.69 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
<b>LIMITED WARRANTY</b>	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY

\*Runtime may vary depending on the charge level of the battery and user's operation technique.



**INDUSTRY'S FIRST  
LED CUT LINE INDICATOR**

**PS1001  
POWER+ 10" TELESCOPIC POLE SAW**



LED CUT LINE INDICATOR



CARBON FIBER SHAFT



2.5Ah BATTERY & 210W CHARGER

LED CUT LINE INDICATOR

HIGH-EFFICIENCY BRUSHLESS MOTOR

TOOL-FREE TENSIONING




**EP1000  
3.3 FOOT CARBON FIBER  
EXTENSION POLE**

Only compatible with PS1000, PS1001 and PSX2510 telescoping carbon fiber pole saws. Sold separately.

<b>BAR &amp; CHAIN SPECS</b>	10 INCHES 1/4" PITCH, .043" GAUGE, 56 DRIVE LINKS
<b>MOTOR TYPE</b>	BRUSHLESS MOTOR
<b>CC POWER EQUIVALENT</b>	25CC
<b>RUNTIME</b> with 2.5Ah battery	UP TO 100 CUTS (4 x 4 PINE)
<b>CHAIN SPEED</b>	VARIABLE SPEED UP TO 20 M/S
<b>TOOL LENGTH</b>	UP TO 13 FEET
<b>WEIGHT WITHOUT BATTERY</b>	9.4 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX4
<b>LIMITED WARRANTY</b>	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations:  
PS1000 Battery and charger not included.

\*Runtime may vary depending on the charge level of the battery and user's operation technique.




**BALANCED, CONTROLLED,  
POWERFUL CUTTING**

**HT2601**  
**POWER+ 26" HEDGE TRIMMER**

**1.2" CUT**  
INCREASED CUT CAPACITY

**3,400**  
SPM  
STROKES PER MINUTE

**2.5Ah BATTERY & 210W CHARGER**



Additional SKU Configurations:  
HT2600 Battery and charger not included.

**HT2501**  
**POWER+ 25" HEDGE TRIMMER**

**1.25" CUT**  
INCREASED CUT CAPACITY

**3,200**  
SPM  
STROKES PER MINUTE

**2.5Ah BATTERY & 210W CHARGER**




Additional SKU Configurations:  
HT2500 Battery and charger not included.

**HT2411**  
**POWER+ BRUSHLESS HEDGE TRIMMER**

**1" CUT**  
INCREASED CUT CAPACITY

**3,000**  
SPM  
STROKES PER MINUTE

**2.5Ah BATTERY & 210W CHARGER**



Additional SKU Configurations:  
HT2410 Battery and charger not included.

	<b>HT2601</b>	<b>HT2501</b>	<b>HT2411</b>
<b>BLADE LENGTH</b>	26 INCHES	25 INCHES	24 INCHES
<b>BLADE GAP</b>	1.2 INCHES	1.25 INCHES	1 INCH
<b>RUNTIME*</b> with included 2.5Ah battery	UP TO 60 MINUTES	UP TO 40 MINUTES	UP TO 75 MINUTES
<b>SPEED CONTROL</b>	SINGLE SPEED	2-SPEED SETTING (HIGH/LOW)	SINGLE SPEED
<b>NO LOAD SPEEDS</b>	3,400 SPM	2,800/3,200 SPM	3,000 SPM
<b>BLADE TYPE</b>	DIAMOND GROUND CUTTING BLADES	LASER CUT, DIAMOND GROUND CUTTING BLADES	HARDENED STEEL CUTTING BLADE
<b>CUTTING ACTION</b>	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE	DOUBLE-SIDED CUTTING BLADE
<b>WEIGHT WITHOUT BATTERY</b>	6.92 LBS	8.4 LBS	6.16 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX4	IPX4	IPX4
<b>LIMITED WARRANTY</b>	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY	5-YEAR TOOL, 3-YEAR BATTERY

\*Runtime may vary and depend on the battery used, charge level of battery, and user's operation technique.



POWER+ AUGER

**EG0803**

**POWER+ EARTH AUGER**



TORQUE



4.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	4.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 4.0Ah	UP TO 50+ HOLES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	32 INCHES
WEIGHT WITHOUT BATTERY	33 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations:  
EG0800 Battery and Charger not included.



HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING

BORES UP TO 50 HOLES ON A SINGLE CHARGE WITH INCLUDED 56V 4.0AH ARC LITHIUM™ BATTERY

HIGH-EFFICIENCY BRUSHLESS MOTOR DELIVERS 65 FT-LBS OF TORQUE TO BORE INTO HARD, DENSE SOIL

ANTI-KICKBACK PROTECTION SAFEGUARDS FROM UNEXPECTED JAMS

UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS FOR ADDED VERSATILITY

ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND IMPROVES SAFETY

8" EARTH AUGER DRILL BIT INCLUDED



**IG0804**

**POWER+ ICE AUGER**



TORQUE



5.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	5.0Ah / 320W
TORQUE	UP TO 65 FT-LBS
RUNTIME with included 5.0Ah	UP TO 2,500 INCHES
MOTOR	BRUSHLESS MOTOR
SHAFT SPEED	HIGH: 210 RPM LOW: 150 RPM
CUTTING DIAMETER	8 INCHES
AUGER BIT LENGTH	39 INCHES
WEIGHT WITHOUT BATTERY	30 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Additional SKU Configurations:  
IG0800 Battery and Charger not included.



HIGH AND LOW SPEEDS PLUS REVERSE FUNCTION ALLOW EFFICIENT DIGGING

CUTS UP TO 2,500 INCHES OF ICE ON A SINGLE CHARGE WITH THE INCLUDED 56V 5.0AH ARC LITHIUM™ BATTERY

HIGH-EFFICIENCY BRUSHLESS MOTOR DELIVERS 65 FT-LBS OF TORQUE TO DRILL THROUGH THE THICKEST ICE

ANTI-KICKBACK PROTECTION SAFEGUARDS FROM UNEXPECTED JAMS

UNIVERSAL 7/8" BIT CONNECTION COMPATIBLE WITH ICE AND EARTH BITS FOR ADDED VERSATILITY

ERGONOMIC HANDLE DESIGN MAKES THE AUGER EASY TO MANEUVER AND IMPROVES SAFETY

8" ICE AUGER DRILL BIT INCLUDED



**IF1600**  
**POWER+ 160PSI COMPACT**  
**INFLATOR**

**160**  
PSI  
160 PSI

MAX PSI	160 PSI
HIGH PRESSURE INFLATION	YES
HIGH VOLUME INFLATION	YES
DEFLATION	YES
LIGHT	Removable LED Activity Light
WEIGHT WITHOUT BATTERY	6 LBS
FEATURES	4 SET AND SAVE PSI RATINGS
INCLUDED ACCESSORIES	INFLATION NEEDLE BRASS PRESTA VALVE ADAPTER NARROW PINCH VALVE NOZZLE PLASTIC INFLATOR NOZZLE HIGH VOLUME HOSE



UI SCREEN  
REAL TIME PSI  
MODE CHANGE  
MEMORY MODES (4)



**NEW**



REMOVABLE MAGNETIC  
ACTIVITY LIGHT WITH A  
RETRACTABLE HOOK:  
DELIVERS UP TO 300 LUMENS  
COLOR TEMPERATURE CONTROL  
ACROSS 3 SETTINGS  
(3000K, 4000K, 5500K)

# POWER MORE POSSIBILITIES



**HPW3204-2**  
**POWER+ 3200PSI PRESSURE WASHER**

**3,200**  
PSI  
3200 PSI  
(2) 6.0Ah BATTERIES & 320W CHARGER

BATTERY / CHARGER	(2) 6.0Ah / 320W
PSI	3200 MAX
GPM	1.2/2.0 MAX
RUNTIME with two included 6.0Ah	UP TO 60 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 25° 40° RINSE
WEIGHT WITHOUT BATTERY	36 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes nozzles, flexible high-pressure hose, siphon hose, quick-connect short pressure washer gun, quick-connect wand lance, stainless steel wand, foam cannon, and filter.



Additional SKU Configurations:  
HPW3200 Battery and Charger not included.

**HPW2105**  
**POWER+ 2100PSI PRESSURE WASHER**

**2,100**  
PSI  
2100 PSI  
6.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	6.0Ah / 320W
PSI	2100 MAX
GPM	1.2 MAX
RUNTIME with included 6.0Ah	UP TO 30 MINUTES
MOTOR	BRUSHLESS MOTOR
INCLUDED NOZZLES	TURBO 15° 25° 40°
WEIGHT WITHOUT BATTERY	15 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

Includes nozzles, flexible high-pressure hose, siphon hose, pressure washer gun, stainless steel wand, foam cannon, filter



Additional SKU Configurations:  
HPW2100 Battery and Charger not included.

**WDV0300**  
**POWER+ 3 GALLON WET/DRY VACUUM**  
**TOOL ONLY**

**85**  
CFM  
UP TO 85 CFM

BATTERY / CHARGER	NOT INCLUDED
CFM	85 MAX
RUNTIME with recommended 5.0Ah	UP TO 90 MINUTES
SUCTION POWER (WATER LIFT)	60 INCH MAX
MOTOR	BRUSHLESS MOTOR
TANK SIZE	3 GALLON
INCLUDED ACCESSORIES	DUST BAG CREVICE NOZZLE COMPACT FLOOR NOZZLE VACUUM HOSE REMOTE CONTROL CHARGING CABLE FOR REMOTE POWER TOOL ADAPTER
WEIGHT WITHOUT BATTERY	11.7 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



- WIRELESS REMOTE
- LED LIGHT
  - ENABLES TURBO MODE
  - START/STOP
  - CHARGED VIA USB-C

**WDV0904**  
**POWER+ 9 GALLON WET/DRY VACUUM**

**110**  
CFM  
UP TO 110 CFM

5.0Ah BATTERY & 320W CHARGER

BATTERY / CHARGER	5.0Ah / 320W
CFM	110 MAX
RUNTIME with included 5.0Ah	UP TO 60 MINUTES
SUCTION POWER (WATER LIFT)	100 INCH MAX
MOTOR	BRUSHLESS MOTOR
TANK SIZE	9 GALLON
INCLUDED ACCESSORIES	DUST BAG EXTENSION TUBE (2X) CREVICE NOZZLE ROUND BRUSH DUST NOZZLE LARGE FLOOR NOZZLE RUBBER BAR COMPACT FLOOR NOZZLE VACUUM HOSE REMOTE CONTROL CHARGING CABLE FOR REMOTE POWER TOOL ADAPTER
WEIGHT WITHOUT BATTERY	26.7 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY



- WIRELESS REMOTE
- LED LIGHT
  - ENABLES TURBO MODE
  - START/STOP
  - CHARGED VIA USB-C



Additional SKU Configurations:  
**WDV0900** Battery and Charger not included.

# POWER TO MATCH YOUR LIFESTYLE



## FN1000 POWER+ OSCILLATING MISTING FAN

**1,700**  
CFM

**60**  
HOURS  
RUNTIME



2 MISTING NOZZLES

CARRYING HANDLE

ROTARY PIVOT -  
MANUAL ANGLE  
ADJUSTMENT



IoT ENABLED -  
AIR SPEED,  
MISTING MODE,  
OSCILLATION MODE,  
FAN TIMER

MODE ADJUSTMENT -  
WIND SPEED  
MIST MODE  
OSCILLATION MODE

BATTERY / CHARGER	TOOL ONLY
AIR FLOW	UP TO 1,700 CFM
WIND SPEED	UP TO 20 MPH
RUNTIME <small>on speed 1 with 5.0Ah battery</small>	UP TO 60 HOURS
BLADE SIZE	10 INCHES
SPEED CONTROL	6 SPEEDS WITH TURBO
MISTING MODES	3 (HIGH, LOW, INTERMITTENT)
WEIGHT WITHOUT BATTERY	11 LBS
WATER OUTPUT (GPH)	1.5 GPH ON HIGH
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL

## FN1800 POWER+ MISTING FAN

**5,000**  
CFM

**60**  
HOURS  
RUNTIME

225° ANGLE ADJUSTMENT

4 MISTING NOZZLES  
50-1,750 RPM BLADE ROTATION  
UP TO 5,000 CFM  
2X AIR FLOW COMPARED TO STANDARD 20" BOX FAN

UP TO 60 HOURS OF RUNTIME  
(ON SPEED 1 WITH RECOMMENDED  
5.0AH 56V ARC LITHIUM™ BATTERY,  
AVAILABLE SEPARATELY)



LOW NOISE - 42 dBA (ON SPEED 1)

TRAVELS EASILY WITH A  
TELESCOPIC HANDLE AND  
DURABLE WHEELS




ULTIMATE CONTROL  
6 AIR SPEED SETTINGS FROM 750 TO 5,000 CFM  
2 MISTING MODES:  
INTERMITTENT MODE (BEST FOR EFFECTIVE WATER MANAGEMENT)  
CONTINUOUS MODE (BEST FOR HOT AND SUNNY DAYS)  
DROP INTAKE FILTER IN A BUCKET TO COOL DOWN AN AREA  
EQUIVALENT TO A LARGE ENTERTAINMENT PATIO (540 SQUARE FEET)

BATTERY / CHARGER	TOOL ONLY
AIR FLOW	750 - 5,000 CFM
WIND SPEED	UP TO 23 MPH
RUNTIME <small>on speed 1 with 5.0Ah battery</small>	UP TO 60 HOURS
BLADE SIZE	18 INCHES
SPEED CONTROL	6 SPEEDS WITH TURBO
MISTING MODES	INTERMITTENT, CONTINUOUS
WEIGHT WITHOUT BATTERY	22.9 LBS
WATER OUTPUT (GPH)	3.0 GPH ON HIGH
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL

**SK1800**

**POWER+ 180W OUTDOOR BLUETOOTH SPEAKER**

-   
**PREMIUM SOUND PERFORMANCE**
-   
**50 HOURS RUNTIME**
-   
**100W USB-C PD IN/OUT**





180W OUTPUT  
7 SPEAKERS


USER INTERFACE -  
POWER  
VOLUME  
BLE PAIRING  
SPEAKER PAIRING  
BASS BOOST

BATTERY / CHARGER	TOOL ONLY
SPEAKER OUTPUT	180W
RUNTIME with 5.0Ah battery	UP TO 50 HOURS
BLE VERSION	5.3
CONNECT RANGE	180 FEET
SPEAKER PAIRING	UP TO 100 EGO SPEAKER
BLE QUALITY	TWS (TRUE WIRELESS STEREO)
SPEAKERS	1x WOOFERS 2x MID RANGE 2x TWEETERS 2x PASSIVE RADIATORS
PORTS	100W PD TYPE-C IN/OUT, USB-A, AUX
WEIGHT WITHOUT BATTERY	17 LBS
IP RATING	IP54
LIMITED WARRANTY	5-YEAR TOOL

**LT1000**

**POWER+ PORTABLE AREA LIGHT**

-   
**10,000 LUMENS OF 4500K DAYLIGHT**
-   
**35 HOURS RUNTIME**



UP TO 10,000 LUMENS  
4500K NATURAL WHITE LIGHT

COMPACT DESIGN

RAFTER HOOKS & TRIPOD MOUNT

1x USB-A PORT

5 BRIGHTNESS SETTINGS AND SELECTABLE PANELS FOR ULTIMATE CONTROL



BATTERY / CHARGER	TOOL ONLY
LUMENS	600 - 10,000
COLOR TEMPERATURE (KELVIN)	4500K
RUNTIME on low with 5.0Ah battery	35 HOURS
BRIGHTNESS	5 SETTINGS
WEIGHT WITHOUT BATTERY	9.48 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL



POWER+ LIFESTYLE

**LT0300**

**POWER+ COMPACT AREA LIGHT**



ADJUSTABLE COLOR TEMPERATURE



3,000 LUMENS



60 HOURS RUNTIME



1x USB-C PORT

COLOR TEMPERATURE ADJUSTS FROM 2700K TO 5000K TO FIT YOUR NEEDS  
ADJUSTABLE BRIGHTNESS UP TO 3,000 LUMENS  
WARM LIGHT NATURALLY HELPS KEEP BUGS AWAY



CONVENIENT HANDLES FOR ANGLE VERSATILITY

RAFTER HOOKS & TRIPOD MOUNT



MOUNT, HANG, OR POSITION  
NUMEROUS WAYS FOR  
VERSATILE LIGHTING



BATTERY / CHARGER	TOOL ONLY
LUMENS	500 - 3,000
COLOR TEMPERATURE (KELVIN)	2700K - 5500K
RUNTIME on low with 5.0Ah battery	60 HOURS
BRIGHTNESS	5 SETTINGS
WEIGHT WITHOUT BATTERY	4 LBS
WEATHER RESISTANCE RATING	IPX4
IOT	YES
LIMITED WARRANTY	5-YEAR TOOL



POWER+ SPRAYER



**BSP3500**  
POWER+ BACKPACK SPRAYER

**350**  
PSI  
350 PSI

BATTERY / CHARGER	TOOL ONLY
TANK SIZE	4 GALLONS
PSI	UP TO 350 PSI
RUNTIME with 2.5Ah battery	UP TO 52 GALLONS (WITHOUT NOZZLE) UP TO 15 GALLONS (UNDER MAX PRESSURE WITH ADJUSTABLE NOZZLE)
PRESSURE CHANGE	VARIABLE
MAX GPM	0.6 GPM
NOZZLES	1x ADJUSTABLE CONE 1x FAN 1x FOAM 1x SHOWER
WEIGHT WITHOUT BATTERY	16.72 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	5-YEAR TOOL



**POWERFUL, QUIET  
ACCELERATION WITH TOP  
SPEEDS UP TO 28 MPH**



POWER+ MINI BIKE

**MB1005-2**  
POWER+ MINI BIKE

UP TO  
**20**  
UP TO 20 MILES  
OF RANGE

(2) 7.5Ah BATTERIES  
& DUAL PORT CHARGER

DIGITAL DISPLAY TO MONITOR SPEED,  
ACCELERATION, RANGE, AND MORE

THREE DRIVING MODES + REVERSE:  
ECO, NORMAL, AND SPORT MODES  
WITH PARENTAL CONTROLS FOR A FULLY  
CUSTOMIZABLE RIDING EXPERIENCE

LARGE ENOUGH STORAGE  
FOR AN EXTRA BATTERY

LED HEADLIGHTS

FRONT  
AND REAR  
HYDRAULIC  
SUSPENSION

OFF-ROAD TIRE WITH AGGRESSIVE  
TREAD FOR ANY ADVENTURE

POWERFUL HUB MOTOR  
DELIVERS QUIET  
ACCELERATION WITH TOP  
SPEEDS UP TO 28 MPH

DUAL HYDRAULIC DISC BRAKES

FOR OFF-ROAD USE ONLY BY RIDERS AGES 16 AND OLDER, UP TO 220 POUNDS



**PEAK  
POWER  
TECHNOLOGY**

COMBINES THE  
POWER OF  
TWO OR MORE  
EGO ARC LITHIUM™  
BATTERIES

TOP SPEED	28 MPH
MOTOR POWER	1000W RATED
RANGE*	UP TO 20 MILES
WEIGHT WITHOUT BATTERY	140 LBS
WEATHER RESISTANCE RATING	IPX4
LIMITED WARRANTY	1 YEAR

\*Range may vary and depend on the battery used, charge level of battery, and user's operation technique.

Additional SKU Configurations:  
MB1000 Battery and Charger not included.



POWER+ PORTABLE POWER



**POWER UP ANYWHERE**

**PAD1800**  
POWER+ NEXUS ESCAPE  
180W INVERTER

Pure sine wave delivers  
high-quality, clean power  
to sensitive electronics



**PAD5000**  
POWER+ NEXUS ESCAPE  
400W INVERTER

Power up to four total devices  
simultaneously or charge your  
56V EGO Battery



Additional SKU Configurations:  
PAD5003 Includes 4.0Ah battery and 100W USB-C PD charger.

	PAD1800	PAD5000
POWER OUTPUT	180W CONTINUOUS 300W PEAK	400W CONTINUOUS 800W PEAK
WAVE	PURE SINE	PURE SINE
OUTLETS	120V AC	120V AC
PORTS	USB-C PD OUT (100W) USB-A (12W)	USB-C PD IN/OUT (100W) USB-C (18W) USB-A (18W)
BUILT IN LIGHT	YES	YES
WARRANTY	5-YEAR TOOL	5-YEAR TOOL

**PST1405-2**  
**POWER+ NEXUS 1400W PORTABLE POWER STATION**

BATTERY	(2) 6.0Ah
POWER OUTPUT	1400W CONTINUOUS 2100W PEAK
LED LIGHT	YES
PORTS	(2) USB-A 18W OUT (1) USB-C 18W OUT (1) USB-C 100W IN/OUT
OUTLETS	(3) 120V AC
DISPLAY	COLOR LCD SCREEN
BATTERY CHARGER	4 PORTS (WHEN PLUGGED IN)
USAGE	INDOOR AND OUTDOOR*
INPUT WATTAGE (CHARGE) (2x6Ah)	UP TO 900W WALL 1 HOUR
	UP TO 200W SOLAR 4.8 HOURS (BUILT IN)
	UP TO 100W PD 9.6 HOURS
PASS THROUGH CHARGING	YES
TOOL WEIGHT	17.64 LBS
IOT	YES
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY

\* Do not expose to rain or use in damp locations



Additional SKU Configurations:  
PST1400 Battery not included.

**PST3042**  
**POWER+ NEXUS PORTABLE POWER STATION**

World's first battery power source to match gas generators

BATTERY	(2) 7.5Ah
POWER OUTPUT	2000W CONTINUOUS 3000W PEAK
OUTLETS	(3) 120V AC
PORTS	(4) USB-A
DISPLAY	BRIGHT LED DISPLAY SHOWS RUNTIME
CONSTRUCTION	ROBUST STEEL HANDLES
BATTERY CHARGER	4 PORTS (WHEN PLUGGED IN)
USAGE	INDOOR AND OUTDOOR*
LIMITED WARRANTY	5-YEAR TOOL 3-YEAR BATTERY


\* Do not expose to rain or use in damp locations

Additional SKU Configurations:  
PST3040 Battery not included.  
PST3041 Includes (4) 5.0Ah batteries



**CH1800**  
**POWER+ NEXUS SOLAR PANEL CHARGER**


The EGO Solar Panel Charger is the only charger approved for use with the PST3040/1/2.



**SP1000**  
**POWER+ 100W SOLAR PANEL**

Turn solar energy into clean, renewable power with the EGO POWER+ 100W Solar Panel.

COMPATIBLE WITH PST1400/PST1405-2  
AND PST3040/1/2 WITH CH1800



**SP2000**  
**POWER+ 200W SOLAR PANEL**

Turn solar energy into clean, renewable power with the EGO POWER+ 200W Solar Panel

COMPATIBLE WITH PST1400/PST1405-2  
AND PST3040/1/2 WITH CH1800




**TAKE ON ANYTHING  
WINTER THROWS AT YOU**

**SNT2807**  
**POWER+ 28" SELF-PROPELLED 2-STAGE SNOW BLOWER WITH PEAK POWER™**

**60'**  
THROWING DISTANCE

**(2) 12.0Ah BATTERIES & DUAL PORT CHARGER**



Additional SKU Configurations:  
SNT2800 Battery and Charger not included.

**PEAK  
POWER  
TECHNOLOGY**<sup>TM</sup>  
COMBINES THE POWER OF ANY  
TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 32-CAR DRIVEWAY WITH 8" OF SNOW  
with included (2) 6.0Ah ARC Lithium™ batteries

**SNT2416**


**POWER+ 24" SELF-PROPELLED 2-STAGE XP SNOW BLOWER WITH PEAK POWER™**



THROWING DISTANCE



(2) 10.0Ah BATTERIES & DUAL PORT CHARGER



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 24-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 10.0Ah ARC Lithium™ batteries

Additional SKU Configurations:  
SNT2410 Battery and Charger not included.

**SNT2405**


**POWER+ 24" SELF-PROPELLED 2-STAGE SNOW BLOWER WITH PEAK POWER™**



THROWING DISTANCE



(2) 7.5Ah BATTERIES & DUAL PORT CHARGER



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO AN 18-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 7.5Ah ARC Lithium™ batteries

Additional SKU Configurations:  
SNT2400 Battery and Charger not included.



POWER+ SNOWBLOWER

SNT2134

POWER+ 21" SINGLE-STAGE SNOW BLOWER WITH PEAK POWER™



THROWING DISTANCE



(2) 6.0Ah BATTERIES & DUAL PORT CHARGER



EGO'S MOST POWERFUL SINGLE-STAGE MACHINE

SNT2125AP

POWER+ AUGER-PROPELLED SNOW BLOWER



AUGER-PROPELLED DESIGN



THROWING DISTANCE



(2) 7.5Ah BATTERIES & DUAL PORT CHARGER



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 14-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 6.0Ah ARC Lithium™ batteries



COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 16-CAR DRIVEWAY WITH 8" OF SNOW with included (2) 7.5Ah ARC Lithium™ batteries

Additional SKU Configurations: SNT2130 Battery and Charger not included.

Additional SKU Configurations: SNT2120AP Battery and Charger not included.

**SNT2112**  
POWER+ PEAK POWER™ SNOW BLOWER  
WITH STEEL AUGER



UP TO 40' THROWING DISTANCE


BRIGHT LED HEADLIGHTS

STEEL AUGER POWERS THROUGH HEAVY SNOW

21" CLEARING WIDTH  
32" INTAKE HEIGHT

180° CHUTE CONTROL  
CONVENIENT PUSH-BUTTON START  
VARIABLE AUGER SPEED ADJUSTMENT  
QUICK-RELEASE LEVER FOR EASY TRANSPORT AND STORAGE


**PEAK POWER™  
TECHNOLOGY**  
COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



CLEAR UP TO A 12-CAR DRIVEWAY WITH 8" OF SNOW  
with included (2) 5.0Ah ARC Lithium™ batteries


Additional SKU Configurations:  
SNT2110 Battery and charger not included.  
SNT2114 Includes (2) 7.5Ah batteries and DUAL PORT charger.

**SNT2102**  
POWER+ SNOW BLOWER WITH PEAK POWER™



Additional SKU Configurations:  
SNT2100 Battery and charger not included.  
SNT2101 Includes (2) 4.0Ah batteries and 320W charger.

**SNS1201**  
POWER+ 12" SNOW SHOVEL



AUGER 2-SPEED CONTROL

ERGONOMIC PISTOL GRIP


ADJUSTABLE AUXILIARY HANDLE FOR IMPROVED COMFORT

FOLDING SHAFT

60-DEGREE DIRECTIONAL THROW CONTROL DIAL

6" PLASTIC AUGER

12" CLEARING WIDTH



CLEAR UP TO A 3-CAR DRIVEWAY WITH 6" OF SNOW  
with included 2.5Ah ARC Lithium™ battery

Additional SKU Configurations:  
SNS1200 Battery and charger not included.

**MSS1203**  
**POWER+ MULTI-HEAD SNOW SHOVEL**




MULTI-HEAD SYSTEM



25' THROWING DISTANCE



4.0Ah BATTERY & 320W CHARGER















**SNOW BLOWER COMPARISON CHART**

	SNT2807	SNT2416	SNT2405	SNT2134	SNT2125AP	SNT2112	SNT2102	SNS1201	MSS1203
<b>BATTERY / CHARGER</b>	(2) 12.0Ah / DUAL PORT	(2) 10.0Ah / DUAL PORT	(2) 7.5Ah / DUAL PORT	(2) 6.0Ah / DUAL PORT	(2) 7.5Ah / DUAL PORT	(2) 5.0Ah / DUAL PORT	(2) 5.0Ah / 550W	2.5Ah / 210W	4.0Ah / 320W
<b>STAGE</b>	DUAL			SINGLE				SHOVEL	
<b>CLEARING CAPACITY*</b>	UP TO A 32 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 24 CAR DRIVEWAY 8 INCHES SNOW	UP TO AN 18 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 14 CAR DRIVEWAY 8 INCHES	UP TO A 16 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 12 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 10 CAR DRIVEWAY 8 INCHES SNOW	UP TO A 3 CAR DRIVEWAY 6 INCHES SNOW	UP TO A 4 CAR DRIVEWAY 6 INCHES SNOW
<b>CLEARING WIDTH</b>	28 INCHES	24 INCHES		21 INCHES				12 INCHES	
<b>INTAKE HEIGHT</b>	21 INCHES	20 INCHES		13 INCHES				6 INCHES	
<b>THROWING DISTANCE</b>	UP TO 60 FEET	UP TO 50 FEET	UP TO 50 FEET	UP TO 45 FEET	UP TO 45 FEET	UP TO 40 FEET	UP TO 35 FEET	UP TO 25 FEET	UP TO 25 FEET
<b>PROPULSION</b>	SELF-PROPEL	SELF-PROPEL	SELF-PROPEL	PUSH	AUGER PROPEL	PUSH	PUSH	PUSH	PUSH
<b>AUGER MATERIAL</b>	STEEL	STEEL	STEEL	STEEL	HEAVY DUTY RUBBER TIPPED METAL FRAME	STEEL	RUBBER TIPPED, METAL FRAME	IMPACT RESISTANT PLASTIC	IMPACT RESISTANT PLASTIC
<b>CHUTE DIRECTION (D) PITCH CONTROLS (P)</b>	ELECTRONIC 2-IN-1 JOYSTICK (D and P)	2-IN-1 JOYSTICK (D and P)	DUAL REMOTE LEVERS (D and P)	DUAL REMOTE LEVERS	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	REMOTE DIRECTION ONLY	MANUAL DIAL	MANUAL DIAL
<b>CHUTE RADIUS</b>	200°	200°	200°	180°	180°	180°	180°	60°	60°
<b>HEATED HANDLES</b>	YES	YES	NO	YES	YES	NO	NO	NO	NO
<b>WHEEL SIZE</b>	16" x 5"	15" x 3.5"	15" x 3.5"	9"	7.13"	7.13"	7.13"	7.13"	7.13"
<b>LED HEADLIGHTS</b>	YES	YES	YES	YES	YES	YES	YES	NO	NO
<b>COMPACT STORAGE</b>	NO	NO	NO	YES	YES	YES	YES	YES	YES
<b>HEIGHT ADJUST HANDLE</b>	YES	YES	YES	YES	NO	NO	NO	NO	NO
<b>BARE TOOL WEIGHT</b>	181 LBS	147 LBS	150 LBS	66 LBS	50.6 LBS	50.6 LBS	50.7 LBS	14 LBS	28 LBS
<b>WEATHER RATING</b>	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
<b>LIMITED WARRANTY</b>	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 5-YEAR BATTERY*	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY	5-YEAR TOOL 3-YEAR BATTERY



\* Clearing capacity based on batteries included with kit and may vary based on charge level of battery, condition of snow, and user's operation technique.  
\* With registration, 5-year limited tool warranty, 5-year limited battery warranty, see [egopowerplus.com/warranty-policy](http://egopowerplus.com/warranty-policy) for details.

**RIDING MOWER ACCESSORIES COMPATIBILITY MATRIX**









	E-STEER	LAP BAR		TRACTOR
	ZT4215S(new) ZT4205S	ZT5216L(new) ZT5207L	ZT4214L(new) ZT4204L	TR4204
<b>AB4200D</b> 42" Riding Mower Replacement Blade Set 	●		●	●
<b>AB4201D</b> 42" Riding Mower High-Lift Bagging Blade Set 	●		●	●
<b>AB5200D</b> 52" Z6 Zero Turn Riding Mower Replacement Blade Set 		●		
<b>AB5201D</b> 52" Z6 ZTR Mower High-Lift Bagging Blade Set 		●		
<b>ABK4200</b> Z6 Zero Turn Riding Mower Bagger Kit 	●		●	
<b>ABK4200T</b> 42" T6 Lawn Tractor Bagging Kit 				●
<b>ABK5200</b> Z6 52" Zero Turn Riding Mower Bagger Kit 			●	










	E-STEER	LAP BAR		TRACTOR
	ZT4215S(new) ZT4205S	ZT5216L(new) ZT5207L	ZT4214L(new) ZT4204L	TR4204
<b>ABP5200</b> 52" Z6 Zero Turn Riding Mower Mulch Plug 		●		
<b>AMB1000</b> Z6 Zero Turn Riding Mower Rear Bumper 	●	●	●	
<b>AMG1000</b> Z6 Zero Turn Riding Mower Onboard Storage Bin 	●	●	●	●
<b>AMP4200</b> 42" Riding Mower Mulch Plug 	●		●	●
<b>AMS1000</b> Z6 Zero Turn Riding Mower Sun Shade 	●	●	●	●

**UNIVERSAL RIDER ACCESSORIES**

	E-STEER	LAP BAR		TRACTOR
	ZT4215S(new) ZT4205S	ZT5216L(new) ZT5207L	ZT4214L(new) ZT4204L	TR4204
<b>ADT1000</b> Riding Mower Tow Behind Utility Cart 	●	●	●	●
<b>CRM001</b> 42" Zero Turn Riding Mower Cover 	●	●	●	●

MOWER ACCESSORIES COMPATIBILITY MATRIX

	1300 SERIES	1100 SERIES	1000 SERIES		800 SERIES			600 SERIES			N/A
	LM3004SP-2 (new) LM3000SP (new)	LM2206SP LM2200SP	LM2244SP-2 LM2240SP	LM2236SP	M2156SP LM2150SP LM2156SP-2	LM2135SP LM2130SP LM2135 LM2130	LM2125SP LM2120SP LM2122SP-2 LM2123SP-2	LM2114SP LM2110SP LM2114SP-L (new)	LM2114 LM2110 LM2112	LM2142SP	
<b>AB2100</b> 21" Mower Blade 											●
<b>AB2101</b> 21" High Lift Mower Blade 											●
<b>AB2102</b> 21" Mower Blade 							●	●	●		
<b>AB2103</b> 21" Mower High-Lift Blade 							●	●	●		
<b>AB3000D</b> High-Performance Blade Set for 30" Mower  <b>NEW</b>	●										
<b>AB3001D</b> High-Lift Blade Set for 30" Mower  <b>NEW</b>	●										
<b>AB2200D</b> High-Performance Blade Set 		●									
<b>AB2201D</b> High-Lift Bagging Blade Set 		●									

	1300 SERIES	1100 SERIES	1000 SERIES		800 SERIES			600 SERIES			
	LM3004SP-2 (new) LM3000SP (new)	LM2206SP LM2200SP	LM2244SP-2 LM2240SP	LM2236SP	M2156SP LM2150SP LM2156SP-2	LM2135SP LM2130SP LM2135 LM2130	LM2125SP LM2120SP LM2122SP-2 LM2123SP-2	LM2114SP LM2110SP LM2114SP-L (new)	LM2114 LM2110 LM2112		
<b>AB2211D</b> 22" Super Composite Mower High-Performance Blade Set 			●	●							
<b>AB2212D</b> 22" Super Composite Mower High-Lift Bagging Blade Set 			●	●							
<b>AB2100D</b> Extended Run Time Blade Set 					●	●	●				
<b>AB2101D</b> Mulching Blade Set 					●	●	●				
<b>AB2102D</b> High-Lift Bagging Blade Set 					●	●	●				
<b>AR2100</b> 21" Mower Striping Kit 					●	●	●	●	●	●	
<b>APH1000</b> Mower Phone Holder 		●	●	●				●	●	●	
<b>CM001</b> Mower Cover 					●	●	●	●	●	●	
<b>CM002</b> New Mower Cover  <b>NEW</b>		●	●	●	●	●	●	●	●	●	




### STRING TRIMMER ACCESSORIES COMPATIBILITY MATRIX





	Line IQ™ & POWERLOAD™		POWERLOAD™				Rapid Reload	
	ST1623T ST1620T	MST1700 MST1704	STA1600 MST1603	ST1611T ST1610T	ST1511T ST1510T ST6151LB ST1511LB (new)	ST1523S ST1521S ST1520S	ST1502SA ST1500SF ST1502LB ST1503LB	MST1501 STA1500
<b>AH1600</b> EGO POWERLOAD™ & Rapid Reload 2-in-1 Trimmer Replacement Head (counter clockwise)  <b>NEW</b>			●					
<b>AH1300</b> EGO 15" String Trimmer Bump Replacement Head 							●	
<b>AH1520</b> EGO POWERLOAD™ String Trimmer Replacement Head 				●		●		
<b>AH1522</b> EGO POWERLOAD™ String Trimmer Replacement Head 					●			
<b>AH1620</b> EGO 16" Line IQ™ String Trimmer Replacement Head 	●							
<b>AH1530</b> EGO Replacement Rapid Reload+ Trimmer Head (clockwise) 							●	
<b>AH1531</b> EGO Replacement Rapid Reload+ Trimmer Head (counter clockwise) 								●

### UNIVERSAL TRIMMER ACCESSORIES










	Line IQ™ & POWERLOAD™		POWERLOAD™				Rapid Reload	
	ST1623T ST1620T	MST1700 MST1704	STA1600 MST1603	ST1611T ST1610T	ST1511T ST1510T ST6151LB ST1511LB (new)	ST1523S ST1521S ST1520S	ST1502SA ST1500SF ST1502LB ST1503LB	MST1501 STA1500
<b>AQH1500</b> Quick Adjustable Auxiliary Handle 	●	Only with Power Head (PH1400 & PH1420)	Only with Power Head (PH1400 & PH1420)	●	●	●	●	Only with Power Head (PH1400 & PH1420)
<b>AL2420PB</b> Pre-Cut Premium Twist Line 	●	●	●	●	●	●	●	●
<b>AL2420P</b> Pre-Cut .095" Twisted Trimmer Line--5 Pack 	●	●	●	●	●	●	●	●
<b>AL2420PD</b> Dual Color Pre-Cut Trimmer Line 	●	●	●	●	●	●	●	●
<b>AL2470B</b> Premium Twist Line 	●	●	●	●	●	●	●	●
<b>AL2450S</b> 0.095" Twisted Line 	●	●	●	●	●	●	●	●
<b>AL2438</b> High Performance trimmer line 	●	●	●	●	●	●	●	●

**BLOWER ACCESSORIES COMPATIBILITY MATRIX**

	500 CFM (Leaf Vacuum)	530 CFM	600 CFM	615 CFM	650 CFM	670 CFM	765 CFM	880 CFM
	LV5000 LV5005 (new)	B5300 LB5302 ST1502LB ST1503LB ST1511LB (new)	LB6000 LB6003	LB6150 LB6151 LB6153 ST6151LB	LB6500 LB6504	LB6700 LB6703	LB7650 LB7654 LB7654-2 LB7654-P	LB8800 LB8803-2
<b>AN5300</b> Blower Nozzle		●						
								
<b>AN5801</b> Blower Spread Nozzle				●	●			
								
<b>AN6000F</b> Blower Flat Nozzle				●	●			
								
<b>AN6000R</b> Tapered Blower Nozzle				●	●			
								


	500 CFM (Leaf Vacuum)	530 CFM	600 CFM	615 CFM	650 CFM	670 CFM	765 CFM	880 CFM
	LV5000 LV5005 (new)	B5300 LB5302 ST1502LB ST1503LB ST1511LB (new)	LB6000 LB6003	LB6150 LB6151 LB6153 ST6151LB	LB6500 LB6504	LB6700 LB6703	LB7650 LB7654 LB7654-2 LB7654-P	LB8800 LB8803-2
<b>AST2000</b> Short Tube Attachment		●		●	●	●	●	
								
<b>AGC1000</b> Gutter Attachment for POWER+ Leaf Blowers		●		●	●	●	●	
								
<b>AP1500</b> Shoulder Strap		●		●	●	●	●	●
								
<b>ALB5000</b> Leaf Vacuum Bag	●							
								

**CHAIN/POLE SAW ACCESSORIES COMPATIBILITY MATRIX**

	10"		12"	14"	16"		18"		20"
	PS1000 PS1001	PSA1000 MPS1001	CS1201	CS1400 CS1401 CS1403	CS1600 CS1604	CS1610 CS1611 CS1613	CS1800 CS1803 CS1804 CS1804-2	CS1810 (new) CS1815 (new)	CS2000 CS2005
<b>AG1000</b> Multi-Head System 10" Pole Saw Bar 		●							
<b>AG1000Q</b> 10" Pole Saw Bar 	●								
<b>AG1400</b> 14" Chain Saw Guide Bar 				●					
<b>AG1600</b> 16" Chain Saw Guide Ba 					●	●			
<b>AG1800</b> 18" Chain Saw Guide Bar 							●	●	
<b>AC1000Q</b> 10" Pole Saw Chain 	●								
<b>AC1000</b> Multi-Head System 10" Pole Saw Chain 		●							
<b>AC1204</b> 12" Compact Chain Saw Chain 			●						
<b>AC1400</b> 14" Chain Saw Chain 				●					

**AC1600**

16" Chain Saw Chain



**AC1800**

18" Chain Saw Chain



**AC2005**

20" Chain Saw Chain



**AK1204**

12" Compact Chainsaw Chain and Bar



**AK1800**

18" Chain Saw Chain & Bar






**AK2005**

20" Chain Saw Chain & Bar





















	10"		12"	14"	16"		18"		20"
	PS1000 PS1001	PSA1000 MPS1001	CS1201	CS1400 CS1401 CS1403	CS1600 CS1604	CS1610 CS1611 CS1613	CS1800 CS1803 CS1804 CS1804-2	CS1810 (new) CS1815 (new)	CS2000 CS2005
<b>AC1600</b> 16" Chain Saw Chain					●	●			
<b>AC1800</b> 18" Chain Saw Chain							●	●	
<b>AC2005</b> 20" Chain Saw Chain									●
<b>AK1204</b> 12" Compact Chainsaw Chain and Bar			●						
<b>AK1800</b> 18" Chain Saw Chain & Bar							●		
<b>AK2005</b> 20" Chain Saw Chain & Bar									●

**UNIVERSAL CHAIN/POLE SAW ACCESSORIES**

	10"		12"	14"	16"		18"		20"
	PS1000 PS1001	PSA1000 MPS1001	CS1201	CS1400 CS1401 CS1403	CS1600 CS1604	CS1610 CS1611 CS1613	CS1800 CS1803 CS1804 CS1804-2	CS1810 (new) CS1815 (new)	CS2000 CS2005
<b>AOL3200</b> 32 Fl Oz Premium Bar and Chain Lubricant 	●	●	●	●	●	●	●		●
<b>AOL1000</b> 128 FL OZ Premium Bar and Chain Lubricant 	●	●	●	●	●	●	●		●
<b>BCS1000</b> Chain Saw Bag 			●	●	●	●	●		

**SNOW ACCESSORIES COMPATIBILITY MATRIX**

	12"		21"				24"		28"
	Multi-Head SSA1200 SSA1220 (new)	SNS1200 SNS1201	SNT2100 SNT2101 SNT2102	SNT2110 SNT2112 SNT2114	SNT2120AP SNT2125AP	SNT2130 SNT2134	SNT2400 SNT2405 SNT2406-4	SNT2410 SNT2416	SNT2800 SNT2807
<b>ASS2100</b> 21" Snow Blower Scarper Bar 			●	●					
<b>ASS2120</b> 21" Auger Propelled Snow Blower Scarper Bar 					●				
<b>ASS2130</b> 21" Flagship Single-stage Push Snow Blower Scarper Bar 						●			
<b>ASS2400</b> 2-Stage Snow Blower Scarper Bar 						●	●		
<b>AKS2130D</b> 21" Flagship Single-stage Push Snow Blower skid shoes (Pair) 						●			
<b>AKS2400D</b> 24" 2-stage snow blower skid shoes (Pair) 						●	●		
<b>AKS2800D</b> 28" 2-stage snow blower skid shoes (Pair) 						●	●	●	
<b>ARP2100</b> 21" Snow Blower Rubber Paddle (PAIR) 			●						
<b>ARP2101</b> 21" Snow Blower steel auger Rubber Paddle (PAIR) 				●					

	12"		21"				24"		28"
	Multi-Head SSA1200 SSA1220 (new)	SNS1200 SNS1201	SNT2100 SNT2101 SNT2102	SNT2110 SNT2112 SNT2114	SNT2120AP SNT2125AP	SNT2130 SNT2134	SNT2400 SNT2405 SNT2406-4	SNT2410 SNT2416	SNT2800 SNT2807
<b>ARP2120</b> 21" Auger Propelled Snow Blower Rubber Paddle Set 					●				
<b>ASP2400</b> 2-Stage Snow blower Shear pin (1-pack) 							●	●	
<b>ASP2400D</b> 2-Stage Snow blower Shear pin set (2-pack) 							●	●	
<b>AVB1200</b> 12" Front Motor Snow Shovel belt 		●							
<b>AVB2120</b> 21" Auger Propelled Snow Blower Belt 					●				
<b>AVB2306</b> 21" Snow Blower Belt 						●	●		
<b>ADC2400</b> 2-stage snow blower Drift Cutters 							●	●	
<b>CB002</b> Single-Stage snow blower cover 			●	●	●	●			
<b>CB004</b> 2-Stage snow blower cover 							●	●	

**WET/DRY VACUUM**

**AVF0300**

3 Gal filter replacement for WDVO300



NEW

**AVG0305**

3 Gal dust bags-5packs for WDVO300



NEW

**AVH0907**

1-7/8" x 7' Replacement Vacuum Hose



**AVF0900**

Replacement Filter for EGO Power+ 9 Gallon Wet/Dry Vacuum



**AVG0905**

Replacement Filter for EGO Power+ 9 Gallon Wet/Dry Vacuum



**AVN1000**

Wet/Dry Vacuum Round Brush Nozzle



NEW

**HIGH PRESSURE WASHER**

**AFC3200**

Premium Brass Foam Cannon



**ANZ3200**

0° Nozzle for EGO Power+ Pressure Washer



**ANK3200**

3200 PSI Pressure Washer Nozzle Kit



**ANK2100**

2100PSI Pressure Nozzle 5-piece Kit



**ICE/EARTH AUGER**

**AET0400**

4" Earth Auger Bit



**AET0600**

6" Earth Auger Bit



**AET0800**

8" Earth Auger Bit



**AET1000**

10" Earth Auger Bit



**ABE2000**

20" Auger Bit Extension



**AIT0800**

8" Ice Auger Bit



**ABO800I**

8" Ice Auger Bit Blade



**FAN**

**CFN001**

18" Misting Fan Cover



**MULTI-HEAD ACCESSORIES**

**BMH1000**

Multi-Head System Carrying Bag



**ACB9500**

Multi-Head Cultivator Blade Set (4 pcs)



**AEB0800**

Multi-Head 8" Edger Blade



**EP1000**

3.3 Foot Carbon Fiber Extension Pole



**EP7501**

31" Extension Pole



**ABB1203**

2-Tooth Metal Blade for 12" Brush Cutter (BCA1220)



**ASB1400**

Multi-Head Dethatcher Scarifier Blade for DA1400



NEW

**ABR2300**

Multi-Head Roto Cut Blade for New Roto Cut Attachment (RTA2320)



NEW

**SAFETY ACCESSORIES**

**GS001**

Safety Glasses with Clear Lenses



**GS002**

Safety Glasses with Gray Lenses



**GS003**

Safety Glasses with Yellow Lenses



**GV001M**

Work Gloves (Medium)



**GV001L**

Work Gloves (Large)



**GV001XL**

Work Gloves (X-Large)



**GV001XXL**

Work Gloves (XX-Large)



**EGO**<sup>™</sup>  
POWER BEYOND BELIEF<sup>™</sup>



**EGO**<sup>™</sup>  
COMMERCIAL

2026 PRODUCT CATALOG



# TABLE OF CONTENTS

<b>EGO Commercial PGX™ Charging</b>	<b>92</b>
<b>EGO Commercial Mowers</b>	<b>102</b>
<b>EGO Commercial Blower</b>	<b>106</b>
<b>EGO Commercial String Trimmer</b>	<b>110</b>
<b>EGO Commercial Bike Handle Brush Cutter</b>	<b>112</b>
<b>EGO Commercial Edger</b>	<b>114</b>
<b>EGO Commercial Pole Hedge Trimmer</b>	<b>116</b>
<b>EGO Commercial Single-sided Hedge Trimmer</b>	<b>120</b>
<b>EGO Commercial Telescopic Pole Saw</b>	<b>122</b>
<b>EGO Commercial Chain Saw</b>	<b>124</b>
<b>EGO Commercial Backpack Link</b>	<b>126</b>
<b>EGO Commercial Multi-Head</b>	<b>128</b>
<b>EGO Commercial Battery Technology</b>	<b>130</b>
<b>EGO Commercial Accessories</b>	<b>133</b>
<b>EGO Commercial Power Manager</b>	<b>136</b>



**MAXIMIZE  
YOUR UPTIME**

**WORK  
ALL DAY**



**CHARGE  
OVERNIGHT**

# PGX™ COMMERCIAL CHARGING SYSTEM

A flexible charging solution that scales to your business.



## PGX™ 1600W HUB

Mounts in a building, van, or trailer, and runs off any standard 15A circuit



## PGX™ 3-PORT DOCK

Simultaneously charges up to three EGO 56V ARC Lithium™ batteries



## PGX™ POWER BANK

Charges 30+ Ah of portable batteries during the day





## IT STARTS WITH THE POWER HUB

- ONLY ONE POWER HUB NEEDED
- CONNECTS TO PGX<sup>™</sup> COMMERCIAL CHARGING 3-PORT DOCKS
- MOUNTS IN A BUILDING, VAN, OR TRAILER
- RUNS OFF OF A SINGLE 15A CIRCUIT

### PGX1600H PGX<sup>™</sup> COMMERCIAL CHARGING 1600W HUB



POWER REQUIREMENT	15A CIRCUIT
INPUT WATTAGE	1600W
OUTPUT CURRENT	24A
CONNECTIVITY	BLUETOOTH & WIFI
DIMENSIONS	16" x 6.25" x 10"



## CHARGE UP TO 70 BATTERIES (15kWh) OVERNIGHT

- 3-PORT DOCK CHARGES 3 BATTERIES SIMULTANEOUSLY
- CONNECT UP TO 24 DOCKS TO ONE PGX™ HUB
- DOCKS CHARGE IN SERIES

### PGX3000D PGX™ COMMERCIAL CHARGING 3-PORT DOCK



CHARGE STATUS INDICATOR

INTEGRATED LOCKING BAR  
(REQUIRES 7MM SHACKLE PADLOCK)

E-TRACK COMPATIBLE  
(REQUIRES AEK1000  
ACCESSORY KIT,  
SOLD SEPARATELY)

RUGGED 2-FOOT  
CONNECTION CABLE



CHARGE 3 BATTERIES SIMULTANEOUSLY

STEEL-REINFORCED THROUGH-HOLE SCREW MOUNTING



7x MOUNTING HOLE LOCATIONS

POWER REQUIREMENT	PGX™ HUB (15A CIRCUIT)
EXPANDABLE	Yes
DIMENSIONS	23.5" x 6.75" x 11.5"



## CHARGE DURING THE DAY

- CHARGES 30+ Ah OF EGO POWER+ PORTABLE BATTERIES DURING THE DAY
- WORKS SEAMLESSLY WITH THE POWER HUB
- LARGE FORMAT BATTERIES CAN BE SWAPPED FOR MORE CAPACITY



### PGX3100K

#### PGX™ COMMERCIAL POWER BANK KIT

KIT INCLUDES:  
POWER BANK  
2.2kWh (40Ah) HIGH-CAPACITY BATTERY  
(2) 7.5Ah BATTERIES  
PGX™ CABLE

**POWER STATUS LED & BATTERY CHARGE STATUS LED**

**INTEGRATED LOCKING BAR (REQUIRES 7MM SHACKLE PADLOCK)**

**ROBUST ROLL CAGE DESIGNED FOR MAXIMUM DURABILITY**

**EXPANDABLE CONNECT MORE PGX™ SYSTEM UNITS TOGETHER TO CHARGE MORE BATTERIES**

**CHARGE TWO BATTERIES SIMULTANEOUSLY DC-DC FROM THE 40Ah BATTERY**

**STACK UP TO 2 UNITS**

**FUEL GAUGE**

**INTEGRATED FOLDING HANDLE**

HC2240T	
VOLTAGE	56V
ENERGY	2.2kWh (40Ah)
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME	120 MINUTES (40Ah HIGH CAPACITY)
CONNECTIVITY	BLUETOOTH
WEIGHT	39 LBS
DIMENSIONS	13.3" x 6.8" x 12.7"
WEATHER RESISTANCE RATING	IPX4

PGX3100K	
AC RECHARGE REQUIREMENT	PGX™ HUB (15A CIRCUIT)
CHARGE TIME (AC)	120 MINUTES (40Ah HIGH CAPACITY)
CHARGE TIME (DC)	75 MINUTES with two 12.0Ah 60 MINUTES with two 10.0Ah 50 MINUTES with two 8.0Ah 45 MINUTES with two 7.5Ah 35 MINUTES with two 6.0Ah 30 MINUTES with two 5.0Ah 25 MINUTES with two 4.0Ah 30 MINUTES with two 2.5Ah
DC CHARGING SPEED	2x 700W
EXPANDABLE	YES
CONNECTIVITY	BLUETOOTH
WEIGHT	38 LBS
DIMENSIONS	20.25" x 16.5" x 16"
WEATHER RESISTANCE RATING	IPX4

# INDUSTRY'S MOST POWERFUL GAS OR CORDLESS WALK-BEHIND MOWER



Compared to 22" and below deck size commercial walk behinds

**LMX5300SP**  
**COMMERCIAL 22" ALUMINUM DECK**  
**SELF-PROPELLED LAWN MOWER**

**PEAK  
POWER  
TECHNOLOGY**

COMBINES THE  
POWER OF  
TWO OR MORE  
EGO ARC LITHIUM<sup>™</sup>  
BATTERIES



<b>GAS EQUIVALENT</b>	230CC RATING
<b>TORQUE</b>	14.8 FT-LBS
<b>MAX POWER</b>	4000W
<b>RATED POWER</b>	1600W
<b>RUNTIME</b> with two 12.0Ah batteries	UP TO 120 MINUTES
<b>RECHARGE TIME</b> with two 12.0Ah batteries using PGX <sup>™</sup> Power Bank	75 MINUTES
<b>BATTERY WATTS</b>	8960
<b>SELF-PROPELLED</b>	YES

<b>CUTTING SYSTEM</b>	COMMERCIAL SINGLE BLADE
<b>CUTTING HEIGHTS</b>	8
<b>DECK SIZE</b>	22"
<b>MAX BLADE TIP SPEED</b>	18,000 FPM
<b>DECK MATERIAL</b>	ALUMINUM
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM <sup>™</sup>
<b>WEIGHT</b> bare tool	99.2 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5

# INDUSTRY'S MOST LIGHTWEIGHT 30" COMMERCIAL MOWER



**LMX7600SP**

**COMMERCIAL 30" COMPOSITE ARMOR™ DECK MOWER WITH PEAK POWER™, TOOL ONLY**

**PEAK POWER TECHNOLOGY**

COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

CUSTOMIZABLE  
USER CAN SWITCH BETWEEN 3 BLADE SPEEDS, 3 HANDLE HEIGHTS

**NEW**

COMMERCIAL GRADE BRUSHLESS MOTORS  
DUAL BLADE BRUSHLESS MOTORS

ALUMINUM DECK GUARD  
HEAVY DUTY TO TAKE A PUNCH



DURABLE BY DESIGN  
ANTI-RUST SUPER COMPOSITE DECK WITH STEEL BUMPERS & DECK GUARDS

COMPOSITE ARMOR™ DECK  
IMPACT-RESISTANT DECK TO DEFEND AGAINST DENTS, RUST, AND CORROSION WHILE DELIVERING THE STRENGTH OF METAL WITHOUT THE ADDED WEIGHT



EGO FLEET APP COMPATIBLE  
TRACK STATUS & USAGE OPTIMIZE CHARGING

<b>GAS EQUIVALENT</b>	230CC RATING
<b>TORQUE</b>	16.2 FT-LBS
<b>MAX POWER</b>	4000W
<b>RATED POWER</b>	1000W
<b>RUNTIME</b> Recommend with two 12.0Ah batteries	UP TO 120 MINUTES
<b>RECHARGE TIME</b> Recommend with two 12.0Ah batteries using PGX™ Power Bank	75 MINUTES
<b>SELF-PROPELLED</b>	Yes

<b>CUTTING SYSTEM</b>	Dual Blade
<b>CUTTING HEIGHTS</b>	9
<b>DECK SIZE</b>	30"
<b>MAX BLADE TIP SPEED</b>	16,000 FPM
<b>DECK MATERIAL</b>	Composite Armor
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM™ PEAK POWER™
<b>WEIGHT</b> bare tool	116 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5



**NOBODY HAS  
MORE POWER**

Based on September 2024 cordless commercial BP blowers available

**LBPX1100**  
**COMMERCIAL 1000 CFM BACKPACK BLOWER**  
**WITH PEAK POWER™**



**PEAK  
POWER**<sup>™</sup>  
TECHNOLOGY

COMBINES THE  
POWER OF  
TWO OR MORE  
EGO ARC LITHIUM™  
BATTERIES

<b>GAS EQUIVALENT</b>	65CC RATING
<b>CLEARING CAPACITY</b>	1000 CFM
<b>AIR SPEED with nozzle</b>	190 MPH
<b>PUSH FORCE</b>	33N
<b>MAX POWER</b>	2700W
<b>RUNTIME</b> with two 12.0Ah batteries	UP TO: 240 MINS ON LOW 40 MINS ON HIGH 30 MINS ON TURBO
<b>DECIBEL RATING</b> measured at 50 feet per ANSI standards	65db(A)
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM™ with PEAK POWER™
<b>HOUSING</b>	UV-RESISTANT COMPOSITE
<b>WEIGHT bare tool</b>	21.2 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5

**LBPX8010**  
**COMMERCIAL 800 CFM BACKPACK BLOWER**  
**WITH PEAK POWER™**



PREMIUM STRAPS & BACK PADS

DIGITAL CONTROLS WITH TURBO LOCK  
 TAILOR PERFORMANCE TO THE WAY YOU WORK

FULLY ADJUSTABLE HAND GRIP & TUBE

3-POINT SUPPORT BASE FOR STABILITY


OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME

**PEAK POWER™**  
 TECHNOLOGY  
 COMBINES THE POWER OF TWO OR MORE EGO ARC LITHIUM™ BATTERIES

GAS EQUIVALENT	60CC RATING
CLEARING CAPACITY	800 CFM
AIR SPEED	190 MPH
PUSH FORCE	26N
MAX POWER	1900W
IoT	YES
RUNTIME with two 12.0Ah batteries	UP TO: 120 MINS ON LOW 30 MINS ON HIGH 25 MINS ON TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™ with PEAK POWER™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	16.3 LBS
WEATHER RESISTANCE RATING	IPX5

Additional SKU Configurations:  
**LBPX8000** Batteries and charger not included. IoT not included.  
**LBPX8010** Batteries and charger not included. IoT included.  
**LBPX8004-2** Includes (2) 6.0Ah batteries and 280W Dual Port charger. IoT not included.  
**LBPX8006-2** Includes (2) 10.0Ah batteries and 280W Dual Port charger. IoT not included.  
**LBPX8016-2** Includes (2) 10.0Ah batteries and 280W Dual Port charger. IoT included.

**LBX1000**  
**COMMERCIAL 1000CFM HANDHELD BLOWER**



DIGITAL CONTROLS WITH LCD DISPLAY AND TURBO LOCK

SECONDARY HANDLE

HIGH-EFFICIENCY BRUSHLESS MOTOR

OPTIMIZED AIRFLOW EFFICIENCY FOR EXTENDED RUNTIME

GAS EQUIVALENT	60CC RATING
CLEARING CAPACITY	1000 CFM
STANDARD OPERATING RANGE	450 - 800 CFM
AIR SPEED with nozzle	185 MPH
PUSH FORCE	32N
RUNTIME with 10.0Ah battery	UP TO: 100 MINS / LOW 30 MINS / HIGH 20 MINS / TURBO
DECIBEL RATING measured at 50 feet per ANSI standards	65db(A)
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	7.3 LBS
WEATHER RESISTANCE RATING	IPX5



**20% MORE POWER**

Compared to ST1623T

**STX4500**  
**COMMERCIAL 17.5" STRING TRIMMER**



HIGH-PERFORMANCE  
BRUSHLESS MOTOR

VARIABLE SPEED,  
INSTANT-ON TRIGGER

3-SPEED DIGITAL SPEED CONTROL

SHOULDER STRAP HOOK  
(SHOULDER STRAP AVAILABLE)



COMPATIBLE WITH ABB1203-1  
(SOLD SEPARATELY)

CARBON FIBER SHAFT  
STRONG AND LIGHT

OVERMOLDED  
QUICK-ADJUST  
HANDLE

RAPID RELOAD  
HEAD  
BACK TO WORK IN  
SECONDS

<b>GAS EQUIVALENT</b>	35CC RATING
<b>MAX POWER</b>	1600W
<b>RATED POWER</b>	1200W
<b>RUNTIME</b> with 5.0Ah battery on low	UP TO 60 MINUTES
<b>MAX CUTTING CAPACITY</b>	17.5"
<b>MAX LINE DIAMETER</b>	0.120"
<b>HEAD ROTATION</b>	COUNTER-CLOCKWISE
<b>SPEEDS</b> no load RPM	3500/4500/5700 RPM 3-SPEED DIGITAL CONTROL
<b>SHAFT MATERIAL</b>	CARBON FIBER
<b>LINE LOAD</b>	RAPID RELOAD
<b>DRIVE SHAFT</b>	SOLID STEEL
<b>AUXILIARY HANDLE CONSTRUCTION</b>	OVERMOLDED
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM <sup>™</sup>
<b>HOUSING</b>	UV-RESISTANT COMPOSITE
<b>TOOL LENGTH</b>	72"
<b>WEIGHT</b> bare tool	9 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5




**MORE POWER  
THAN GAS**

Compared to Stihl FS111

**BCX4500**

**COMMERCIAL 12" BIKE HANDLE BRUSH CUTTER**



HIGH-PERFORMANCE BRUSHLESS MOTOR

3-SPEED DIGITAL SPEED CONTROL

VARIABLE SPEED, INSTANT-ON TRIGGER

QUICK-ADJUST HANDLEBARS

CARBON FIBER SHAFT STRONG AND LIGHT

COMPATIBLE WITH AH3810 (SOLD SEPARATELY)



SHOULDER HARNESS INCLUDED

HIGH STRENGTH TRI BLADE BLASTS THROUGH FINE FESCUE TO 1 INCH SAPLINGS


<b>GAS EQUIVALENT</b>	35CC RATING
<b>MAX POWER</b>	1600W
<b>RATED POWER</b>	1200W
<b>RUNTIME</b> with 7.5Ah battery on low	UP TO 60 MINUTES
<b>MAX CUTTING CAPACITY</b>	12", 3-TOOTH BLADE
<b>HEAD ROTATION</b>	COUNTER-CLOCKWISE
<b>SPEEDS</b> no load RPM	3500/4500/5700 RPM 3-SPEED DIGITAL CONTROL
<b>SHAFT MATERIAL</b>	CARBON FIBER
<b>DRIVE SHAFT</b>	SOLID STEEL
<b>HANDLE BAR ADJUSTABILITY</b>	QUICK ADJUST
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM™
<b>HOUSING</b>	UV-RESISTANT COMPOSITE
<b>TOOL LENGTH</b>	72"
<b>WEIGHT</b> bare tool	11.2 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5

**5X  
LONGER  
LIFE**



Measured in hours compared to previous EGO model

**EDX2000**  
**COMMERCIAL 8" STRAIGHT SHAFT EDGER**



**EDX2000-C**  
**COMMERCIAL 8" CURVED SHAFT EDGER**




	EDX2000	EDX2000-C
GAS EQUIVALENT	25CC RATING	
MAX POWER	1600W	2300W
RATED POWER	1200W	1600W
RUNTIME with 5.0Ah battery on low	UP TO 60 MINUTES	
BLADE SIZE	8"	
MAX CUTTING DEPTH	3"	
ARBOR SIZE	1 INCH	
SPEEDS no load RPM	3000/4000/4500 RPM	4000/5500/7000 RPM
SHAFT MATERIAL	CARBON FIBER	ALUMINUM
SHAFT STYLE	STRAIGHT	CURVED
DRIVE SHAFT	SOLID STEEL	FLEXIBLE
BATTERY TECHNOLOGY	56V ARC LITHIUM™	
HOUSING	UV-RESISTANT COMPOSITE	
TOOL LENGTH	69.5"	67.3"
WEIGHT bare tool	10.4 LBS	
WEATHER RESISTANCE RATING	IPX5	



**INDUSTRY  
LEADING  
DURABLE  
CARBON  
FIBER RAILS**


Compared to MHT2001

**HTX5300-PA  
COMMERCIAL 21" ARTICULATING POLE  
HEDGE TRIMMER**






**HTX5310-P**  
**COMMERCIAL 21" EXTENDED POLE**  
**HEDGE TRIMMER**



**HTX5300-P**  
**COMMERCIAL 21" SHORT POLE**  
**HEDGE TRIMMER**




	HTX5300-PA	HTX5310-P	HTX5300-P
GAS EQUIVALENT	25CC RATING		
MAX POWER	1000W		
RATED POWER	650W		
RUNTIME with 2.5Ah battery on low	UP TO 75 MINUTES		
BLADE	21-INCH DUAL-ACTION HARDENED STEEL		
CUTTING CAPACITY	1.1"		
CUTTING POSITIONS	45°, 30°, 15°, 0°, -15°, -30°, -45°, -60°, -75°, -90°, -180°	0°	
HEAD ROTATION	180° ARTICULATING MAX RANGE	FIXED	
SPEEDS	3200/3600/4000 RPM		
SHAFT MATERIAL	CARBON FIBER		
GEARBOX	DIE CAST ALUMINUM/SERVICEABLE		
BATTERY TECHNOLOGY	56V ARC LITHIUM™		
HOUSING	UV-RESISTANT COMPOSITE		
SHAFT LENGTH	59"	42"	20"
OVERALL LENGTH	98.2"	82.7"	59.1"
WEIGHT bare tool	11 LBS	9.0 LBS	9.2 LBS
WEATHER RESISTANCE RATING	IPX5		

# INDUSTRY LEADING DURABLE CARBON FIBER RAILS



**HTX7500S**  
**COMMERCIAL 30" SINGLE-SIDED HEDGE TRIMMER**




<b>GAS EQUIVALENT</b>	25CC RATING
<b>BLADE LENGTH</b>	30 IN.
<b>CUTTING CAPACITY</b>	1.2 IN.
<b>MAX POWER</b>	720W
<b>STROKES PER MINUTE</b>	3000 / 3500 / 4600
<b>EST. RUNTIME WITH 2.5Ah BATTERY</b>	LOW - UP TO 210 MINUTES MID - UP TO 150 MINUTES HIGH - UP TO 90 MINUTES
<b>CONTROLS</b>	VARIABLE TRIGGER w/DIGITAL 3-SPEED
<b>BATTERY TECHNOLOGY</b>	56V POWER+
<b>HOUSING</b>	UV-RESISTANT COMPOSITE
<b>BARE TOOL WEIGHT</b>	8.1 LBS
<b>IPX RATING</b>	IPX5



**40% LIGHTER**

Compared to dedicated telescoping pole saws

**PSX2510**  
**COMMERCIAL 10" TELESCOPIC POLE SAW**



<b>GAS EQUIVALENT</b>	25CC RATING
<b>RUNTIME</b> with 2.5Ah battery	UP TO 110 CUTS
<b>BAR LENGTH</b>	10"
<b>SHAFT MATERIAL</b>	CARBON FIBER
<b>CHAIN SPEED</b>	VARIABLE SPEED UP TO 20 M/S
<b>CHAIN SPECS</b>	1/4 INCH PITCH .043 INCH GAUGE 56 DRIVE LINKS
<b>CHAIN ADJUSTMENT</b>	MANUAL
<b>LIMB HOOK</b>	METAL
<b>EXTENSION METHOD</b>	TELESCOPING
<b>MAX TOOL LENGTH</b>	UP TO 13 FEET
<b>TOOL REACH EXTENDED</b> with included extension pole	UP TO 17 FEET
<b>OILING</b>	AUTOMATIC
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM™
<b>HOUSING</b>	UV-RESISTANT COMPOSITE
<b>WEIGHT</b> bare tool	9.3 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5

Additional SKU Configuration:  
**PSX2520 (New)** with IOT Tool Only

# INDUSTRY'S MOST ADVANCED CHAIN SAW

Based on September 2024 cordless 20" chain saws available

## CSX3000 COMMERCIAL 12" SERIES TOP-HANDLE CHAIN SAW



## CSX5000 COMMERCIAL 20" CHAIN SAW

- BACKLIT DISPLAY
- SAFETY BRAKE ON/OFF
  - LED WORK LIGHT
  - BLUETOOTH
  - 3-MODE SPEED SELECT
  - BATTERY FUEL GAUGE
  - OVERLOAD INDICATOR
  - LOW OIL INDICATOR
  - OIL FLOW CONTROL



Additional SKU Configurations:  
**CSX5007** Includes 8.0Ah battery and 550W charger.



Additional SKU Configurations:  
**CSX3003** Includes 5.0Ah battery and 550W charger.

	CSX5000	CSX3000
<b>GAS EQUIVALENT</b>	60CC RATING	35.2CC RATING
<b>MAX CUTTING CAPACITY</b> 4 x 4 wood	UP TO 275 CUTS with 8.0Ah battery	UP TO 265 CUTS with 5.0Ah battery
<b>MAX POWER</b>	3500W	2500W
<b>RATED POWER</b>	2700W	1800W
<b>BAR LENGTH</b>	20"	12"
<b>CHAIN SPEED</b>	30 M/S	20 M/S
<b>CHAIN SPECS</b>	.325 INCH PITCH .050 INCH GAUGE 78 DRIVE LINKS	3/8 INCH PITCH .043 INCH GAUGE 45 DRIVE LINKS
<b>CHAIN ADJUSTMENT</b>	MANUAL	
<b>OILING</b>	AUTOMATIC	
<b>CHAIN KICK BACK BRAKE</b>	YES	
<b>AUTO SAFETY BRAKE</b>	YES	NO
<b>BUCKING SPIKES</b>	METAL	
<b>DIGITAL USER INTERFACE</b>	YES	NO
<b>LED WORK LIGHT</b>	YES	NO
<b>BATTERY TECHNOLOGY</b>	56V ARC LITHIUM™	
<b>HOUSING</b>	UV-RESISTANT COMPOSITE	
<b>WEIGHT</b> bare tool	13 LBS	7.7 LBS
<b>WEATHER RESISTANCE RATING</b>	IPX5	

# COMMERCIAL BACKPACK LINK WITH PEAK POWER<sup>™</sup>



**BHX2006-2**  
**PEAK POWER BACKPACK LINK WITH 2x10Ah BATTERIES**

**PEAK  
POWER**<sup>™</sup>  
TECHNOLOGY

COMBINES THE  
POWER OF  
TWO OR MORE  
EGO ARC LITHIUM<sup>™</sup>  
BATTERIES

**NEW**



FULLY ADJUSTABLE HARNESS & WAIST BELT  
CUSTOMIZES FIT FOR USER COMFORT


BATTERY ADAPTOR  
ALLOWS USER TO  
CUSTOMIZE RUNTIME  
WITHOUT ADDING  
WEIGHT ON TOOL

PGX<sup>™</sup> COMPATIBLE  
CONVENIENTLY CHARGES  
VIA THE ADAPTOR WITHOUT  
REMOVING THE BATTERIES

BATTERY TECHNOLOGY	56V ARC LITHIUM <sup>™</sup> PEAK POWER <sup>™</sup>
HOUSING	UV-RESISTANT COMPOSITE
COMPATIBILITY	COMMERCIAL POWER+ HH
BARE TOOL WEIGHT	9 LBS
IPX RATING	IPX5

**EGO  
MULTI-HEAD  
SYSTEM  
ONE HEAD  
POWERS  
MULTIPLE  
TOOLS**

**PHX1600  
COMMERCIAL POWER HEAD**



GAS EQUIVALENT	35CC RATING
MAX POWER	1600W
RATED POWER	1200W
SPEED SETTINGS	6000/6500/7000 RPM
SHAFT ROTATION	COUNTER-CLOCKWISE
SHAFT MATERIAL	CARBON FIBER
SHAFT THICKNESS	2.0 MM
BATTERY TECHNOLOGY	56V ARC LITHIUM™
HOUSING	UV-RESISTANT COMPOSITE
WEIGHT bare tool	9 LBS
WEATHER RESISTANCE RATING	IPX5



# THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY

## BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Patented ARC Lithium design keeps the battery from overheating
- Patented power management system to maximize power and runtime
- An integrated fuel gauge that shows you how much power is left
- Two years with registration completed within 90 days from date of purchase. One-year warranty without registration



**ARC<sup>™</sup> 56V**  
LITHIUM

**BA1400T**  
2.5Ah BATTERY  
140Wh



**BA4200T**  
7.5Ah BATTERY  
420Wh



**BA2242T**  
4.0Ah BATTERY  
224Wh



**BA4480T/BA4480X**  
8.0Ah BATTERY  
448Wh



**BA2800T**  
5.0Ah BATTERY  
280Wh



**BA5600T**  
10.0Ah BATTERY  
560Wh



**BA2800T-2**  
5.0Ah BATTERY 2-PACK  
560Wh TOTAL



**BA6720T**  
12.0Ah BATTERY  
672Wh




**BA3360T**  
6.0Ah BATTERY  
336Wh



**BA6720T-2**  
12.0Ah BATTERY 2-PACK  
1,344Wh TOTAL



# ALL VOLTS ARE NOT CREATED EQUAL



## VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of **ENERGY(Wh)** and **POWER(W)**

$$\text{CAPACITY (Ah)} \times \text{VOLTAGE (V)} = \text{ENERGY (Wh)}$$

$$\text{VOLTAGE (V)} \times \text{CURRENT (A)} = \text{POWER (W)}$$



# ARC LITHIUM™ MAX

- Enhanced heat management for longer sustained performance.
- Delivers consistent power under heavy load.
- Built for higher output and improved efficiency.

## ARC LITHIUM MAX 56V



CAPACITY/ENERGY	8.0Ah / 448WH
CELL TYPE	21700 TABLESS
MAX CONTINUOUS POWER	5600W
CHARGING TIME (WITH PGX2500PB)	20 MINUTES*
WEIGHT	6.6 LBS
IP LEVEL	IPX5
CONNECTIVITY	BLE
POWER DENSITY	1867W/kg
WARRANTY	3-YEAR COMMERCIAL 5-YEAR RESIDENTIAL

### PGX™ CHARGING ACCESSORIES

**ACE0700**  
**PGX™ 2-FOOT POWER CABLE**  
*Compatible with PGX3000D & PGX1400PB*



**ACE1500**  
**PGX™ 5-FOOT POWER CABLE**  
*Compatible with PGX3000D & PGX1400PB*



**AEK1000**  
**PGX™ E-TRACK MOUNTING KIT**  
*Compatible with PGX1600H & PGX3000D*



**ATA1000**  
**POWER BANK TRANSPORTATION TOOL**



### MOWER ACCESSORIES

**AB5301**  
**22" High-Lift Commercial Blade**



### STRING TRIMMER ACCESSORIES

**AD4510**  
**TRIMMER GUARD**  
*Compatible with STX4500 & BCX4500*



**AH3800**  
**MANUAL LOAD BUMP HEAD**  
*Compatible with STX3800, STX4500, BCX3800 & BCX4500*



**AH3810**  
**RAPID RELOAD TRIMMER HEAD**  
*Compatible with STX3800, STX4500, BCX3800 & BCX4500*



**AL2403**  
**PREMIUM CRIMPED TRIMMER LINE**  
0.095" x 800' / 3 lbs.



### STRING TRIMMER ACCESSORIES continued

**AL2405**  
**PREMIUM CRIMPED TRIMMER LINE**  
0.095" x 1400' / 5 lbs.



**AL2420PB**  
**PREMIUM PRE-CUT TWISTED TRIMMER LINE**  
0.095" x 14' / 5 pre-cut coils



**AL2438**  
**HIGH-PERFORMANCE TWISTED TRIMMER LINE**  
0.095" x 125'



**AL2470B**  
**PREMIUM TWISTED TRIMMER LINE**  
0.095" x 230'



**AL2703**  
**PREMIUM CRIMPED TRIMMER LINE**  
0.105" x 690' / 3 lbs.



**AS3800**  
**REPLACEMENT TRIMMER SPOOL**  
*Compatible with STX3800, STX4500, BCX3800 & BCX4500*



### BRUSH CUTTER ACCESSORIES

**ABB1203**  
**3-TOOL METAL BLADE**  
*Compatible with STX3800, STX4500, BCX3800 & BCX4500*



**ABB1203-1**  
**3-TOOL METAL BLADE COMBO KIT**  
*Compatible with STX3800, STX4500, BCX3800 & BCX4500*



**AP4500D**  
**DOUBLE SHOULDER BRUSH CUTTER HARNESS**  
*Compatible with BCX4500*



**AHP1500**  
**COMMERCIAL HIP PAD**



### HEDGE TRIMMER ACCESSORIES

**AHB5300P**  
**21" HEDGE TRIMMER REPLACEMENT**  
**BLADE SET**  
 Compatible with HTX5300-P & HTX5310-P



**AHB5300PA**  
**21" HEDGE TRIMMER REPLACEMENT**  
**BLADE SET**  
 Compatible with HTX5300-PA



### POLE SAW ACCESSORIES

**AC1000Q**  
**10" POLE SAW CHAIN**  
 Compatible with PSX2510 & PSX2510-FC



**AG1000Q**  
**10" POLE SAW BAR**  
 Compatible with PSX2510 & PSX2510-FC



**EP1000**  
**3.3 FOOT CARBON FIBER EXTENSION POLE**  
 Compatible with PSX2510 & PSX2510-FC



### CHAIN SAW ACCESSORIES

**ABH3000**  
**BATTERY HOLSTER**  
 Compatible with CSX3000 & CSX3003



**AC1200**  
**12" CHAIN SAW CHAIN**  
 .375" Pitch, .043" Gauge, 45 Drive Links  
 Compatible with CSX3000 & CSX3003



**AC1635**  
**16" CHAIN SAW CHAIN**  
 .325" Pitch, .050" Gauge, 66 Drive Links  
 Compatible with CSX5000 & CSX5007



**AC1835**  
**18" CHAIN SAW CHAIN**  
 .325" Pitch, .050" Gauge, 72 Drive Links  
 Compatible with CSX5000 & CSX5007



**AC2035**  
**20" CHAIN SAW CHAIN**  
 .325" Pitch, .050" Gauge, 78 Drive Links  
 Compatible with CSX5000 & CSX5007



### CHAIN SAW ACCESSORIES continued

**AG1200**  
**12" CHAIN SAW GUIDE BAR**  
 Compatible with CSX3000 & CSX3003



**AK1635**  
**16" CHAIN SAW BAR AND CHAIN KIT**  
 .325" Pitch, .050" Gauge, 66 Drive Links  
 Compatible with CSX5000 & CSX5007



**AK1835**  
**18" CHAIN SAW BAR AND CHAIN KIT**  
 .325" Pitch, .050" Gauge, 72 Drive Links  
 Compatible with CSX5000 & CSX5007



**AK2035**  
**20" CHAIN SAW BAR AND CHAIN KIT**  
 .325" Pitch, .050" Gauge, 78 Drive Links  
 Compatible with CSX5000 & CSX5007



### SAW LUBRICANT

**AOL1000**  
**128 FL OZ PREMIUM BAR & CHAIN LUBRICANT**  
 Premium, oil-free, biodegradable.  
 Water soluble for easy clean-up



**AOL3200**  
**32 FL OZ PREMIUM BAR & CHAIN LUBRICANT**  
 Premium, oil-free, biodegradable.  
 Water soluble for easy clean-up



### SAFETY

**GS001**  
**SAFETY GLASSES WITH CLEAR LENSES**



**GS002**  
**SAFETY GLASSES WITH GRAY LENSES**



**GS003**  
**SAFETY GLASSES WITH YELLOW LENSES**



**GV001M**  
**WORK GLOVES**  
 Size Medium, Synthetic Glove  
 (Note: gloves run small)



**GV001L**  
**WORK GLOVES**  
 Size Large, Synthetic Glove  
 (Note: gloves run small)



**GV001XL**  
**WORK GLOVES**  
 Size X-Large, Synthetic Glove  
 (Note: gloves run small)



**GV001XXL**  
**WORK GLOVES**  
 Size XX-Large, Synthetic Glove  
 (Note: gloves run small)









**POWER BEYOND BELIEF™**

Your local dealer:

[egopowerplus.com](http://egopowerplus.com)



All rights reserved. Neither this Catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this Catalog are correct at the time of going to print.

We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2026

EGOCTL-26